

Military-Veterans Advocacy, Inc. Post Office Box 5235 Slidell, Louisiana 70469-5235 Telephone (985) 641-1855

June 18, 2021

Hon. Denis McDonough Secretary of Veterans Affairs 810 Vermont Ave., NW Washington, DC 20420

Dear Mr. Secretary:

Pursuant to 5 U.S.C. § 553(e), request that you issue rules recognizing the Secretary January 9, 1962 through May 7, 1975 except for Marine Corps Air Station Futenma and Kadena Air Force Base. The Marine Corps Air Station Futenma presumption should be extended until the discovery of barrels of herbicide in August of 1981. The Kadena Air Force

presumption of Agent Orange exposure to veterans serving on Okinawa from Base presumption should be extended until the discovery of herbicide on the soccer pitch in Okinawa City (previously part of Kadena) in June of 2013.

Military-Veterans Advocacy is an IRC § 501(c)(3) non-profit corporation. Our board and all of our officers are unpaid volunteers and we dedicate hundreds of volunteer hours to assisting members of the armed forces and military veterans. We take a three pronged hybrid approach of legislation, litigation and education to serving our nation's veterans. In support of these concepts we draft and secure sponsors for legislation and initiate rulemaking requests to your office. When necessary, we file legal action in the federal courts or provide amicus curare briefs to seek judicial review of policies affecting benefits. We also conduct education for veterans, veterans groups and attorneys who practice veterans law. MVA has been recognized as a Continuing Legal Education (CLE) provider by the State of Louisiana.

Currently we have rulemaking requests pending to support the extension of herbicide presumption to Guam, Thailand, Johnston Island, Phu Quoc Island and the Panama Canal Zone. Of course we have additional litigation pending in the Court of Appeals for the Federal Circuit.

As you can see from the enclosed evidence, there is no question about herbicide use on Guam. I have attached a form DD 250, clearly showing that 2,4,5-T was shipped to Okinawa in July of 1966. As you are no doubt aware, these shipping documents were under a 2-3 year destruction protocol. Given the volume of paper generated by the military supply and logistics system, it makes sense that few, if any, shipping documents from the period actually survived.

I have also enclosed excerpts from Jon Mitchell's excellent analysis, Poisoning the Pacific. This book provides documentary and photographic evidence of the presence of herbicide on Okinawa during the Cold War. It also contains the later excavations of Agent Orange herbicide at MCAS Futenma and Kadena AFB.

The investigation of the former Kadena discovery is memorialized in a survey by the Okinawa Defense Bureau, entitled Former Kadena Airfield (2 5) Soli Investigation Survey (Part 2) which I have also attached to this letter. That report, along with an article in Stars and

Rob Maness

Colonel USAF (Retired) **Executive Director**

email: rob@robmaness.com

Michael Yates

Chief of Staff email: commander@bluewaternavy.org

John B. Wells

Commander USN (Retired) Chairman of the Board Director of Litigation email: JohnLawEsq@msn.com

James A. Kuiken

Sgt. Major USMC (Retired) Vice Chairman of the Board Director of Legislation email: contact@JamesKuiken.com

Michael Kvintus

email: ermizmol@yahoo.com

Hon. Denis McDonough Secretary of Veterans Affairs June 18, 2021 -2=

Stripes, confirms toxic levels of 2,4,5-T, 2,4-D and its by-product 2,3,7,8-TCDD (dioxin).

Finally I have attached sworn affidavits from Gerald Balmes, the MVA Section Chief for Veterans of Okinawa, and Allan Davis who served on Okinawa to confirm their personal observations concerning the use of herbicide. I have also provided a shipping document showing that 2,4,5-T was shipped to Okinawa. Additionally, I have attached relevant excerpts from Mitchell's book and unsworn statements from other veterans who have served on Okinawa

I look forward to your response to this request.

John B. Wells

Commander, USN (ret) Chairman of the Board

Proposed Change to 38 C.F.R. § 3.307

Add $\S 3.307(a)(6)(vi)$ to read as follows:

A veteran who, during active military, naval, or air service, served between January 9, 1962 through May 7, 1975 except for Marine Corps Air Station Futenma and Kadena Air Force Base. individually or in a unit that, as determined by the Department of Defense, operated on Okinawa or within the territorial sea of that island, shall be presumed to have been exposed during such service to an herbicide agent, unless there is affirmative evidence to establish that the veteran was not exposed to any such agent during that service.

For purposes of service on Marine Corps Air Station Futenma, the presumption is extended until the discovery of barrels of herbicide in August of 1981. For purposes of service on Kadena Air Force Base the presumption is extended until the discovery of herbicide on the soccer pitch in Okinawa City (previously part of Kadena) in June of 2013.

Proposed Change to 38 C.F.R. § 3.307

Add § 3.307(a)(6)(vi) to read as follows:

Except as otherwise indicated, a veteran who, during active military, naval, or air service, served between January 9, 1962 and May 7, 1975, individually or in a unit that, as determined by the Department of Defense, operated on Okinawa or within the territorial sea of that island, shall be presumed to have been exposed during such service to an herbicide agent, unless there is affirmative evidence to establish that the veteran was not exposed to any such agent during that service.

For purposes of service on Marine Corps Air Station Futenma, the presumption is extended until the discovery of barrels of herbicide in August of 1981. For purposes of service on Kadena Air Force Base, the presumption is extended until the discovery of herbicide on the soccer pitch in Okinawa City (previously part of Kadena AFB) in June of 2013.

Table of Evidence

DD-250 dated July, 28th 1966 Exhibit	1
Excerpts from Jon Mitchell's Poisoning the Pacific Exhibit	2
Former Kadena Airfield (2 5) Soil Investigation Survey Part 2 Exhibit	3
Stars and Stripes Article, Published, August, 1, 2013 Exhibit	4
Affidavit of Gerald A. Balmes Exhibit	5
Affidavit of Allan Davis Exhibit	6
Allan Davis's Statement in Support of Claim Exhibit	7
Evidentiary Statement of SSGT Joyce Yvonne Willis Exhibit	8
Evidentiary Statement of SGT Louis R. Deshotel, Jr Exhibit	9
Evidentiary Statement of Chief Master Sergeant (retired), Ted Speacer Exhibit 1	0
Evidentiary Statement of SGT Harry Woodard Exhibit 1	1
Evidentiary Statement of Ande Mitchelle Exhibit 1	2

EL-INSPECTION L		<u> </u>	·Yas	, n m			
or DCASE 1819 Pershing Chicago, Ill.	GASR, DCR Road - 60609	1, 609	7. CREDIT	NONCHER O	R FILE NO.		
ros. & Prod. Dosc, Richmond, Virginia - 23219				DSA-4-086780 D.O.FL			
ale Chemical Company, Chicago Heights, Ill. actual of Markovst Shipped Face City-States. O.B. Destination als Chemical Company, Chicago Heights, Ill. 170-Markovs SPORATION OFFICER				IL SUPPLEMENTS AND CHANGE ORDER			
				DSA-400-66-D=0710			
P OUTPORT, EASTERN AREA, MEMTS ORLEANS, LAF: DEPOT STORAGE OFFICE USA SUPPLY SVC COND MACHINATO OKINAMA ATGEOR L/000 UE1			D.O.	OF THE	7,5:21		
AX3836 6130 127h-XX			11.40	1	1 L. T. COMPAN		
RA Com'1	LTT.	Campbe	TCH:A	3836 6	130 1274		
STOCK AND/OR PART HUNGER AND DESCRIPTION OF ART	TYCLES Sar atas.	BELLANT V	BUAN DE	GNIT COST	TOTAL COST		
Fin 6840-582-5440 Berbicide 2,4,5-Trichlorophenoxyacetic acid, 0-E-210A Dated 5 Sept. '58. Ammi. #2, Type II, Class 2. Shipment consists of 5 gallon pails to PPP-P-704A, Type I, Class 4 Batch No. PG-15 Date Approved - 7/18/66 6 PALL-TS(3 Pall-ts Name)	PL	Low Y	olatile dase 416/gal	26.40	55k4.00		
.5104 01 0026 slut-073	A RESTRICTION OF THE PARTY OF T	100%	A Should be a second				
THE PARTY OF THE P	2/2	1		THE THE AN	ACTUAL OF CALL		
A STATE OF A CONTRACT TO MEET THE					100		

EXHIBIT


....



-Noam Chomsky

JON MITCHELL

FOREWORD BY
JOHN W. DOWER



THE US MILITARY'S SECRET DUMPING OF PLUTONIUM, CHEMICAL WEAPONS, AND AGENT ORANGE

EXHIBIT

2

OKINAWA 65

thanks in part to Tamura's testimony, they finally admitted responsibility. Nevertheless, due to the long-standing US–Japan agreements explained in chapter 5, the cleanup bill of 20 million yen (\$182,000) was footed by Japanese taxpayers. ²⁵

During the Vietnam War, the final way in which the US military disposed of surplus chemicals was via auctions and sales. According to one resident, the military sold surplus stocks of Vietnam War herbicides to a local municipality, which then sprayed them around the community to clear vegetation. Veterans also recalled the sale of such chemicals to local farmers who valued their powerful weed-killing properties. In 1971, a private company bought a large stock of herbicides from the military and subsequently dumped them on land in the Haebaru and Gushikami districts. The chemicals, which contained poisonous pentachlorophenol, leaked into a nearby river, resulting in contamination of local tap water. Local schoolchildren fell sick with stomach pains, and the water supplies of thirty thousand people were disrupted.²⁶

Chemical leaks on the bases injured many Okinawans. In August 1975, a large spill of industrial detergents exposed base workers to lead, cadmium, and hexavalent chromium, a substance that can cause lung cancer, at levels eight thousand times the safe limit. The US Consulate in Naha wrote a



Okinawa officials visit a dumpsite of surplus US herbicides in southern Okinawa in 1971; the substances leaked into a nearby river and sickened children. Okinawa Prefectural Archives





nical material" onal Archives

Against this acrimonious backdrop, in October 1973, US forces resorted to a new tactic. According to the *Okinawa Times*, the military sprayed defoliants in an area measuring two thousand square meters. Villagers lost their pasture land and worried about pollution of the nearby shore and the effects on their health. They filed a complaint with the US military, but whether the military bothered to respond is not known.⁴⁶

The US military's use of defoliants on Iejima—the birthplace of the Okinawan civil rights movement—reveals a sickening degree of brutality. In 1971, the White House had banned these substances in Vietnam, but on Iejima, two years later, it was apparently employing them against peaceful demonstrators; the incident must surely warrant a full enquiry by Tokyo and Washington.

CONTAMINATION AT MCAS FUTENMA, THE WORLD'S MOST DANGEROUS BASE

US veterans claim Marine Corps Air Station (MCAS) Futenma possessed a stockpile of rainbow herbicides both during and after the Vietnam War. Carlos Garay, a marine with the Headquarters and Maintenance Squadron at Futenma in 1975, claims he saw twelve barrels of Agent Orange at the installation. "Additionally, other squadrons were directing their leftover stocks to us for disposal, so I sent messages to the Department of Defense and Headquarters of the Marine Corps, but they never replied. The barrels were still there when I left in 1976," he said. Five years later, a larger cache was unearthed on the base.

In 1981, Lieutenant Colonel Kris Roberts was head of maintenance at MCAS Futenma. One day, his superior officers informed him they had a problem: The waste rainwater flowing into civilian areas was displaying dangerously high chemical readings. Roberts was ordered to remedy the situation. Digging in the problem area, Roberts and his crew of American and Okinawan laborers discovered a buried cache of approximately one hundred barrels—some with orange stripes around the middle. Roberts's superior officers declared the area off-limits to other personnel and ordered Okinawan workers to load the barrels onto trucks and transport them to an unknown location off the base. Roberts was suspicions about the response, so he snapped some Polaroid photographs of the scene, one of which shows young marines lifting the drums from a deep hole without wearing safety equipment or even shirts.

MILITARY HERBICIDES

Following the removal, a storm hit the site. "It threatened to flood the runway so my crew and I climbed into the water to open the release gates," Roberts remembered. "The water had a chemical film on it from the leaking barrels. Eventually, we managed to drain the contaminated water off the base."

As a result, Roberts, a former gold medal marathon runner, developed serious illnesses, including heart disease and prostate cancer. Roberts regrets how Okinawan workers were used. "Those men were easily replaced. So if we told an Okinawan worker to do something, they did it. It wasn't fair."47

Further concerns about the impact of herbicides on Okinawans followed a lecture I gave in November 2011, near Camp Schwab. Residents explained how they believed the runoff from herbicide usage had contributed to the



US marines unearth barrels of chemicals—including suspected herbicides—from MCAS Futenma in the summer of 1981. Photo by Kris E. Roberts

ved lost the

the lity. t on eful kyo

sed War. lron the over ense

> rels iche

e at ad a ying the ican one erts's ered

o an nse, IOWS

ıfety

destruction of the local *mozuku* seaweed industry and worried defoliants had sickened people who'd eaten shellfish collected in the area, particularly residents who had died soon thereafter. Okinawan TV ran a special report about the lecture, and several years later, I discovered via a Freedom of Information Act (FOIA) request that the CIA had created a full translation of its Japanese contents, replete with screenshots and a six-minute video file. My work, it seems, was reaching the eyes and ears of those who mattered. 48

THE OFFICIAL REACTION

The research I conducted from 2011 onward made frequent headlines in Japan and formed the basis of several award-winning TV documentaries. Public concern pushed Okinawan mayors to demand that the Japanese government investigate the matter, and even Okinawa's conservative governor, Nakaima Hirokazu, requested that US ambassador John Victor Roos look into the veterans' allegations.

The US military issued blanket denials. "In response to the Embassy of Japan request on August 10 (2011), DOD has once again searched and once again been unable to locate any record of Herbicide Orange or its component ingredients being used in Okinawa," said one US Forces Japan spokesman.⁴⁹

Another US official told Tokyo, "There are some elements in the veterans' accounts which are questionable." With regards to the CMA-funded report citing twenty-five thousand barrels on Okinawa, the military told the Japanese government, "The description that '[Herbicide Orange] was stored in Okinawa' is inaccurate and contradicts with the facts that the US government acknowledges." 50

Then, in February 2013, Department of Defense officials, members of the State Department, the VA, and representatives of the Japanese embassy met in Washington to hear from the man the United States hoped would, once and for all, disprove that military defoliants had ever been on Okinawa: Dr. Alvin Young. Under Department of Defense contract, Young had penned a twenty-nine-page report entitled "Investigations into the Allegations of Herbicide Orange on Okinawa," which boiled down my articles and veterans' testimonies into seven bite-size chunks and dismissed them one by one. Concerning the claim of herbicides arriving on Okinawa by ship, for example, Dr. Young wrote, "There were no records found." Countering Kris Roberts's account of the burial of Agent Orange on MCAS Futenma,

MILIT

Dr. You The re

After

no de was ir Herbi Okina

The r had bee ducted a been sto of Agent most unl

THE OI

In June 2 port, labo soccer fie land was c control in barrels, sc unearthed

Tests re tary defolia with dioxir rels also co and arseni 455,000 tin

The US 1
At first it to dismiss
"waste from of Kadena / the base prothe skin disproven." Th

1 defoliants particularly scial report adom of Inanslation of video file. mattered.⁴⁸

eadlines in mentaries. anese govgovernor, Roos look

Embassy rched and unge or its rces Japan

the veter-IA-funded litary told ange] was at the US

embers of e embassy ed would, n on Okioung had ne Allegaticles and them one n by ship, puntering Futenma, Dr. Young rejected it, writing, "There were no records or other evidence." The report concluded,

After an extensive search of all known and available records, there were no documents found that validated the allegations that Herbicide Orange was involved in any of these events, nor were there records to validate that Herbicide Orange was shipped to or through, unloaded, used, or buried on Okinawa.⁵¹

The report infuriated veterans and Okinawan residents, none of whom had been interviewed for it, nor had any environmental tests been conducted on Okinawa where service members claimed the herbicides had been stored. The Pentagon's report brought full circle its fifty-year history of Agent Orange denials. But sometimes the truth can reveal itself in the most unlikely places.

THE OKINAWA CITY SOCCER GROUND

In June 2013, four months after Dr. Alvin Young delivered his Okinawa report, laborers were working to install a sprinkler system beneath a children's soccer field in Okinawa City. Located just outside Kadena Air Base, the land was once part of the installation itself but had been returned to civilian control in 1987. While digging beneath the pitch, workers discovered rusty barrels, some stenciled with the Dow logo. In the following months, they unearthed 108 drums.

Tests revealed the barrels contained the three main ingredients of military defoliants: 2,4,5-T; 2,4-D; and TCDD. Nearby water was contaminated with dioxin at levels twenty-one thousand times the safe standard. The barrels also contained polychlorinated biphenyls (PCBs), pentachlorophenol, and arsenic. The hazardous solvent dichloromethane was discovered at 455,000 times the safe level.⁵²

The US military's reaction to the discovery of the barrels was predictable. At first it tried to deny the barrels had been theirs. Dr. Young was quick to dismiss the results, suggesting that the barrels might have contained "waste from military hospitals and dining facilities." In a meeting, the head of Kadena Air Base likened the barrels to empty cans of tomato sauce, and the base produced a fact sheet assuring service members that dioxin caused the skin disease chloracne but "no other human health effects have been proven." This contradicts the findings of the Environmental Protection



A construction crew unearths a chemical barrel on an Okinawa City soccer pitch in January 2014. Photo by Kuwae Naoya

Agency, which has stated that dioxin "can cause cancer, reproductive and developmental problems, damage to the immune system, and can interfere with hormones." 53

Finally, the Okinawa Defense Bureau argued that because the barrels did not contain the herbicides in equal measure, it couldn't possibly be Agent *Orange*. It was a semantic sleight of hand; they said nothing of the other herbicides. And the smokescreen flew in the face of the VA's official definition of "herbicide agent" as a chemical that includes 2,4-D; 2,4,5-T; and TCDD—all of which were found in the barrels.⁵⁴

Experts agreed the barrels were the smoking gun. Wayne Dwernychuk, a Canadian scientist who had spent fifteen years leading investigations into dioxin hot spots in Vietnam, stated,

The inescapable fact is that the US military, on land then part of Kadena Air Base on Okinawa, disposed of "unknown" materials in drums containing 2,4,5-T, a wartime herbicide/defoliant, and the most toxic component of the dioxin family, TCDD, known to be associated with the manufacture of such herbicides.⁵⁵

Furthermore, in August 2013, Honda Katsuhisa, an Ehime University professor specializing in defoliants, stated the pattern of contamination closely

Japanese Departm herbicide The D

collusion had playe health of on Kader Earhart I the disco newspape

Speaki tary care cluding c All of the 1999 and

One of mons. Sir 2011 and any serior her sons a herself we resulting:

Simmo dioxin du never inv other chil entire tin Simmons

HARD V

According help from was a Uni had been of as when it veteran als



inuary 2014.

ctive and interfere

e barrels ssibly be ig of the 's official 2,4,5-T;

nychuk, ons into

na Air 4,5-T, 1 famles.⁵⁵

ity proclosely resembled the fields he'd previously researched in Vietnam.⁵⁶ But the Japanese government did not dispute the US military's conclusions, and the Department of Defense has not added Okinawa to its list of places where herbicides have been stored.

The Department of Defense cover-up and the Japanese government's collusion affected more than US veterans; countless Okinawan children had played on the soccer pitch, and the contamination had threatened the health of American children as well. Located adjacent to the dumpsite on Kadena Air Base were the Bob Hope Primary School and the Amelia Earhart Intermediate School, but the military had not notified parents of the discovery. Parents only found out six months later by chance, after a newspaper article was printed on the subject.⁵⁷

Speaking on condition of anonymity because they feared for their military careers, parents described severe illnesses among their children, including cancers and autoimmune, respiratory, and neurological problems. All of them had attended the two schools or played on their fields between 1999 and 2013.

One of the parents brave enough to speak on record was Telisha Simmons. Simmons and her family were stationed at Kadena Air Base between 2011 and 2012; before arriving on Okinawa, none of them had experienced any serious medical problems. But during their time on the island, one of her sons developed a brain cyst and her daughter bone tumors; Simmons herself was diagnosed with a pituitary tumor and other serious illnesses, resulting in a hysterectomy at the age of thirty-five.

Simmons's children had attended one of the schools located near the dioxin dumpsite and regularly played on its fields. But the military has never investigated the family's health problems or the illnesses of the other children. "Kadena officials have known about this contamination the entire time, but they will do whatever they can to keep it all hush-hush," Simmons says.⁵⁸

HARD WORK PAYS OFF

According to the US military, prior to 2012, only two veterans had received help from the VA for their exposure to herbicides on Okinawa. One of them was a United States Marine Corps (USMC) driver who "reported that he had been exposed to Agent Orange while in the process of transport, as well as when it was used in Northern Okinawa for War Games training"; the veteran also stated that military defoliants were used "particularly near base"

camp perimeters. Spraying from both truck and back pack were utilized along roadways too." The marine had developed prostate cancer, which, in 1998, the VA ruled was a result of his exposure on Okinawa. The other was a marine stationed on Okinawa between 1972 and 1973, who had handled retrograde supplies from Vietnam contaminated with herbicides; in 2008, the Board of Veterans' Appeals (BVA) ruled the veteran's Hodgkin's disease and type 2 diabetes mellitus was a result of this exposure. ⁵⁹

However, the newspaper articles I'd written and the discovery of the 108 barrels paved the way for more sick veterans to receive the support they deserve. Since October 2013, at least nine more service members have been granted help from the VA for exposure to herbicides on Okinawa. One marine who had been exposed to Agent Orange on the island between 1967 and 1968 was awarded help for prostate cancer. According to the 2013 VA documents, he had come into contact with Agent Orange while transporting it between the island's ports and a warehouse located on Kadena Air Base. Another soldier stationed on Okinawa between 1972 and 1973 developed lung cancer, which, the BVA judged in 2017, had been triggered by his exposure to herbicides on Okinawa; the ruling was too late to help the veteran who passed away in 2011.

In 2015, the US government finally awarded Kris Roberts compensation for his exposure at MCAS Futenma, although the decision did not cite such rainbow herbicides as Agent Orange, only *chemical exposure*.

OKINAWA AGENT ORANGE WINS

How many service members were sickened by herbicides on Okinawa? In response to a FOIA request, the Veterans Benefits Administration says it "does not track claims for Agent Orange exposure based on Okinawa service"; however, a search of the BVA's publicly accessible database of rulings shows that, as of 2019, at least 250 service members had filed claims for compensation for exposure to Agent Orange on Okinawa. The actual number is far higher because the database only lists cases initially denied by the VA, appealed by the veteran, and given a final ruling. What is not known is how many veterans have applied for help, how many were awarded benefits, and how many decided not to appeal their denials or died before they could do so.

Veterans' hopes for justice were given another boost in 2018, by the GAO, which, during its research on herbicides on Guam, discovered records of at least two ships carrying Agent Orange that had docked in Japan,

Table 4.1. Board of Veterans' Appeals Wins for Herbicide Exposure on Okinawa

Citation Nr./Decision Date	Location	Date Exposed Illnesses	Illnesses
18104750/May 23, 2018	Kadena Air Base and Kwang Ju, South Korea	1966-1970	ischemic heart disease
1804418/January 22, 2018	"Okinawa"	1968-1969	linosarroma
190268/120000			- Court Collin
1802686/January 11, 2018	"Okinawa"	1969-1972	diabetes mellitus, type 2
1731591/August 7, 2017	"Okinawa"	1972-1973	lung cancer
1721360/June 13, 2017	Kadena Air Base	1965-1966	coronary artery disease and diabetes mellitus
			type 2
1635277/September 8, 2016	Naha Port	1968-1970	diabetes mellitus, type 2
1543352/October 8, 2015	Naha Air Base and Larson Air Force Base,	1954-1958	prostate cancer
	Washington		
1516681/April 17, 2015	"Okinawa" and Fort A. P. Hill, Virginia	1975-1979	multiple myeloma
1332861/October 21, 2013	White Beach, Naha Port, and Kadena Air Base	1967-1968	prostate cancer
0831082/September 12, 2008	"Okinawa"	1972-1973	Hodgkin's disease and diabetes mellitus, type 2
9800877/January 13, 1998	"Northern Okinawa"	1961-1962	prostate cancer

y the d repan,

wa? In says it wa serrulings no for numnown nown
nown

nsation te such

ort the 108 ort they ers have was. One sen 1967 2013 VA ansportdena Air 3 develdena Air iered by telp the

re utilized which, in other was I handled i in 2008, in 2008,

PACIFIC

contradicting Alvin Young's report stating there were no records to show it had been shipped to or through Okinawa. Although US veterans are slowly receiving justice, there has been no such help for Okinawans, and the Japanese government has done nothing to help them. During the Vietnam War, fifty thousand Okinawans worked on the bases, but they have not been surveyed for health problems, nor have the farmers of Iejima or the residents living near Camp Schwab, MCAS Futenma, or the soccer field dump site.

Cleaning up the soccer pitch took months and showed appalling disregard for public safety, with no warning signs posted and many workers operating without protective clothing. After the 108 barrels and contaminated soil were removed, the area was covered with concrete and turned into a car park, at a cost of 979,000,000 yen (\$8.9 million). The US government paid nothing—the entire bill was footed by Japanese taxpayers. 62



The soccer pitch in Okinawa City where the barrels of herbicides were discovered in June 2013; laborers work without safety gear after the site was inundated by a typhoon. Photo by Ken Nakamura-Huber

The bety more per man thou by a with fiber At In the proxileave

tors l

they

egoriz most: In l

Former Kadena Airfield (2 5) Soil Investigation Survey (Part 2)

Survey Report Executive Summary

June 2014

Procurement Department Okinawa Defense Bureau



Translator's signature: David Vincent Higgins

Translator's Name: David Vincent Higgins

Date: July 23rd, 2014

沖縄翻訳者 デビット ヴィンセント ヒギンズ 〒904-0114 日本沖縄県北谷町 港20-10-201 ステーションみなと 電話:05055345965

ANSLATON AND ANSLATON

Okinawa Translator David Vincent Higgins #201-10-20 Station Minato Minato, Chatan, Okinawa 7904-0114 Japan

話:05055345965 Ph:05055345965 www.okinawarranslator.com/davidvincenthiggins@gmail.com




EXHIBIT

Table of Contents

Overview	
The General Overview Diagram	1
The Triggering of the Investigation	
Land use history investigation	
Overview Soil Survey	4
Horizontal Magnetic Survey • Prospecting Survey	4
Boring Survey	6
Excerpt of drum deposit analysis result	
Status of sample, properties and preparation	7
1.1 Drum Deposits	7
1.2 Bottom Soil	7
1.3 Accumulated Water	
Survey Result Summary	and a
2.1 Drum Deposits	
2.2 Drum Bottom Soil Results Summary (Soil Immediately below the drums that had been buried)	
2.3 Stagnant Water	
3. Analysis of the survey results • Discussion	
3.1 Dioxins	9
3.2 Agricultural Chemicals	13
3.3 Arsenic and Fluorine	1.
3.4 Qualitative analysis by gas chromatography mass spectrometry samples	1
4. Summary	1
4. Summary	1
5. Future Actions	1:
5.1 Drum Deposits	1/
5.2 Drum Bottom Soil	1

General Overview of the Former Kadena Airfield (25) Soil Investigation Survey (Part 2)

Purpose: To confirm the location of and excavate the drums buried under the Okinawa City soccer field, and investigate the condition of the drums and the surrounding area.



What Triggered This Survey

 Drums were discovered from the Okinawa City Soccer Field. Survey was conducted in July 2013. Dioxins and agrichemicals such as 2,4,5-T were detected.

[Geographical History Survey] (From September 2013)

- Topographical changes of the Okinawa City Soccer Field area were studied using Okinawa Prefectural Archives
 reference material, National Basic Map of Japan, urban planning drawings, and drawings provided by Okinawa
 City. According to a topographical map from 1947, there were ravines to the west and east of the Okinawa City
 Soccer Field, and a ridge in the center.
- These conditions were also confirmed by aerial photography. A 1947 aerial photograph showed the area to be wooded hills; photos from 1962, 1970, and 1977 showed civil engineering works being conducted in the subject area.
- Since 1996, Okinawa City developed the subject area as soccer field, as indicated in the information provided from Okinawa City.
- · According to interview surveys, drum disposal allegedly took place around 1964.
- The July 2013 survey location map overlaid on a topographical map indicates that the subject site is a filled area between the ravine and the ridge, as shown in figures 1 and 2.
- Based on the above information, a decision was made to conduct a soil contamination level survey and a
 horizontal magnetic survey covering the entire soccer field, and a vertical magnetic survey for the filled area.
- In addition to items listed in the Soil Contamination Countermeasures Law, the survey covered dioxins, agrichemicals, oils, arsenic and fluorine that were detected in the July 2013 survey. For agrichemicals, items associated with 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyasetic acid were also added.




Figure 1. Ravines and Ridge Areas Based on 1947 Topographical Map




Figure 2. Buried Drum Site and Depth (Lines indicate ground surface level for the respective years; blue solid line is ground surface level in 1947; red dashed lines are the ground surface level today.)

[General Soil Condition Survey] (November 2013)

- Soil contamination level survey was conducted on the entire Okinawa City Soccer Field in accordance with the Soil
 Contamination Countermeasures Law Enforcement Regulations.
- Survey sites consisted of 23 points for the soil gas survey and 98 points for soil sampling. Soil analysis was conducted by
 mixing equal amounts of samples from five points, and analyzing 23 specimens from the point survey (one specimen per
 point), covering all items for Class 3 Specified Hazardous Materials (agrichemicals and polychlorinated biphenyls; test of
 elution amount).
- Survey results: No soil gas was detected from any of the survey points. All survey points met the criteria designated in the Soil Contamination Countermeasures Law for both Class 2 Specified Hazardous Materials and Class 3 Specified Hazardous Materials. These results indicate that there is no soil contamination within the survey range.





Figure 3. Site Map of the Soil Contamination Level Survey

[Horizontal Magnetic Survey and Test Dig Survey] (Nov 2013 - Feb 2014)

- Before conducting the horizontal magnetic survey, magnetic charge detection levels were studied using mock drums, as well as buried drums for which buried locations were known. Based on discussions with Okinawa City, the magnetic charge detection level was set at 7μ Wb for the purpose of the survey, which allowed for survey up to a depth of 2 meters. The Okinawa City Soccer Field was divided into nine blocks for the execution of the horizontal magnetic survey.
- The bleachers installed to the east and west of the Okinawa City Soccer Field were removed because they were impediments
 to the magnetic survey. The disassembled parts are currently stored in the soccer field.
- Horizontal magnetic survey resulted in 58 points with abnormal magnetic response. Only three of those points near the bleachers on the west side of the soccer field had drums buried in the ground. From 45 other points shown in Figure 4, construction waste material (ferroconcrete, pillars, curbs, etc.) and empty cans and bottles were uncovered. For the remaining 10 points, the abnormal magnetic response was due to water mist pipes buried underground for soccer field maintenance and other existing structures in the vicinity.
- The 45 points where non-drum waste materials were found were mostly located in the former ravine area.
- One hand grenade from the WWII period was uncovered from 0.6 m below the ground surface on the east side of the Okinawa City Soccer Field (as marked by a red circle in Figure 4). The necessary procedures were taken to dispose of the hand grenade immediately.
- The horizontal and vertical magnetic survey results revealed the presence of many items other than the drums that gave magnetic responses exceeding 7 μ Wb within the area where the vertical magnetic survey was originally planned. If conducted as originally planned, the vertical magnetic survey would have likely been affected by these buried metal objects. Therefore, a test boring survey was conducted to re-study how to conduct the magnetic prospecting in the vertical direction.



[Test Boring Survey] (February 2014 – March 2014)

- Inside the site where vertical prospecting is planned, boring and vertical magnetic surveys were conducted at 24 points, down to the depth of the original ground level based on the 1947 topographical map.
- The boring survey revealed that in the western parking lot are, the original ground level was the same or 2-5 meters deeper than the 1947 topographical map.
- On the eastern side of the soccer field, the original ground level was the same in some areas, and shallower
 or deeper in other areas compared to what the 1947 topographical map showed. Therefore, the topography
 was somewhat different from what was assumed based on the 1947 topographical map.
- A new topographical map (2014 version) was created based on the original ground elevation levels estimated from the boring survey results, to use as reference for further surveys.
- Based on the results of the vertical magnetic survey conducted in conjunction with the boring survey, the
 following plan was developed: vertical magnetic prospecting will be conducted for the filled areas to the
 east and north of the soccer field (see Figure 6); where buried drums were discovered below the western
 bleachers and the parking lot, vertical prospecting will be achieved by conducting magnetic surveys after
 excavating soil in layers.




Figure 5. Test Boring Survey Points




Figure 6. Survey Method for Each Block

EXCERPT: Analysis Results of the Accumulated Matter Inside the Drum

- Conditions and Properties of the Collected Specimens
 - 1.1 Accumulated Matter Inside the Drum
 - Many of the uncovered drums did not retain their original shape so accurate size of the drums could not be measured; but there were 32 drums of 30 gallon size (approximately 49 cm in diameter and 74 cm in height), and 24 drums of 55 gallon size (approximately 59 cm in diameter and 89 cm in height). There were five drums of miscellaneous sizes.
 - Many of the writings were illegible, but 27 of the drums had letters which appeared to read "DOW", likely the Dow Chemical Company. (25 of the drums were 30 gallon size; one was 55 gallon size, and one other was of unknown size.) Twelve other cans also had some letters on them.
 - As for the drum exterior, none of the drums had the orange-colored band, which was used to mark the drums containing defoliant Agent Orange. None of the content description on the drums showed defoliant substances such as "2, 4-D Butyl Esther" or "2,4,5-T Butyl Ester".
 - Drums were cut opened to collect specimens. Seven of the drums were empty. Other drums contained accumulated matter (sand and soil) of 0.1 to 19 kg. (A total of 183 kg were collected as accumulated matter inside the drums.)
 - For analysis, 2 kg of accumulated matter was collected from each drum. When a drum did not contain sufficient amount of accumulated matter inside to make up a specimen, accumulated matter on the outside of the drum were taken and mixed into the specimen.




Figure 1: Drum burial site (The numbers indicate specimen numbers; red circle indicates points where soil was collected from)

1.2 Soil Below the Drums

 The drums were buried irregularly on top of each other. Soil specimens were collected from 29 spots immediately below the drums at the very bottom of the stack.

1.3 Standing Water

Standing Water Collected on January 30th

When Drum No. 17 was being excavated, oil slick was observed in the standing water. Excavation work
was suspended, and approximately 3 liters of standing water (which were turbid due to excavation
activity) were collected to conduct to identify the oil type and to analyze for agrichemical content such as
2,4-D and 2,4,5-T.

Standing Water Collected on February 1st

- Standing water was already present when Drum No. 7 was excavated on January 29. The drums at the
 bottom of the stack were partially immersed in water. When these drums were lifted from the ground,
 some of the water that had collected inside the drum drained out with the accumulated matter inside the
 drum. The drained water were stirred and mixed inside the hole dug to excavate the drums, and was in
 turbid condition.
- After the excavation of 61 drums was completed on the evening of January 31, a sump was created inside
 the hole to allow the standing water to collect in one place. Water sample of 108 liters were taken on
 February 1, after most of the soil particles had settled. The water was brown in color.

2. Overview of the Survey Results

2.1 Accumulated Matter Inside the Drums

- · Dioxins were detected, ranging from 14 to 2,900 pg-TEQ/g.
- · Polychlorinated biphenyl (PCB) leaching test resulted in "not detected" for all the samples.

- -detected from 22 samples in the range of ~ 5.2mg/kg.
- Agricultural chemicals 2, 4, and 5-trichlorophenoxyacetic acid (2, 4, 5-T) in the 0.1 (determination limit value)-32mg/kg range from 40 samples, 2, 4, and 5- trichlorophenol (2, 4, 5-TCP) in the 0.1 (determination limit value)-250mg/kg range from 50 samples, 2,4- dichlorophenol (2,4-DCP) were detected in the 0.1(determination limit value)-0.3mg/kg range, and two samples of pentachlorophenol (PCP) were detected from 26 samples in the 0.1(determination limit value)-1.6mg/kg range.
- 2,4 dichlorophenoxyacetic acid (2,4-D), 2,4-D butyl ester, 2,4,5-T butyl ester, picloram were not detected in all samples.
- DDT(s) were detected from 21 samples by qualitative analysis, and carried out in the quantitative analysis of about 21 samples. As a result, DDD was detected from 21 samples in the 0.2 (determination limit value)-180mg/kg range, DDE was detected from 16 samples in the 0.1(determination limit value)-73mg/kg range, and DDT was not detected by all 21 samples.
- Arsenic was in the range of $9.8 \sim 46 \text{mg/kg}$ in the analysis of the results of the total arsenic.
- The arsenic content (chloride extraction) by Soil Pollution Control Measures Law was in the range of 0.6-8.3mg/kg, and was less than all the content results at all the points.
- The arsenic acid (arsenic of 5 values) was detected from seven samples in the range of 0.002 (determination limit value) - 0.009 mg/L, and, as for each state of arsenic, 0.006 mg/L detection of the cacodylic acid (dimethylarsinic acid) of organic arsenic was preformed in one sample.
- The analysis result of all the fluoride was the range of 160-650mg/kg.
- Oil was detected from 42 samples in the 100-250,000mg/kg range. Types are classified as light oil of C12 ~
 C23 carbon atom types and many can be classified into gasoline of C6 ~ C12 carbon atoms also were observed.
- The bottom of malathion and soil deposits were analyzed in drums of No. 13 because there was a representation of the malathion by hand. The analysis results did not detected in both the soil and the bottom deposits.

2.2 Drum Bottom Soil Result Summary (Soil immediately below the drums that had been buried)

- Dioxins were detected in the range of 11 ~ 620pg-TEQ / g.
- PCB: The elution volume of the test results was not detected in all samples. Content from seven specimens at 0.5 (lower limit of quantitation) in the range of 3.3mg/kg was detected.
- Agricultural chemicals: 2,4,5-T was detected from 5 samples at 0.1 mg/kg (lower limit of quantification) in the range of 7.7 mg/kg; 2,4,5-TCP was detected from 15 samples at 0.1 mg/kg (lower limit of quantification) in the range of 43 mg/kg; PCP was detected from 5 samples at 0.1 mg/kg (lower limit of quantification).
- 2,4-D; 2,4-D n-butyl ester; 2,4, 5-T n-butyl ester; 2,4-DCP; Picloram was not detected in all samples.
- DDT class was detected from the nine samples in qualitative analysis. DDD was detected in 9 samples in the range of 0.2 61mg/kg; DDE was detected from four samples at 0.1 (lower limit of quantitation) in the range of 20mg/kg; DDT in all 9 samples was not detected.
- Arsenic: Arsenic was detected in the range of 16 28mg/kg as total arsenic. Arsenic content by the Soil
 Contamination Countermeasures Act (hydrochloric acid extraction) was detected in all the samples in the range
 of 0.8 4.5mg/kg. I met the specified reference value (150mg/kg or less) and the arsenic elution volume as a
 compound was incongruent with the specified standard (0.01mg/L or less) in 4 samples out of 29 samples.
- Forms of arsenic: (Pentavalent arsenic) arsenate from 6 samples was detected at 0.002 (lower limit of quantitation) in the range of 0.013 mg/L; Dimethylarsinic acid organic arsenic was detected in five samples at 0.002 (lower limit of quantitation) in the range of 0.007mg/L as (cacodylate) emissions acid.
- Total fluorine: Was detected in all the samples in the range of 130 520 mg/kg. In 14 specimens out of 29 samples, the amount of fluorine eluted was incongruent (0.8mg/L or less) on a constant basis.
- There was no item in excess of the specified reference value of the Soil Contamination Countermeasures Act for elution other than the amount of fluorine and arsenic above.
- Oil content: Was detected in 12 samples in the range of 200 9,300 mg/kg. The carbon chains in the gasoline can be classified as C6-C12.

2.3 Stagnant Water

2.3.1 Stagnant Water January 30

 The samples were analyzed by gas chromatographic method for the specification of the grade of crude oil, but because the samples were less than the lower limit of quantitation, they could not be specified.

- SS was at 540mg / L. The pesticides 2,4-D,2,4-D butyl ester,2,4,5-T butyl ester,2,4-DCP, PCP were not detected in both the unfiltered water and filtered water.
- Unfiltered water was 0.13mg / L, 2,4,5-T was filtered water 0.12mg / L is ,2,4,5-TCP unfiltered water was 0.19mg / L, filtered water was 0.16mg / L.
- DDT acids were not detected in both the unfiltered water and filtered water in qualitative analysis.

2.3.2 Stagnant water contents as of February 1st.

- The SS of the unfiltered water was 150pg-TEQ / L dioxins at 12mg / L, the Dioxins in the filtered water were 55pg-TEQ / L.
- PCB was not detected in both the unfiltered water and filtrated water.
- The Pesticides 2,4-D butyl ester,2,4,5-T butyl ester, cacodylate, and picloram were detected in both the unfiltered water and filtered water.
- 2,4-D has a non-filtered water 0.0034mg / L, and a Filtered water content of 0.0031mg / L, 2,4,5-T has a non filtered water content of 2.4mg / L, and a Filtered water content of 2.3mg / L, 2,4-DCP has a non filtered water content of 0.0072mg / L, and a Filtered water 0.0055mg / L, 2,4,5-TCP has a non filtered water content of 4.4mg / L, and a Filtered water content of 3.6mg / L, PCP has a non filtered water content of 0.0009mg / L, and a filtered water content of 0.0007mg / L.
- · DDT acids were not detected in both the unfiltered water and filtered water in qualitative analysis.
- Arsenic was not detected in both Inorganic and Organic matter except in other states, each state of arsenic was measured at 0.011mg / L.
- · Oil contents (by weight) were not detected.

3. Analysis of the survey results · Discussion

3.1 Dioxins

- The dioxins toxicity equivalence quantity of a drum affix sample and isomeric form distribution were shown in Fig. 2, and the dioxins toxicity equivalence quantity of the bottom soil sampling and Isomerism distribution were similarly shown in Fig. 3.
- In the dioxins toxicity equivalence quantity of the drum adhering matter, six samples of No.28, 38, 41, 51, 53, and 55 were 1,000 or more pg-TEQ/g. Moreover, the dioxins of bottom soil were 1,000 or less pg-TEQ/g which is environmental standards of soil in all the samples. The dioxins toxicity equivalence quantity of bottom soil tended to be of the lower tendency than the drum adhering matter.
- However, since the tendency of a higher than average dioxins concentration of 2.0 pg-TEQ/g (ranges on average of 0 96 pg-TEQ/g of the domestic 674 points from the year 2011 from Ministry of Environment) in common soil was suited, it is considered to be subject to the influence of the drum adhering matter. However, in taking a sample from (just below the drum) a place that would receive the most risk from pollution in the study from the source. At this time, the possible presence of soil dioxin concentration from the survey result of this time around are low. Since the bottom of the soil sampling this time exists underground it is a place where humans do not have direct contact. There is no use of groundwater in the vicinity and few possibilities that the bottom soil which was investigated at this time will have any big environmental impact in the area relating to drinking the water and causing health effects with no significant environmental impact in the area.
- The sample (The Blue of Fig. 2) to which 2, 3, 7, and 8-TeCDD contained as impurities in 2 of the herbicides, 4, and 5-T accounts for a high rate to toxicity equivalence quantity about the isomeric form of dioxins, Although the sample (The Green of Fig. 2) with a large rate which accounts for the toxicity equivalence quantity of 1, 2, 3, 4, 6 and 7 which were similarly contained as impurities in PCP of a herbicide, 8-HpCDD, and OCDD, the sample (The Deep Blue of Fig. 2) with a large rate that a PCB ingredient accounts for toxicity equivalence quantity were checked. They could not be classified clearly but also the sample was considered that the dioxins of each origin are mixed.
- As the source of dioxins in this study was subjected to (principal component analysis) statistical analysis using all of the (toxic equivalent) bottom soil survey results and drums deposits of this study.

Those derived from impurities in the manufacturing process of 2,4,5-T herbicide (2,3,7,8-TeCDD). (HxCDF ~ OCDF and HxCDD ~ OCDD of 6-8 chloride) derived from the impurities in the manufacturing process of the herbicide PCP.

It was found that from the PCB components included they are roughly divided into three.

 As the origin of the dioxins and other possible formation of chlorodibenzofurans from the herbicide (CNP), incineration, and chlorination is characteristic of some isomer patterns in their origin, in drum deposits of this investigation and on the bottom soil was considered less proportion of dioxins in the origins of CNP, incinerated or treated with chlorine.

- It has been classified into three categories by the results of principal component analysis 2,4,5-T, PCP and PCB. Dioxin isomers were included in the multiple regression analysis emissions to estimate the percentage of each ingredient derived from drum deposits of dioxins in bottom soil sample subjected to analysis. Since the materials were analyzed by isomer composition they could not be confirmed for, 2,4,5-T to be obtained from the reference of the isomer composition of dioxins. PCB, PCP and almost all 2,3,7,8-TeCDD was subjected to multiple regression analysis. Estimation of dioxins derived from components by multiple regression analysis was able to explain most of dioxins TEQ (2,4,5-T derived, PCP origin, PCB-derived) by the above three.
- It should be noted that the 1, 2, 3, 7, 8-PeCDD percentage of samples is large, and the rate cannot be explained according to the three above-mentioned origins as it is increased. Since it is an isomeric form which may generate 1, 2, 3, 7, and 8-PeCDD in the process in which 2, 4, and 5-T or PCP is manufactured, the rates of 1, 2, 3, 7, and 8-PeCDD may be increased, and the possibility of impurities contained in the drum deposits, and 2, 4, and 5-T or PCP is to be considered.
- Fig. 4 shows the percentage composition by extracting the toxic equivalent of dioxin isomers of PCP from the bottom of the drum and soil deposits. In almost all of the drum deposits and soil, the composition rate was almost the same. From this drum, it is thought that PCP having adhered to the can would be the same kind.
- The toxicity equivalence quantity of the dioxins of the drum deposit and corresponding bottom (in the undersurface of drum) soil was measured. Drum bottom soil was a low result, although it seemed that 46 samples out of 61 had affected drum bottom soil to some extent. Toxicity can be seen in the bottom soil which has high drum deposits. In 15 specimens, nine specimens are almost the same in equal amounts, four specimens which had been buried nearby another drum are highly toxic. In the two samples (bottom soil No.22) the drum did not have isomeric form composition, and in No. 23 of the cause was unknown.
- Further, in order to understand the influence that the drum deposits would have on the corresponding bottom soil, all the drum deposits and bottom soil investigation results (toxicity equivalence quantity) were used, and cluster analysis was conducted. As a result, drum deposit and bottom soil samplings are large, and the rate of two classifications (from 55 samples of drum affix and bottom soil) has a large rate of PCP origin and 2, 4, and 5-T origin is also large -- it classifies into one. Two classifications came from 28 samples, seven other classifications were classified from one sample, which makes ten classifications total. Although 46 samples were classified into the same classification among 61 samples of drum deposit, classifications differed by 15 samples.
- Drum deposits: The reasons for which the classification of bottom soil differed: ①The toxicity equivalence quantity of bottom soil is not low subject to the influence of a drum deposit. ②It was subject to the influence of another drum with high toxicity equivalence quantity which was buried in the same area. ③The one drum deposit sample classified is not a sample classified with the same classification categories. However, the cause of why the drum was affected was not found in bottom soil No.23 and 24, but why it became a different classification was unknown.
- Estimated percentage of the origin of drum deposits by multiple linear regression analysis and isomer ratio of dioxins is different for each sample. The (90% or more by multiple linear regression analysis) occupied sample had a single origin, and many samples which the isomeric form of two or more dioxins origins was mixing clearly also existed. There were also many deposit samples considering that 2, 4, 5-T and PCP, and PCB mixed and existed in the drum from this. It is possible that the 2, 4, and 5-T result was due to the drum intentionally being crushed at the time of burial, and as a result, PCP and PCB were mixed in the drum.




Figure 2: Dioxin analysis of drum deposits (The horizontal axis sample number)

The Legend for figures 2,3,4.




Figure 3: Dioxin analysis of drum bottom soil (The horizontal axis sample number)




Figure 4: Proportion of toxic equivalents of dioxin isomers of PCP from the bottom soil and drums

- · The non-filtrate bank water and filtrate water showed a value of toxicity equivalency quantity of dioxins that was comparatively high. This sample was not actual groundwater but the water which had accumulated within and without the drum at the time of a drum excavation. Although the possibility that water due to rain would come from the river as seepage water was also considered, it was thought that through the investigation that Okinawa Prefecture is conducting in which the dioxin concentration of the discharge water meets the effluent standard, there was no discharge which would have an affect on the environment. Regarding the isomeric form of dioxins, all of 2, 3, 7, 8-TeCDD (impurities in 2, 4, and 5-T), HxCDD-OCDD, HxCDF-OCDF (impurities in PCP), and PCB were checked, and there was no difference in which non-filtrate water and the filtrate water where these isomeric form rates were increased. Filtrate water: As for the dioxin toxicity equivalency quantity (55 pg-TEQ/L) of a sample, 1/3 of the non-filtrate water sample (150 pg-TEQ/L) exists. Moreover, since water solubility was very low, the isomeric form rates hardly changed and dioxins were conjectured to have existed in the form where it stuck to the particles, etc., in which particle diameter is smaller than the filter paper (0.5 micrometer) used for filtration.
- Although the drum deposit which contained PCB was checked, it is unclear regarding the cause.




Figure 5 Toxic equivalent percentage of dioxins in the stagnant water

3.2 Agricultural Chemicals

- While pesticides such as 2, 4, 5-T and PCP were not detected, an estimated ratio of dioxin of these impurities origin, but some high samples were seen. Because pesticides such as these are not long lasting as PCB and dioxins, if they existed once and degraded, a partial result can still be detected as these agricultural chemicals do not degrade completely. The quantity of the agricultural chemicals detected now in the samples is not necessarily what it was at the time of contamination due to various states of the sample and decomposition rates. It is not related to the total amount of pesticides. For this reason, while the sample decomposition of pesticides was early and pesticides were not detected, a large rate of dioxins in the original sample is presumed.
- Overall, in many of the samples there was a high concentration of dioxins in isometric form and a high concentration of agricultural chemicals was observed.
- 2, 4, and 5-T and 2 and 4-DCP were detected in drum deposit samples No. 10 and 38. 2 and 4-DCP were a fixed quantity only from these two samples. A value near the lower limit was detected. 2, 4-DCP is the degradation product or raw material of 2, 4-D. In addition, dichlorophenol may have been generated by the dechlorination of 2, 4, 5-TCP and PCP.
- While 2, 4-D is not detected (less than lower limit of determination), in the water sampling on February 1 from the bottom soil samples and drum deposits, 2, 4-D was detected from the accumulated water sample. As to the reason why 2, 4-D was only found from the bank water, this is because bank water is not often disturbed, thereby giving it high sensitivity for component detection and analysis. It was a low concentration compared to 2, 4, 5-T, but the difference may be due to the decomposition rate.
- As a result of arranging the drum deposit and bottom soil sampling according to concentration/density, the
 agricultural chemicals which were detected were PCB, agricultural chemicals, and oil. When the concentration
 of the drum deposit corresponding to the bottom soil was high, the tendency for the bottom soil to be more
 concentrated was seen. From this, it was thought that it was subject to the influence of the drum deposit.
- The soil concentration guideline value of the environment management guideline value concerning "agricultural chemicals and other chemicals at the quantitative-analysis result of DDT(s) detected from qualitative analysis" (content). As for the sample which is over the quantity of 50mg/kg, DDT in drum deposit No.4 is not detected. DDD is 180mg/kg, DDE is 73 mg/kg, and DDT 253mg/kg. In drum deposit No. 34 DDT is not detected, DDD is 100mg/kg, DDE is 36 mg/kg and DDT was 81 mg/kg as a total amount.
- Since it was an organic arsenic compound "2.3 Arsenic and Fluoride", cacodylic acid (dimethylarsinic acid) was indicated.

3.3 Arsenic and Fluorine

- The total arsenic content, of the Soil Contamination Countermeasures Law in the sample of bottom soil and a sample of the deposit except No2,7, the evaluation of whether or not it exclusively comes from certain hazardous substances of the soil contamination state and the artificial contamination was not confirmed as it was less than 39mg/kg in the estimated upper limit total content of natural causes. Also, No2,7 of the deposit sample was slightly beyond the upper limit total content of 41mg/kg, it was detected with 46mg/kg, the total arsenic content may not result in a specifically high value comparable to other deposit samples, which according to the Soil Contamination Countermeasures Law is 1.3mg/kg each, 5.0 mg/kg was lower than the specified reference value of 150mg/kg, not all of the arsenic content was detected because No2,7 of the deposit sample was slightly beyond the aim of the upper limit of the total content, therefore considered a range of natural contamination.
- From the bottom soil samples, initial listing requirements were exceeded by about four samples from the investigation of the arsenic, based on Soil Pollution Control Measures Law and its compound, because artificial pollution was not confirmed as the origin of arsenic as described above, therefore the ground soil is considered to be due to natural causes.
- In the analysis of form by arsenic, arsenic acid and cacodyl (dimethylarsinic acid) are detected from some samples of bottom soil deposits, also arsenate was detected in stagnant water. This arsenate is in the form of inorganic arsenic, moreover cacodyl acid was used as a pesticide or in agricultural chemicals, it is also one form of organic arsenic which exists in nature. Arsenic as a whole as an artificial effect was not observed, and these arsenic acids and cacodyl acids (dimethylarsinic acid) were also considered to be of a natural origin.
- The total amount of perfluorinated (fluoride) deposits of the Soil Contamination Countermeasures Law of the bottom soil, contaminated by hazardous substances in the soil of the land is a dedicated determination as to whether or not they were derived naturally or not, and it's below the 700mg/kg upper limit for natural causes, therefore artificial contamination was not confirmed. As for the bottom soil samples, fluorine based on the Soil Contamination Countermeasures Law and its compound state that 14 samples exceed the specified criteria, artificial contamination was confirmed as described above for the origin of the fluorine, it was considered to be from natural causes.

3.4 Qualitative analysis by gas chromatography mass spectrometer samples.

- The result of the qualitative analysis of a drum deposit, straight chain hydrocarbon, benzene and naphthalene
 derivatives, there is a component of the origin of fossil fuels such as polycyclic aromatic compounds. Furthermore,
 DDT was detected from 21 of the drum deposit samples and seemed to have persistent organic pollutants (PoPs).
 When guessed from the chemical constitution formula, it was thought that the relevance with dioxins
 contamination was very low.
- The result of the qualitative analysis of bottom soil as with drum deposits, straight-chain hydrocarbon component was derived from fossil fuels, benzene-naphthalene derivative, although there were polycyclic aromatics and they tended to be lower than the deposit of each chemical. DDT was also observed from the bottom 9 soil specimens.
- The results of qualitative analysis of stagnant water is the component of fossil fuels were low. Drum deposits and DDT seen in the bottom soil was not detected.
- The conducted quantitative analysis of DDT was detected from the qualitative analysis. As a result, it is shown in 2.1-2.3 and 3.2.

4. Summary

[The appearance of unearthed drums]

- The unearthed drums could not be measured exactly as they had collapsed but they were the equivalent of 30 gallons (49cm diameter, height approx. 74cm) 32 cans, 55 gallon equivalent (approx. 59cm diameter, 89cm height) in 24 cans. The other size drums had 5 cans.
- Although many of these readings were unknown; they are of a manufacturer of agricultural chemicals.
 [DOW][The Dow Chemical Company] There were 27 cans of drums which can be read or guessed (25 is equivalent to 30 gallons, 1 is equivalent to 55 gallons, 1 is unknown) In addition there were 12 cans of drums.
- About the appearance of the drum, there is no drum in which belts, such as orange which is said to have been
 written on the drum into which the Agent Orange defoliant was put, were checked. Also, [2,4-D butyl ester]
 [2,4,5-T butyl esters] there were no drums of the suggested component of Agent Orange that the content has been
 confirmed.

[Relationship with Agent Orange]

- About the appearance of the drum after it was unearthed, there are no drums with a belt labeling them with Agent Orange defoliant. Also, 2,4-D butyl ester and 2,4,5-T butyl esters etc. were not found to display any content suggesting Agent Orange was a component in these drums.
- The bottom soil sample from drum 2,4,5-T had impurities, also 2,3,7,8-TeCDD had samples found where the isomer is considered to be derived from the impurities of 2,4,5-T. 2,4-DCP is detected from the two samples in the drum deposits, where 2,4,5-TCP is believed to have been produced 2,4,5-T and has decomposed after being detected. For this reason it is believed that in drum 2,4,5 there may have been butyl ester inside, in 2,4,5-T there may have been coolant from the butyl ester, but most likely it is from a herbicide usually used for killing trees which the military was known to be using. It may not have been the military that was responsible for the ingredients here in drums 2,4,5-T. In Japan, we locally manufacture a large amount of 2,4,5-T, the Dow Chemical Company had a display drum of this, which has been sprayed in large amounts onto forests and has been known to be mixed with 2,4-D with 2,4,5-T present as well.
- Also, Agent Orange is a mixture of equal amounts of 2,4-D butyl ester and 2,4,5-T butyl ester, but the survey is for 2,4,5-T butyl esters, and 2,4-D butyl ester wasn't detected in all of the samples. While 2,4 and 5-T is detected in this drum and the analysis results from the bottom soil at two or more points, there is no sample of 2,4-D detected and the decomposition output of 2,4-D is good. The concentration near the determination limit value is detected by two samples with a lower limit of 2,4-DCP found. The soil of 2,4-D and 2,4,5-T is not clear because it seems the decomposition rates differ inside. The investigation into 2,4,5-T and 2,4-D remains in question if there was ester in the body of equal parts. This can be summarized below:
 - In this study, a characteristic of the drum suggesting that a defoliant with features seemingly could not be found.
 - 2) 2,4,5-T is a pesticide that has been used widely in the country as a herbicide for weeding purposes, generally at the base of trees. It is believed that it has been used in this area.
 - 3) 2,4,5-T butyl ester and 2,4-D butyl ester is a substance directly used with Agent Orange and in all samples it was not detected. Also once the concentration is different between 2,4-DCP, 2,4,5-TCP (not detected at all), 2,4,5-T and 2,4-D it cannot be said that equal amounts in these are present when 2,4,5-T and 2,4-D are higher. Evidence for the above reasons state that the results were unable to find Agent Orange defoliant in the drums.

References:

- ①Shigeki Masunaga, Takumi Takasuga, Junko Nakanishi (2001) Dioxin and dioxin-like PCB impurities in some Japanese agrochemical formulations. Chemosphere, 44:873-885
- ②Takumi Takasuga, Kuruthanchalam Senthil Kumar, Yuko Noma, Shinichi Sakai (2005) Chemical Characterization of Polychlorinated Byphenils, -Dibenzo-p-Dioxins, and -Dibenzofurans in Technical Kanechlor PCB Formulations in Japan. Arch. Environ. Contam. Toxicol., 49:385-395

5. Future Actions

5.1 Drum Deposits

- 61 oil drums were unearthed in this survey and their deposits are separated by the assumption that they were disposed of as a storage of waste.
- · DDT waste such as pesticides, oil and dioxins challenges the results.
- In the future, the processing of these substances is to investigate the possible facilities while taking into the compliance of transportation conditions and to determine the disposal place(s).
- Each drum differs in what it contains, dioxin deposits, DDT waste such as pesticides and the concentration of oil
 content are all determined in the accordance with acceptable conditions for sorting these samples in proper storage
 conditions.

- The conditions of each institution for disposing at certain places comes down to the processing permission of the institution and the waste is subject to special control for ①traces of dioxins, ②waste and ③agricultural chemicals
- Agricultural waste and chemicals being incinerated, melted or by chemical breakdown is a necessary process.
 Special management of dioxin, melt treatment, incineration or cement solidification requires certain conditions.
- If the waste has adhered to the drum, incineration is the favourable disposal method. The following criteria can be examined below for each process.
- Following 3 ng-TEQ/g (300 pg-TEQ/g) of a judging standard value guide for dioxins. If the drum affixed has followed the guide and exceeded the 3 ng-TEQ/g (3000 pg-TEQ/g) it is an industrial abandonment known specially as industrial waste, subject to special control. Cement solidification or incineration will be processed with the permission from an institution based on the dioxins. If they are lower than 3 ng-TEQ/g, a drum affixed will usually carry out processing disposal by incineration disposal (things other than industrial waste are subject to special control).
- Heavy metals (including PCB) have to fit the criteria of special control for industrial waste for all 25 items. It
 means that industrial waste must be treated with incineration or by a disposal facility managed by landfills.
- Although agricultural chemicals such as 2,4,5-T and PCP are waste and their registration as pesticides has been revoked, the substances do not meet standards or regulatory values. Since the substance that was detected is also a problem from dioxins, it is decided to manage the disposal of these. It should be noted that 2,4-D is registered as a pesticide and has come up as a low concentration from the analysis.
- However, the qualitative analysis found that DDT, a substance in the Stockholm Convention, designated as hazardous waste pesticides and efforts were made to regulate specified POP pesticides and 9 substances in the country. As a result of carrying out the quantitative analysis at this time, two samples are 'agricultural chemicals' of buried agricultural chemicals. It was detected exceeding 50mg/kg which is an environment management guideline. Waste agricultural chemicals, other than the 9 substances specified are also included and it is the Act of Disposal Waste Matter that is in accordance with the process of the 'technical considerations for treatment of pesticide POPs waste', irreversible degradation of incineration is necessary. This needs to be followed and must be disposed of and carried out at a waste facility.
- If the waste has more than 5% oil it is treated as waste oil and reclamation is directly impossible. Therefor
 after it is incinerated it has to go to a landfill for disposal with an oil disposal permit.
- In order to correspond to the standard 5% oil content, oil from the result of the (TPH) analysis needs to be
 used, not based on the Environmental Agency Notification No. 64 0/1974, analyzed by gravimetric method as
 a solvent of hexane base.
- When moving waste or contaminated soil it may require advance notice and be collected by a confirmed local government and recycler and the processing company must check all formalities necessary from the municipality.

5.2 Drum Bottom Soil

- Referring to the soil directly under the drum that had been buried, the bottom soil, or depth of 1.28m from the surface of the current excavation work when the drum was buried, this refers to the earth's surface area that had been dug out. The pits were dug, covered with a blue sheet that prevented the penetration of rain water.
- The results of the survey and issues about handling the bottom soil (1) the soil samples quality standards (1000pg-TEQ/g) than the dioxin exceeds the survey index value of (250pg-TEQ/g). (2) The environmental management guideline values such as DDT is exceeded in the soil content. (3) The TPH concentration of oil is high and there is a portion of oil odour that is clearly observed. Environment improvement is difficult unless a high concentration is removed.
- Since the bottom soil that removed was in an area of 10m x 10m, which is a comparatively narrow range, the measure against oil is taken as a digging removal. However, the position and range of the drums with DDT(s) were detected beforehand and excavation and removal was carried out.
- · Strategies for each shall be as follows.

①For Dioxins:

[The Results]

- Although there was no result in which the dioxins of the drum exceeded 3ng-TEQ/g (3000pg-TEQ/g), it was
 over 1000 pg-TEQ for about six samples. Since the drum had already been unearthed and removed it will not
 affect the future of the environment in the area.
- The dioxins at the bottom of the soil were 1000pg times or less -TEQ/g which is at the environmental standards of the soil in all samples. The dioxin toxic equivalent of the base soil is lower than the drum dioxin toxicity, and in general tend to show higher values.
 - In the survey of pollution sources most affected in unlikely surroundings in this survey have a result of non dioxin soil, and samples taken from one place (just below the drum) have a slightly higher result of dioxins.
 - Since this bottom soil sample exists underground, it is in a vicinity where people do not contact/cant contact directly.
 - 3) There is no possibility that any health effects are caused by the drinking of this groundwater. It was also concluded that there were few possibilities that the bottom soil which we investigated this time will have a big environmental impact on the outskirts for any reason.
- Both unfiltered stagnant water and filtered water show a relatively high dioxin toxic equivalent value. The sample of actual groundwater had nothing in it, it was the water that had accumulated around the drum during the time of excavation. The emission amount from dioxin concentrations in the Okinawa Prefecture meets the current effluent standards, the stagnant water along the river is normal as is the rain water and discharge water from surrounding areas, and from this concentration there is no effect to the environment.
- The impurities in the manufacturing process of 2,4,5-T herbicide and the isomer composition of dioxins in soil and bottom drum deposits (HxCDDs~OCDD, HxCDFs those derived from impurities in the manufacturing processing (2,3,7,8-TeCDD), herbicide PCP. It was found that from the PCB and components ~OCDF), include but are roughly divided into three.
- In agricultural chemicals, butyl ester of 2,4-D was not detected in the bottom soil samples or drum deposits. The 2,4-D and 2,4-DCP which is believed to have been produced has decomposed but was detected in 2 samples. 2,4,5-TCP butyl ester was not detected. 2,4,5-TCP which is believed to have produced 2,4,5-T is decomposed and was detected in some of the samples. These are because herbicide related substances are not as persistent as PCB and dioxins, they decompose over a long period of time.
- Although it has not been detected in soil and bottom drums for 2,4-D, but was barely detected in the reservoir.
 This is in the water with fewer interferences, high sensitivity and the analysis should be detected. Compared to the 2,4 and 2,4,5-t low concentrations, the difference is either derived from the difference in the rate of degradation.
- The detected deposits, bottom soils from the 2,4,5,T, 2,4,5-TCP, 2,4-D, 2,4-DCP herbicides are presumed to be a mixture where 2,4,5-T and 2,4-D originated from.
- The qualitative analysis of bottom soil and drum deposits, straight-chain hydrocarbon, benzene, naphthalene derivatives and polycyclic aromatics and DDTs were observed.
- The oil on the bottom soil and drum deposits is carbon number C-5 type and can be classified into gasoline and carbon number C-12-classified and C28 diesel types.
- Samples of insecticide DDT were detected by qualitative analysis results and exceed the soil concentration guidelines for environmental management recommendations on pesticides and other chemicals (content) was in 3 samples of bond drum No.4,34, bottom soil No.34.
- Fluorine (including cacodylate) of arsenic bottom soil samples and drum deposits can not be considered to have potential impacts on artificial or natural areas, these are determined by the above factors.
- Ratios of each deposit differed for each drum. Intentionally buried drums and crushed drums had mixed results with the fossil fuels in drums 2,4,5-T and PCB which the result could be suited in the drum as gasoline, light oil or insecticide. It is possible that DDT(s) were mixed in as well.
- The quantity of pesticides and the classification of dioxins in the time come from the quantitative analysis of the removal of substances that was (1) contained in the drums (including the mix 2,4-D), (2) herbicide PCP, fossil fuels, gas, oil or gasoline, (5) the pesticide DDT such as 2,4,5-T. The presence of at least five other substances was estimated into the equation.

- In the case of a "index value or more, situation, from other sources around the soil, or other media", to implement
 continuous monitoring surveys and additional actions to the notice of "The enforcement of the Law Concerning
 Special Measures against Dioxins".
- Based on the "(Ministry of the Environment Water and air quality station soil Environment Division Edition March 2009) Soil Investigation Measurement Manual relating to dioxins", this study is positioned as a "Target Area Situational Awareness Survey" source of contamination procedure is the "Buried Drums".
- The next step has been decided to preform additional research and soil survey material in accordance with the estimation of the cause "Survey Index Value Confirmation Study" depending on the surrounding conditions. In regards to this the horizontal magnetic survey confirms there is no more buried metal anomalies such as drums around because all of the drums have been excavated and collected in this study. The future of the environmental standards have been considered and there is no further risk of exceeding the values so there is no need for further investigation of the soil.
- In the study documentation in regards to the environmental criteria additional studies are required according to the
 "Survey Index Values Confirmation Survey" in order to grasp the transition of the concentration of the dioxins in
 the soil placing every 3 to 5 years. "The performing of continuous monitoring study" as described above is
 believed to be unnecessary for continuous monitoring studies because of the removal of the drums as the
 contamination source.

②About DDT

- For DDT classification, one sample of No.34 exceeds the standards of content (50mg/kg). If only the excess of the amount is in containment, it is considered a measure, but if it exceeds the eluted value of (0.026mg/L) in the buried pesticide research manual, then it is decided to remove all means of it.
- Also, if the release value exceeds the guideline value of 0.026mg/L it cannot be disposed of in a landfill. Although
 manuals such as the burial 'agricultural-chemicals investigation and digging' were used about the pollution range
 of DDT(s) since a value had not been investigated yet. It investigates a depth of [1m] drum burial and exceeds the
 environmental guideline value (content and elution value) of DDT(s)
- Disposal of the soil content and the processing guideline value (elution value) are over examined, preferentially carrying out thermal disposal with the processing permission institution of waste agricultural chemicals.
- For oil, what is regulated as a hazardous material and is only benzene contained in gasoline. Since there are no specimens in excess of the criteria in this survey, regulations such as the Soil Contamination Countermeasures Law does not apply.
- For measures of oil, action taken by landowners or the like into the oil odor or oil slick problems due to soil, including 'mineral oils from the Ministry of the Environment' has been published from the concept of the solution when the oil film and oil odor problem and land transactions occurred. In this case it is a relatively narrow pollution range of 10m x 10m in which the drums had been buried.
- The depth which the digging removal was carried out in aimed to be 1.1m depth and thickness. DDT(s) were
 detected in the drum digging after the first removal of the first range that were buried.
- The end of the drilling was to be performed based on the processing target of the oil odor intensity and was carried
 out to the oil pollution prevention guidelines. The processing goals were discussed and related to the institutions
 about the odor intensity.
- To guarantee oil degradation in disposal of it, there should be priority given to facilities such as cement factories and incineration and recycling plants.
- In addition to this, it was decided that agricultural chemicals 2,4,5-T and 2,4,5-TCP would be disposed of as there
 were agents of dioxins.
- From a viewpoint of Soil Pollution Control Measures Law, arsenic fluoride exceeded the initial-listing requirements value, since it was a natural cause, the object of measure does not carry any withdrawal.

5.3 About Stagnant Water

• The stagnant water had less respective amounts of dioxins than filtered water, the filtered water was higher at 150-pg-TEQ/L and 55pg-TEQ/L respectively. It is estimated to have been present in the form of absorbed particles such as particle dioxins the size of grains. For confirmation water was collected from a drain outlet at a football field and north of the field where the drums were buried and both to be analyzed for dioxins.

- For now, the drum burial places around stagnant water locations have a presence of unknown high results from the above survey, the next step is to investigate further and measure the high intensity around the location of the stagnant water, high density electrical prospecting will be used, an electrode will be placed on top of the line, then the electrical resistivity of the soil will be observed around the stagnant water area.
- 2,4-DCP, 2,4,5-TCP, 2,4,5-T and 2,4-D pesticides have been detected, but the regulation value and reference value in the environment is not known. However, material that is currently detected has a problem because agents of dioxins have been present. They will be treated as dioxins and based on additional findings as described above and the treatment and disposal. Since the survey was taken, the buried drums have been collected and it is considered that there is no possibility of an increase of the concentration of pesticides in the future. In addition any kinds of DDT have not been detected in the analysis.
- · Further measures aren't necessary because the presence of PCB has not been detected.
- Heavy metals (arsenic) have exceeded the environmental standard but they are of a natural origin, this water isn't drinking water but more over stagnant water, it has been confirmed in the survey that there is no need for special measures.
- The circumference in which the drum was buried again had shifted slightly west from the movement of stagnant water, there is a layer of soil covering the stones underneath that have a low permeability with a depth of 5-8m, since it is so deep and think it is nearly impossible for the bank water to penetrate. Moreover, groundwater hasn't been seen even at a digging depth of 6.5m and at this depth the mixture of stone and clay are still present starting from 5.4m down. It is thought that the bank water hardly influences the ground water so there is no need to monitor it.
- Pathways of water beneath the surface can move small amounts over time, but usually only with the assistance of rain water or a flash flood (natural phenomenon).
- It is believed that the bank water which moved in this manner did so because it drained from the exhaust port on the north side of the football stadium, because of this concern dioxins were measured and the flow from this is monitored. The Water Pollution Control Law of the Okinawa Prefecture has decided with agencies that the frequency of this survey be once a year.
- As a result of Okinawa's analysis of the football field drainage on February 7, 2014, the results of dioxins found at the end of the survey was published.
- The Agriculture Ehime University's visiting Professor Masatoshi Morita, compiled the analysis summary of the results.

Excess Space Below

Old Kadena Air Fields (25) Confirmation Soil Survey (Part 2)

Analysis Results (1/3)

						1		_														10007		Chandrad
Particidade		Survey Item	Unit\Extraction Day		28	_	30	20	29	6.7	50	5.0	59	29	29	5.0	29 Jan.	29 Jan.	Jan.	Jan	Jan.	Jan	Limit Value	District
magkg 1.9 6.0 6.	Noxin	 (Analysis in soil survey manual measurement) 	Pg-TEQ g	16	-	350			_							-	H			_	-	120	1	1
Marking 1.9 0.5 4.4 0.6 0.5 0.6 0.6 0.6 0.6 0.7 0.6	olych.			0.0005 (0		-	0		0	-	_	6		_	8	-	0	9	8	9.	8	9	0.0005	Not detected
May Reg Go Go Go Go Go Go Go G		Content	mg/kg	6.1	-	4.4			*	50	v.		_	-	wh	W.	W.		5 (0)	5			0 8	
Markey (6.1	sp	2,4-dichlorophenoxyacetic acid (2,4-D)	mg/kg	(0, 1	(0.1	6.1	-	-	-	-	-	-	-		-					-		0.1	0.1	
magkg (0.1 <t< td=""><td>soin</td><td>2,4,5-trichlorophenoxyacetic acid (2,4,5-T)</td><td>mykg</td><td>(0.1</td><td>-</td><td>1.0</td><td>-</td><td>-</td><td>_</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>ET L</td><td>1 00</td><td>-</td><td>H</td><td>-</td><td>2</td><td></td><td>0.1</td><td>3</td></t<>	soin	2,4,5-trichlorophenoxyacetic acid (2,4,5-T)	mykg	(0.1	-	1.0	-	-	_	-	-	-	-	-	-	ET L	1 00	-	H	-	2		0.1	3
magkg (0.1 <t< td=""><td>peu</td><td>2,4-D Butyl Ester</td><td>mg/kg</td><td>(0.1</td><td>(0.1</td><td>(0.1</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td></td><td>1 (0.</td><td>1 0 1</td><td>0.1</td><td>3</td></t<>	peu	2,4-D Butyl Ester	mg/kg	(0.1	(0.1	(0.1	-	-	-	-	-	-	-	-	-	-	-	-	-		1 (0.	1 0 1	0.1	3
magkg (0.1 <t< td=""><td>DI</td><td>2,4,5-T Butyl Ester</td><td>mg/kg</td><td>1.0)</td><td>(0.1</td><td>1.03</td><td>_</td><td></td><td>_</td><td>-</td><td>-</td><td>-</td><td>1</td><td>-</td><td>-</td><td>-</td><td>-</td><td></td><td>-</td><td>-</td><td>-</td><td>1.0</td><td>0 1</td><td>1</td></t<>	DI	2,4,5-T Butyl Ester	mg/kg	1.0)	(0.1	1.03	_		_	-	-	-	1	-	-	-	-		-	-	-	1.0	0 1	1
Markey M	euni	2,4-dichlorophenol (2,4-DCP)	mg/kg	1.0	(0.1	10.1	-	-	-	1	-	-		-	_	-	-	-	-	-	1 (0.3	1.00.1	0.1	1
Marking (6)	(no	2,4,5-trichlorophenol (2,4,5-TCP)	mg/kg	1 03	+	1	er		-		-	-		_	-	_	H	H	-			0.2	0.1	
Markey M	'nã	Pentachlorophenol (PCP)	mg/kg.	1.0)	-	_	-				_	-		-	-	-	-		-		-		0.1	1
mgKg (0.1 <th< td=""><td>V 1 1</td><td>Cacodyl ate acid - sodium cacodyl ate (arsenic concentration)</td><td>mg.f.</td><td>-</td><td>-</td><td>-</td><td>002 (0.</td><td>002</td><td>-</td><td>(0)</td><td>002 (0.</td><td>002 (0</td><td>002 (0)</td><td>(0)</td><td>(0)</td><td>(0)</td><td>-</td><td>0</td><td>0</td><td>0</td><td></td><td>9</td><td>0.002</td><td>1</td></th<>	V 1 1	Cacodyl ate acid - sodium cacodyl ate (arsenic concentration)	mg.f.	-	-	-	002 (0.	002	-	(0)	002 (0.	002 (0	002 (0)	(0)	(0)	(0)	-	0	0	0		9	0.002	1
Marking 15 41 30 28 46 36 46 40 21 18 23 45 40 21 26 25 41 20 20 20 20 20 20 20 2	ev.	Picloram	mg/kg	1.0)	1.0)	(0.1	-	1	1	-	-	-	_	_	-	-	-	-	-	-	-	10.1	0.1	1
Mark	otal A	rsenic (Content)	тв/кв	25	41	30						_				-	-	-		-		22	0.2	39mg/kg can value
Acid (arsenic concentration of 5 values) Mg. 1. (a) 0.02	rsenic	(Content) (content by Soil Pollution Control Measures Law)	mg/kg	8.1	_	-	-	_	-	-	-	-	-	-	-	H	-	H	-	H	H	-	0.5	150 me/ke or less
Acid (arsenic concentration of 3 values) mg1. (a) 0.02	SIC	Arsenic Acid (arsenic concentration of 5 values)	mg.L				-	-	70	-	-		(0)	0	8	-	-	9	7	0.	60	-	0.002	
Hydraxonic acid Gas arsenic conventration) mg1, (a, 002) (a, 002) (a, 002) (a, 002) (a, 003) (a, 00		Arsenious Acid (arsenic concentration of 3 values)	mgt	(0.002		200	002 (0.	002 (0.	-	<0.	005	-	(0)	0.	0	9	8	0	30	0.	0)	0	0.002	1
Auxiliaria asiadi (as aussenire concentration) mg/L (a) 0.022 (a		Mono-methylarsonic acid (as arsenic concentration)	mg/L				002 (0.	005		7.00			_	_	-	-	-	0,	-	0	-	-	0,002	
taine (a streenic concentration) mg/L (3.002) (0.002) (Dimethylarsinic acid (as arsenic concentration)	mg.L.	_	-		₹0.	0.	-	0,	002	(0)	000	-	-	-	-	50.	0	-	0	-	0.002	1
1,	AL	Arsenobetaine (as arsenic concentration)	mg/L	_		-	002 (0)	.0	0.	602 <0.	002		00	:0	0	_	(0)	(0)	-	9	-	100	6.002	
Oil (TPII) Oil (luorid	e (content)	mg/kg	200	-	-	-	-	-	-				// 2	-	100	-	-	-	H	H	360	10	700mg/ke can valu
$C \sim C / 2 \times $		Oil (TPH)	mg/kg	(100	-		-		0.0			-	-					0.0	-				100	
C12~C2x C4+ mg/kg C100 C100 C100 C100 C100 C100 C100 C10	110	C6~C12	mg/kg	001)		0010								_			_	-	-				1	
mg/kg (100 (100 (100 (100 (100 (100 (100 (10	0	C12-C28	mg/kg	001	-	-	_		-	Ĭ				-				-	-	⊢	-	-	j	4
		C3x-C4t	mg/kg	0015	_		-		_			-	L	_			L	-	_	L	-	100		1

Analysis Results (2/3)

-				ŀ	l																		
	Sample (Drum) Number		21	22	23	24 2	25 26	5 27	7 28	29	30	77.	32	33	34	35	36	37	38	39	40 Deter	Determination	
	Survey Item	Unit/ Extraction Day	Jan. 30 Ja	Jan. 30	Jan. 30 Ja	Jan. 30 Jan.	30 Jan.	30 Jan.	30 Jan.	30 Jan. 3	30 Jan. 30	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31 Ja	Jan. 31 Lim	Limit Value	Standard
Dioxin	Dioxins (Analysis in soil survey manual measurement)	Pg-TEQ g	110	160	370	200 12	120 260	0 430	0 1100	098 0	110	930	180	180	200	470	230	200	1100	-	270		1
Polych	Polychlorinated biphenyls (soil) Soil Elurion Contact	mg L	0.0005 (0.	(0, 0005 (0	(0, 0005 (0,	5 (0.	0005 (0.0005	300 (0, 0005	5000 (0) 500	0,	0	5 (0, 0005	0,	(0.0005	(0,0005	10	in	V.	14	100	95	90	Not detected
	SOIL EMMOR CORCER	mg/kg	(0.5	0.5	0.7	(0, 5 (0,	. 5 (0,	S	(0.5 2.4	0.7	(0.5	(0.5	1.7	(0.5	0.5	9.0	2.2	0.7	5.2	2.3	6.6		
9	2,4-dichlorophenoxyacetic acid (2,4-D)	mg/kg	1.0)	1.0)	1.00	(0, 1 (0,	(0)	.1 (0)	.1 (0)	1 (0)	1 (0) 1	(0, 1	(0, 1	(0.1	1 (0)	1 0	(0.1	(0.1	1.0	1.0		0.1	
sp:	2,4,5-trichlorophenoxyacetic acid (2,4,5-T)	mg/kg	0.2	1.00	1.0)	0.2 (0.	.1 (0.	.1 0.3	3 32	0.5	0.6	8.0	9.0	1 (0)	1.0	1.0	5.0	×	1 1			0.1	
im	2,4-D Butyl Ester	mg/kg	1.0)	1.0	1 '0)	(0, 1 (0	(0, 1 (0,	.1 (0)	.1 (0,	1 (0)	1.0	(0, 1	(0, 1	(0, 1	0.1	(0.1	1 0)	1.0	0.1	(0, 1			
оцо	2.4.5-T Butyl Ester	mg/kg	1.0)	1.0)	1 '0)	(0, 1 (0,	.1 (0)	. 1 (0,	(0)	1 (0)	1 (0) 1	(0, 1	(0,1	(0, 1	1 0	(0.1	(0, 1	(0, 1	0.1	(0, 1	1 (0)		
) le	2.4-dichlorophenol (2.4-DCP)	mg/kg	1.0)	1.0)	1.05	(0, 1 (0,	.1 (0.	.1 (0)	.00	0) 1	(0)	1 (0)	1.0)	(0,1	1.0	1 (0)	1 (0)	(0.1	0.3	(0, 1	1.0.1		
mil	2,4,5-trichlorophenol (2,4,5-TCP)	mg/kg	8.5	1.0	8.0	1,1 0,	0.5 0.1		0.6 7.1	3.2	9.0	5.0	0.2	0.3	1.0	8.0	0.7	8.0	250	0.5	0		
noin	Pentachlorophenol (PCP)	mg/kg	0.1	1.0)	0.1	(0, 1, 0,	.1 (0.	.0: 1	1 0.2	0,1	.00	(0.1	0.1	1.0	1.0	1 0)	1.0)	1.0	0.4	0.1			1
яV	Caeodyl ate acid + sodium caeodyl ate (arsenic concentration)	mg.L	(0.002 (0	(0.602	0, 002 (0	(0.002 (0.	0.002 (0.0	002 (0.002	00 (0, 002	02 (0.002	2 (0.002	2 (0,002	(0,002	(0, 002	<0,002	(0,002	(0, 002	0.002	0.002	0.002	0.002	0.5	
	Picloram	mg/kg	1 '0)	1.0)	(0, 1	(0, 1 (0,	.1 (0,	, T (0,	.1 (0.	1 (0)	(0, 1	(0, 1	(0, 1	(0.1	(0.1	(0.1	(0, 1	(0, 1	1.0	0.1	1.0)	0.1	
rsenic	Arsenic (Content)	mg/kg	17	20	20	29 1	12 20	21	20	19	77	20	15	17	17	23	27	1.1	2.5	18	15	0.2	39me/ke can value
rrsenia	Arsenic (Content) (content by Soil Pollution Control Measures Law)	mg/kg	2.2	1.3	2.7	4.0 2	2.7 3.	3.0 2	2.3 3.2	3.2	3.2	2.5	1.5	2.2	5.1	61.5	* *	2.8	2.0	3.1	2.8	0.2	150 mg/kg or less
10	Arsenic Acid (arsenic concentration of 5 values)	mg.L.	(0,002 (0	(0,002	0.002 (0.	002 0 006	00	002 (0.002	0.	002 (0,002	2 (0,002	(0,002	900 0	(0.002	(0.002	(0,002	(0,002).	003	(0, 002	0.002 0.0		T	
(5)	Arsenious Acid (arsenic concentration of 3 values)	mg L	(0.002 (0	(0, 002 (0.002 (0.	002 (0.	002 (0.0	002 (0.002	002 (0.002	02 (0.002	2 (0,002	2 (0,002	(0, 002	(0, 002	(0, 002	(0.002	(0, 002	(0,002	0.002	(0.002 0.	002		
ic t	Mono-methylarsonic acid (as arsenic concentration)	mg L	(0.002 (0	(0.002 (0.002 (0	(0, 002 (0,	(0, 002 (0, 0	002 (0,002	202 (0, 002	02 (0,002	2 (0.002	2 (0,002	(0,002	(0.002	(0, 002	(0.002	(0,002	0.002	(0.002	(0, 002 (0	0, 002		1
a)	Dimethylarsinic acid (as arsenic concentration)	mg L	(0, 002 (0	(0.002	0,002 (0	(0.002 (0.	(0.002 (0.0	002 (0.002	002 (0.002	02 (0.002	2 (0,002	2 (0.002	(0,002	(0.002	(0,002	(0.002	(0, 002	(0.002	(0,002	(0, 002 :0,	002	0.002	
υV	Arsenobetaine (as arsenic concentration)	mg t.	(0, 002 (0	(0.002 (0,002 (0.	002 :0	002 (0.0	002 (0.002	302 (0.002	02 (0.002	2 .0.002	2 (0, 002	(0, 002	(0, 002	(0,002	(0, 002	(0, 002	0.002	00.002	(0.002 :0	0.002	0.002	
Tuorid	Fluoride (content)	mg/kg	440	500	510	500 40	100 650	0 500	0 450	320	340	370	380	310	310	310	260	220	380	270	200	10 7	700me/kg can value
	Oil (TPH)	mg/kg	170000	500	200	100	(100 (1	(100 8400	NO 5200	3100	700	3100	400	200	2900	300	800	300	8500	2600	000	100	
13	C6~C12	mg/kg	23000	001	001)	(100	100 (1	(100 2000	30 400	(100	300	(100	(100)	100	200	(100	(100	(100	1200	001	100		
0	C12-C28	mg/kg	110000	400	200	(100 0)	1001	100 6400	00 1100	0 2500	200	2500	300	200	2300	300	009	200	6700	2100	500		
	C28~C44	mg/kg	(100	001	001	(100 <1	(100 (1	001)	(100 700	009	200	600	(100	(100	400	0010	- 0012	2100	009	400	000		

	Sample (Drum) Number		7	45	43	4	5	46	47	48	49 5	50 51	1 52	53	艾	55	95	57	28	59	09	19	Determination	Standard
	Survey Item	Unit / Extraction Day Jan. 31	Jan. 31	Jan.31	Jan. 31	Jan. 31. J	Jan. 31 Ju	Jan. 31 Jar	Jan. 31 Jan	Jan. 31 Jan	Jan. 31 Jan.	Jan. 31 Jan. 31	31 Jan. 33	33 Jan. 31	31 Jan. 31	1 Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Limit Value	Canadata
Dioxins (Analysic	Dioxins (Analysis in soil survey manual measurement)	Pg-TEQ.g	0001	47	280	160	800	160 8	880	120 2	250 24	240 176	700 340	2900	0 220	1200	270	380	270	800	446	995		
Polychlorinated biphenyls (soil)		mg L	(0.0005	(0.0005 ((0,0005 ((0.0005 (0	(0.0005 (0.	(0.0005 (0.0	(0, 0005 (0,	(0, 0005 (0, 0	0.0005 (0.0005)	5000 (0.0005		(0.0005 (0.0005	65 (0.0005	5 0.0005	5 (0,0005	10,0005	(0, 0005	0,0005	(0.0005	0,0005	0,0003	Not detected
	Soil Etution Content	mg/kg	(0.5	(0.5	7.0	(0, 5	(0.5	(0,5	(0.5	(0.5	(0, 5 1,	1.0 1.7		(0.5 (0.5	5 (0, 5	5 0.6	(0.5	0.5	9.0	70,5	(0.5	(0.5	0.5	
	2,4-dichlorophenoxyacetic acid (2,4-D)	mg/kg	(0.1	1.0)	1.0.1	1.0)	(0, 1	(0.1	(0.1	(6, 1)	(0.1	0.1 (0.	0, 1,0	.0.	1 (6.1	1 (0.1	(0,1	(0, 1	1.0	1.0)	1.0,1	(0, 1	0.1	1
	22.4.5-trichlorophenoxyacetic acid (2,4.5-T)	mg/kg	1.3	0.2	0.4	9.0	6.3	0,7	1 (0)	0.1	1.0)	0,1	1 15	0.5	5 0.7	0.3	(0.1	0.2	0.1	0.1	6.9	9.6	1.0	
2,4-D Butyl Ester	utyl Ester	mg/kg	(0.1	(0.1	1.0)	1.07	1.07	(0.1	00.1	(0, 1	(0, 1, (0	0) 1.0	(0.1 (0.	(0.1 (0.1	1 (0.1	1 (0.1	(0.1	(0, 1	(0, 1	1.03	1.0	(0.1	0.1	1
2,4,5-T Butyl Ester	utyl Ester	mg/kg	(0.1	(0, 1	1.0)	(0, 1	(0.1	(0.1	1.0)	(0.1	1 (0)	0, 1,0	(0, 1 (0,	.1 (0.	1 0.	1 (0.1	(0.1	(0, 1	1.00	(9.1	0.1	(0.1	1 0	
_	22,4-dichlorophenol (2,4-DCP)	mg/kg	1 (0)	1 (0)	(0, 1	1.00	1 (0)	(0,1	(0.1	(0.1	0.1	0, 1 (0,	0) 1.0	1 (0	1 0	1 (0.1	(0.1	(0, 1	1.0	(0, 1	(0.1	(0.1	0.1	1
	2,4,5-trichlorophenol (2,4,5-TCP)	mg/kg	100	0.7	0.5	9.6	1.7	17	95 (0.1 0	0.2	0.1 2.2	2 12	0.2	9.0	9.0	0.1	(0.1	0,3	0.7	0.3	26	0.1	1
_	Pentachlorophenol (PCP)	mg/kg	2.0	1.0)	1,1	1 (0)	1.0)	0,1	0.2	1.07	0.1.0	0.1 0.1	1 0.1	1.6	5 .0.1	1 4.2	0,2	0,1	0.1	0, 2	0.1	0.1	0.1	
	Caeodyl ate acid + sodium cacodyl ate (arsenic concentration)	mg L	0.002	0.002	0 002	0.002	6, 602 (0)	0.002 (0.1	0.002 0.	0.002 (0,0	0,002 (0.002	0	002 (0,002	2 (0.002	2 (0.002	0.002	(0,002	0.002	.0 002	0.002	(0, 002	0.602	0.002	1
Picloram		mg/kg	(6, 1	(0, 1	(0.1	(0.1	(0, 1	(0.1	(0.1	(0.1	(0.1	0.1 (0.	0.1 (0.	. 1 (0.	1 (0,	1 (0.1	(0.1	(0,1	:0.1	0.1	(0.1	(0.1	0.1	
Arsenic (Content)		mg/kg	23	10	22	81	16	18	8.6	20	26 2	21 19	61 6	20	24	24	18	21	20	22	22	18	0.2	39mg/kg cap value
Arsenic (Content)	Arsenic (Content) (content by Soil Pollution Control Measures Law)	mg/kg	2.5	1.5	2.3	2,0	4.4	4.7	8.1	3.5	2.5	1.8 1.6	6 2.2	2.5	5.4.5	+	1.9	3.1	2.0	4.6	4.2	1.7	0.2	150 mg/kg or less
	Arsenic Acid (arsenic concentration of 5 values)	mg/L.	0,002	0,002	0,002	0.002	0.002 (0.	0, 002 0,	0.004 0.	0.009 (0.1	0.002 0.002	902 0,002	02 (0.002	12 (0.002	2 (0,062	0.002	0.002	9, 602	(0, 002	0.002	(0, 002	0,602	0.002	1
(9)	Arsenious Acid (arsenic concentration of 3 values)	mg/L	(0, 002	0.002	0.002	0.002	0.002 0	0.002 6.	0.002 (0.	0, 002 .0.	0.002 (0.002	00.002	02 0.002	2 (0,002	2 (0,002	0.002	0.002	.0. 002	0.005	0,002	0.002	0.003	0.002	6
o In Mono-met	Mono-methylarsonic acid (as arsenic concentration)	mg L	0.002	(0.002	(0,002	0.002	0.002 (0.	0.002 (0.4	0.002 (0.	0.002 (0.0	(0.002 (0.002	002 (0.002	02 (0,002	0,002	2 (0.002	0.002	(0.002	0.002	(0.002	0.002	(0.002	0.002	0.002	
3)	Dimethylarsinic acid (as arsenic concentration)	mg/L	(0, 002	(0.002)	(0.002 (0.002 (0	0,002 (6.	6,002 (6.4	0.002 (0.	0,002 (0,0	0,002 (0,002	002 (0,002	02 (0.002	12 (0.002	2 (0,002	2 (0, 002	(0, 002	.0.002	(0, 002	0.002	(0.002	0,602	0.002	1
	Arsenobetaine (as arsenic concentration)	mg L	(0.002	(0,002 ((0.002 (0,002 (0	0, 002 (0.	0,002 (0,0	0.002 (0.	0.002 (0.0	(0, 002 (0, 002	003 (0,003	02 (0,002	12 (0,002	2 (0,002	0,003	(0,002	.6, 002	(0, 002	0.003	(0.002	0.602	0.002	
Fluoride (content)		mg/kg	180	480	260	180	290	160 3	350	280 2	280 43	430 370	0 410	0 470	0.1.10	500	450	320	460	400	450	260	10.	700mg/kg cap value
Oil (TPH	0	mg/kg	4700	100	(100	0013	200 7	00000	6800	200 4	400 10	100 100	1000 300	0 100	0010 00	0 100	(100)	100	2400	200	0013	500	100	
□ C6~C12		mg/kg	009	(100	100	100	(100 -1	6 00081	006	(100.	100	300 (E	(100	100 (100	001: 00	001) 0	(100	:100	.100	1000	100	(100	1	
O C12-C28		mg/kg	3800	0015	001)	001	200 4	48000 5-	5400	100	200	100 800	300		1001	0015 0	(100	(100	1300	200	(100	400	1	
77-8CO		mo/ko	200	000	7100	7300	2000	40000	2000	1000	1000	2000	1000	0000		00.00	2000	- Const	The state of the	10000				

Old Kadena Air Base (25) Confirmation Soil Survey (Part 2)

Items other than bottom soil investigation result-Soil Pollution Control Measures Law (1/2)

	Sample (Drum) Number		-	ei	7	8	11 01	1 12	13	14	15	17.	20	10	20	16	33 34	H	96 36	3.5		
	Survey Item	Unit/ Extraction Day Ion 28	Jan 28 Ian	36	1 00 mil	1 30 feet	30	100			+				†	†		1	+	+	Determination	Standard
Dioxi	Dioxins (Analysis in soil survey manual measurement)	B. TEO.			70	-	200	23 Jan.	47 Jun 29	y Jan, 29	Jan. 29	Jan. 30	Jan. 30	Jan. 30 J.	Jan. 30 J.	Jan, 30 Ja	Jan. 30 Jan.	30	Jan. 30 Jan. 30	30 Jan, 31		
Pole	Polyoblorinated binhangle (exit)	50				4	38	87	7	20	150	. 62	63	620	130	140	390 160		120 260	160	1	1000be-TFO e or less
	Soil Elution Content		9		(0.0005 (0.	0.0005 (0.00)	0003 (0,0003	305 (0,0005	15 (0.0005	5 (0.0005	(0,0005	0,0005	5000 0	(0, 0005 (0,	5000	0.0005 :0.	0.0005 (0.0005	0	0005 (0.0005	0	0 0005	Not detected
		mg/kg	(0.5	(0.5	6.0	0, 5 (0)	(0.5 0.9	10.	5 (0, 5	3 (0.5	5.0	1.1	5 (0)	5.02	5.0	2 07	2.07		0.0	W C	1000	The second
5	2,4-dichlorophenoxyacetic acid (2,4-D)	mg/kg	(0.1	(0,1	1.0)	0, 1,0	1/0/	1 (0.1	1 00 1	1 07	- 0	1 100	1 01			1			1	1	0.0	
le:	2,4,5-trichlorophenoxyacetic acid (2,4,5-T)	me/ko	1.01	1 0)	-	-			1	1			100	10.1	1 0	1.0	-	-	-	0.1	0.1	
itti	2,4-D Butyl Ester	me/ko	-	1 0	-					10.1	1.0	0.1	10.1	7.7	0, 1	1.0	-	-	0.1 (0.	1 (0.1	0.1	
OH L	2,4,5-T Butyl Ester	ma/ka	+	1 0		-	1		00	(0.1	0.1	(0.1	(0, 1	(0.1	0.1	1.0	0.1	-	0.1 .0,	1 (0, 1	0.1	
) It	2.4-dichlorophenol (2.4-DCP)	Se Sen	+	100		+	+	-	0.	(0.1	(0.1	10.1	1 (0)	(0.1	1.0.1	100	0.1 (0.	_	0.1 (0.	1.0	0,1	
un	2 d C tricklementance of a C Territ	mg/kg	4	10.1	10.1	0.1	. 1 (0.	.1 (0)	1.0	(0.1	0.1	1.0	10.1	(0.1	1.0	1.0%	(0): 1 (0):	_	.0.1 (0.	1 0.1	. 0	
lln:	z,+,2-urchophenol (z,+,3-1,CF)	mg/kg	1.0)	0.1	0.1	0.1 0.	.1 .0,	. 1	1 (0) 1	1.05	0.1	2.4	(0, 1	43	0.1	0.1	0.1 0.	0	0.1	1		
ou	Pentachlorophenol (PCP)	mg/kg	(0.1	(0.1	0.1	0.1 (0.	1 (0	1 (0)	1 (0)	1 0)	1 0	1 07	3.07		1 0			1		+	0.0	
8V	Cacodyl ate acid - sodium cacodyl ate (arsenic concentration)		(0.002 (0.	(0, 002 (0	0.002 0	003	97	0) (0	18	18	18	10 ace	100 000	+	+	+	-	+	_	0	0.1	
	Pictoram	me/ko	0 1 0)	-		1 0		-	+	+	+	0.007	700.005	2	2	-	77	-	0.002 0.002	2 0 002	0.002	1
Arsen	Arsenic (Content)	ma/ker	+	+	+	+	1	-	700	100.1	0.	1.0.1	(0.1	100	1.0	1.0	(0.1	-	0.1 (0	1 0 1	0.1	
Arsen	Arsenic (Content) (content by Soil Pollution Control Measures Law)	marka	-	1	+	+	+	+	+	+	20	18	Ħ	25	57	33	19 16	17	7 26	22	0.2	39mg/kg cap value
10	Arsenic Acid (arsenic concentration of 5 values)	Ī	۲.	_	+	1	-	-	+	+	+	4.0	2.5	1.7	2.3	4.5	2.4 2.4	4	1.9 3.8	2.3	0.2	150 mg/kg or less
(10	_	T	+	-	1	9	0.00	002 (0.002	2 0.006	:0.002	(0, 002	(0, 002	(0, 002	(0, 062 (0	0.002	0,002 (0	(0.002 0.002	0	002 (0.002	12 0.002	0.002	
Ha H	_		-	(0.002 0.	0.002 0.	0.002 :0.0	002 (0.0	002 (0.002	2 (0.002	(6,002	(0,002	(0, 002	(0.002	(0.002 (0	0.002	(0, 002 (0)	(0.002 (0.002	02 (0, 062	00.002	12 0 002	L	
nic Elu	-	mg/L	(0, 002 (0,	(0, 002 (0)	(0, 002 (0)	0,002 (0,002	02 (0.002	02 (0.002	2 (0.002	(0,002	(0,002	<0.002	(0, 002	(0.002 (6	(0.002 <0	(0.002 (0	(0.00) (0.00)	500 00 500	+	+		
)		mg L	(0.002 (0.	(0, 002 (0,	002	0,003 0,002	00.002	02 (0.002	2 (0.002	(0.002	(0.002	0.007	(0.002	+	+	+	+	+	+	+		
Y	Arsenobetaine (as arsenic concentration)	mg/L	(0. 002 (0.	(0, 002 (0	200	(0.002 (0.002	00 00 000	500 00 50	-	+	(10,603	6000	+	1000	+	+	-	+	+	+	0,002	1
Fluori	Fluoride (content)	mg/kg	1.00		160 31	+	+	+	-	-	- NO. 100-	W. W.	700.00	4	4	-3	0, 002 +0, 002	02 (0.002	302 (0, 002	2 0.002	0,002	1
	Oil (TPH)	meAn	⊢	-	-	1		1	1		300	210	260	260	4	200	70 170	200	0 130	330	10	700mg/kg cap value
1	C6~C12	and the	+	T	1	+	1	1	1	1	100	9300	001)	7100	100	0069	(100 (100)		100 200	100	100	
O	C12-C38	HIN NE	4	1	1	-		1	100	(100	100	2100	(100)	1000	001	.002	100 (100	-	100 (100	001 0	1	
	Cherchen	mg/kg	4	1	4	100 < 100	001 100	001) 0	0015	100	000	7200	001)	9095	1001	5200	100	100	100 200	100		
	C.20 C.94	mg/kg	001	000	100	100 100	0015 (100	0015 00	000	(100	1000	0000	0017	5000	100	1,000	1000	1				

Note 1: In the result, the sign of inequality a column expresses, is less than the shown numerical value. Therefor the notes 1-3 are applied to all affixed results.

Note 2: A five result of post-blorization of clistus has been on the shown numerical value. Therefor the notes 1-3 are applied to all affixed results.

Note 2: A five result of post-blorization of clistus has been on the standard of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity standards of the upper limit of all the arsenic content and the fluoride (content) is judged by soil capacity and are also as a shown on the attached street.

Items other than bottom soil investigation result-Soil Pollution Control Measures Law (2/2)

	Sample (Drum) Number		32	34	37	36	41	44	46	54	57	Determination	20 10 2007
	Survey Item	Unit' Extraction Day Jan 11	Jun. 11	fan 31	In 11	Last 2.1	fam 31	In the	19.71			Limit Value	Standard
Dioxir	Dioxins (Analysis in soil survey manual measurement)	Pe-TEO e	200	02	100	300	140	1000	340.31	Jan. 11	Jan. S.		The second second
Polycl	Polychlorinated biphenyls (soil)	mg.L	0.0005	0.000\$	0.0005	12	2000 0	0.000	(0.0000	10 0000	140	0 0000	1000pg-TEQ/g or less
	Sou Elulion Content	mg/kg	(0.5	(0, 5	1.1		5 0)	5 (0)	70.4	0,000	0.0003	0.0005	Not detected
3	2,4-dichlorophenoxyacetic acid (2,4-D)	mg/kg	1:0)	(0.1	1 0)	(0.1	1.07	100		100	6.00	0.0	
sies	2,4,5-trichlorophenoxyacetic acid (2,4,5-T)	me/kg	0.0	0.4	(0.1		100	1001	10.	0	1 0	0.1	
itti.	2.4-D Butyl Ester	me/ke	(0.1	100	(0.1	10/	10.1	1 00	10.1	10.1	100	0.1	l
Che	2.4.5-T Butyl Ester	mg/kg	(0.1	1.0)	(0.1	1 0)	100	107	100	(0. 1	10.	0.0	
ler	2,4-dichlorophenol (2,4-DCP)	mg/kg	(0.1	(0, 1	(0.1	(0.1	(0.1	1 0)	1.00	(0)	(0)	0 0	
nılı	2,4,5-trichlorophenol (2,4,5-TCP)	mg/kg	1.4	0.7	0.3	1.0	6.5	. 6. 4		. 4	10.0	5 9	
non	Pentachlorophenol (PCP)	mg/kg	(0,1	(0.1	1.00	(0.1	10	(0.1	(0.1	107		0 0	
8V	Cacodyl are acid + sodium cacodyl are (arsenic concentration)	mg.L	0.005	(0.002	0.002	(0, 002	(0.002	0 002	500.0	0.000	0.003	0.003	
	Picloran	me/kg	(0.1	1.00	1.0)	70.1	100	100	1 11/1	100	100	- CO. CO.	
rseni	Arsenic (Content)	mg/kg	20	74	2.5	3.5				100	107	0.1	
rseni	Arsenic (Content) (content by Soil Pollution Control Measures Law)	meike	3.6	2.3	3.0	100					70	0.7	39mg/kg cap value
10	Arsenic Acid (arsenic concentration of 5 values)	mgl	0.005	0.002	0.003	0.003	0.000	2.1	2.0	9.10	3.6	0.7	150 mg/kg or less
	Arsenious Acid (arsenic concentration of 3 values)	med	0.002	0.007	000.00	10000	0.000	0.043	2000	200.00	0.002	0.002	
ic F	_	mgT	(0.002	0.002	0.003	(0.000)	200.00	0 000	0.002	200.00	0.002	0.003	
	Dimethylarsinic acid (as arsenic concentration)	Tam	0.005	0.002	0.007	(0.002	20 000	(0.000	0.000	20,002	200.00	0,002	
W	Arsenobetaine (as arsenic concentration)	mel	0.003	0.003	(0.007	500 00	5000	0,000	in doch	0.002	700.00	0,002	i
luorio	Fluoride (content)	me/ke	220	330	130	200	2000	300	700 0	0.082	0.002	0,002	
	Oil (TPH)	me/ke	1400	6300	100	300	2.00	260	350	380	340	01	700mg/kg cap value
13	C6~C)2	me/kg	(100	1500	(100	(100	/1100	1000	1,20,0	7000	001	100	
0	C12~C2x	mg/kg	1100	4800	300	1100	100	(100)	50103	Crimin	1000	1	
	C2x~C4	marlen	Care Care						TOTAL T	111111	1100		

Old Kadena Air Base (25) Confirmation Soil Survey (Part 2)

Bottom soil survey results (Related to the Soil Contamination Countermeasures Act (1/2)

_	_					_						-																							
The specified standard	Supplemental Suppl	0.002mg/L or less than	0.004mg/L or less than	0.02mg/L or less than	0.04mg/L or less than	0.002mg/L or less than	0.02mg/L or less than	0.01 mg/L or less than	Img/L or less than	0.006mg/L or less than	0.03mg/L or less than	0.01 mg/L or less than	0.01mg/L or less than	0.05mg/L or less than	May not be detected	0.0005mg/L or less than	0.01mg/L or less than	0.01 mg/L or less than	0.01 mg/L or less than	0.8mg/L or less than	Img.L or less than	0.003mg/L or less than	0.02mg/L or less than	0.006mg L or less than	May not be detected	May not be detected	150mg/kg or less than	250mg/kg or less than	Or free of cyanide 50mg/kg or less than	15mg/kg or less than	150mg/k or less than	150mg/kg or less than	150mg/kg or less than	4000mg/kg or less than	4000mg/kg or less than
Lower limit of	quantitation	0.0001	0.0001	0.0002	0.0002	0.0001	0.0002	0.0002	0.0002	0.0001	0.0002	0.0002	0.001	0.005	0.1	0.0005	0.001	0.002	0.002	0.05	10.0	0.0003	0.001	0.0006	0.0005	0.1	0.1	6.5	0.5	10.0	0,2		0.2	2	_
23	Jan. 30	-0.0061	-39.0001	-0.0002	<0.0002	-0.0001	:0.0002	-0.0002	-0.0002	-0.0001	<0.0002	<0.0002	<0.001	-0.005	4.05	<0.0005	100'0-	<0.002	0.003	5	<0.03	-0.0003	100'0>	<0.0006	< 0.00005	<0.1	1.0	<0.5	<0.5	<0.01	:0.2	15	2.4	40	1
21	Jan. 30	100000~	1000'0>	<0.00002	<0.0002	100001	<0.0002	70,0002 40,0002	<0.0002	<0.0001	<0.0002	<0.0002	-10.001	-0.005	1.05	<0.0005	100'0-	-:0.002	0.019	0.62	100	.0.0003	-0.001	90000'0	<0.0003	-:0:1	< 0.1	500	< 0.5	<0.03	2003	26	4.5	31	17
20	Jan. 30	<0,0001	<0.0001	<0.0002	<0.0002		:0.0002	<0.0002	<0.0002	<0.000	<0.0002		<0.001	+10.005	1.0>	<0.000.05	-0.001	<0.005	-0.002	0.78	10.0	-0.0003	<0.001	<0.0006	<0.0005	1.0	7.0.1	-0.5	< 0.5	+0.01	-0.2	14	23	20	N.
16	Jan. 29 Jan. 29 Jan. 29 Jan. 30 Jan. 30 Jan. 30 Jan. 30 Jan. 30	<0.0001	<0.0001	<0.0002 <0.0002 <0.0002	<0.0062 <0.0002 <0.0002	-0.0001 -0.0001 -0.0001	-0.0002 -0.0002 -0.0001 -0.0002 -0.0002	-0.0002 -0.0002 -0.0002 -0.0002 -0.0002 -0.0002	<0.0002	1000'0>	<0.0002	<0.0002 <0.0002 <0.0002	100.05	<0.005	-0.1	<0.000.0>	100.0	<0.002	~0.002	09.0	<0.03	<0.0003	<0.001	<0.0006	<0.0005	-10.1	-0.1	-0.5	<0.5	-0.01	:0:2	9/	1.7	1	Ŧ
18	Jan. 30	10000'0>	10000000	-0.0002	-0.0062	-0.0001	-0.0002	20,0002	<0.0002	1000.0>	<0.0002	-0.0002	100.05	×0.005°	<0.1	<0.0005	100'6>	500.00-	-0.002	6.82	10.0	0.0003	-100'0>	-900000-	-0,0005	-0.1	1.0	<0.5	<0.5	<0.01	<0.2	1.5	2.5	26	-
17	Jan. 30	100001	-0.0001	<0.0002	<0.0002	10000.0>	<0.0002	-00.0002	-0.0002	1900/0>	<0.0002	-m.0002	100.05	<0.005	1'0-	500000	100'0>	<0.00.00	0.014	6.37	10'0	:0.0003	-0.001	-900000	0.0005	-:0:1	0.1	-0.5	-0.5	<0.01	10.2	23	4.0	29	-
15	Jan. 29	-0.0001	10000.00	<0.0002	:0.0002	100000	-0.0002	-0.0002	<0.0002	1000000	<0.0002	-0.0002	100.0>	<0.005	1:0-	200000	10000	-0.002	-0.002	97.0	100	-0.0003	<0.001	-9.0004	-0.0005	-0.1	0.1	-0.5	<0.5	+0.01	<0.2	32	1.5	30	-
4	Jan. 29	-0.0001	-0.0001	-0.0002	:0:0003	-0.0001	-0.0002	-0.0002	-0,0002	<0.0001	<0.0002		100.05	-0.005	1'0'	5000000	100'0'	<0.002	~0.002	0.46	<0.01	-0.0003	100:00	-0.0006	00000	<0.1	-1.0	-0.5	-0.5	10.0	<.002	177	1.3	9	Ţ.
2	lan. 29	100000	1000000	<0.0002	:0.0002	-100000	-0.0002 -0.0002	20000'02	-0.0002	1000705	-0.000.0	-0.0002	<0.001	< 0.005	1,00	<0.000.5	<0.001	-20.002	6000	69.0	0.03	-0.0003	-100.0>	9000'0-	\$0000'0-	1.00	0.2	<0.5	<.0.5	-0.01	<0.2	28	2.6	3.7	57
12	Jan. 29	100000-	1000000	-10.0002	:0,0002	100001	-0.0002	:0,0002 :0,0002 :0,0002	-0.0002	1000.00	<0.0002	~0.0002 ~0.0002 ~0.0002	100.00	<0.005	1.0~	5000000	100'0>	<0.002	<0.002	0.58	100	0.0003	100'0>	-900000	-0.0005	<0.1	1.0	<0.5	<0.5	<0.01	<0.2	44	1.7	26	-
Ξ	lan. 29	100000	10000'0	-0.0002	0.000.0	-0.0001	-0.0002	200000	10,0002	100000	<0.0002	50,000,0	100.05	+0.005	1.0>	500000	100'0>	<0,002	<0.002	100	-0.01	0.0003	100'0>	-0.0006	-0.0005	< 6.1	-0.1	500	<0.5	10.0	<0.2	7.	8'0	7	15
01	lan. 29	1000000	1000000	-0.0002	<0.0002	-1000.0			-0.0002	10000'0>	<0.0002	-0.000.0	<0.001	-0.005	1705	500000	-0.001	-0.002	0.004	0.24	0.01	0.0003	-0.001	+0.000.0	5000.0	<0.1	<0.1	<0.5	<0.5	-0.61	<0.2	311	1.7	9	· Iv
00	an. 29	100000	1000000	-6.0002 -0.0002	<0.0002 <0.0002	100000	0.0002	5000000	<0.0002	1900:0>	<0.0002	-6.0002	100.0>	<0.005	1.05	50000'0>	< 0.001	<0.002	0.007	6.24	10.0>	< 0.0003	-0.001	-0.0006.	<0.0005	<0.1	0.1	5.0>	<0.5	<0.01	<0.2	34	3.1	23	-
4	Jan. 29 Jan. 29 Jan. 29 Jan. 29	100000	1000000	-0.0002	-0.0002	100000	-0.0002 -0.0002 -0.0002	50,0002 -0,0002 -0,0002	-0.0002	1000.05	<0.0002	<0.0002 <0.0002 <0.0002 <0.0002	<0.001	-0.005	- 1707	5000000	10000-	<0.002	<0.002	0.3	10.0	0.0003	100'0>	-900000-	< 0.0005	<0.1	0.1	<0.5	<0.5	0.01	-0.2	27.	2.2	5.6	7
64	28 Jan. 28	100000	1000000	-0.0002	-0.0002	1000000			0.0002	100000	200000	-0.0002	<0.001 ·	<0.000>	+0.1	<0.000,00	100'0>	<0.002	<0.002	0.76	10.0	0.0003	100.0>	-0.000.0-	-0.000.0-	<0.1	0.1	-0.5	<0.5	0.03	<0.2	26.	173	25	
-	Jan. 28	1000'05	1000,05	-0.0002	:0.0002	1000000	<0.0002 <0.0002	c0,0002 c0,0002	-8.0962 -0.086	1000 03 1000 05	-65.0662 - (-67.0962 - (-67.0962 - (-67.0902 - (-67.0902 - (-67.0902 - (-67.0902 - (-67.0902 - (-67.0902 - (-67.0902 - (-97.	-0.0002	-1000	-0.005	<0.1	<0.0005	100'0>	<0.002	0.003	0.24	0.02	-0.0003	<0.001	-0.000.0:-	-0.0005	<0.1	*(0,1	500	<0.5	10:0-	<0.2	16	2.0	12	-
	Unit \Extraction Day	mg L	ngT	mg I.	mg.L	mg.L	ng L	mg.F			ngl	mg L	mg.L	mg I.	mg L	ngL	mg L	ng L	mg L	mg T	mg T	ng L	mgT	mg L	mg L	mgl	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg.	mg/kg	mg/kg
Sample (drums) number	Certain types of hazardous substances	S Carbon tetrachloride	1,2 - dichloroethane	差 1.1 - dichloroethylene	S Cis-1, 2 - dichloroethylene	置 1.3 - dichloropropene	Dichloromethane	5 Tetrachlorethylene	美 1.1.1 - trichloroethane	1.1.2 - trichloroethane	Trichlorethylene	Benzene	Cadmium and its compounds	2. 5 Hexavalent chromium compound	2 all Cyanide	은 호 Mercury and its compounds	Selenium and its compounds		Arsenic and its compounds		Boron and its compounds	Simazine	g a Thiobencarb	Thiuram	Polychlorinated biphenyls	3 Organophosphorus compound	Cadmium and its compounds	2 Hexavalent chromium compound		Acreury and its compounds	Selenium and its compounds		F Arsenic and its compounds	Fluorine and its compounds	Boron and its compounds
		L										эш	nĮo	ı u	oin	EF														ıus	oluc	c			

Note 1: Inequality in the column represents a number less than the indicated creates. Below, apply to all hottom soil survey results of 1-4 notes.

Note 2: The yellow, shaded results are shown as a non-compliance of specified criteria.

Note 3: Specified criteria column of leaching spanide compounds such as; polychlorinated biphenyls and organic phosphorus that not found in specified standards of compounds, drop below the lower limit of the determination in polychlorinated biphenyls.

Note 4: Specified criteria column of leaching spanide compounds such as; polychlorinated biphenyls and organic phosphorus that not found in specified standards of compounds, drop below the lower limit of the determination in polychlorinated biphenyls.

Note 4: Criteria for designation of mire in soft media.

The compounds determination in the lower limit of determination in polychlorinated biphenyls.

Finite of designation of mercury measurement needs be to clear of any alkyl mercury pollution that its shown by the Environment Ministry guidelines.

Old Kadena Air Base (25) Confirmation Soil Survey (Part 2)

Bottom soil survey results (Related to the Soil Contamination Countermeasures Act 2/2)

	Sample (drums) number		24	25	28	31	32 3	34 3	37 39	7	4	94	\$	57	Lower limit of	The specified standard
	Certain types of hazardous substances	Unit > Extraction Day	Jan. 30	Jan. 30	Jan. 30 Jan. 31		Jan. 31 Jan. 31	.31 Jan. 31	. 31 Jan. 31	31 Jan. 31	31 Jan. 31	31 Jan. 31	11 Jan. 31	Jan. 31	quantitation	
_	Carbon tetrachloride	mg/L	-0.0001	100000	-0.0001	- 0.000.0 -	-0.00010.0	-0.0001 -0.0	-0.0001 -0.0001	100000 10	01 -0.0003	11 :0.0001	10.0001	1 < 0.0001	0.0001	0.002mg/L or less than
_	1.2 - dichloroethane	mg/L	<0.0001	-0.0001	<0.0001	<0.0001 <0	:0.0001 <0.0001	-	-0.0001 <0.0001	01 < 0.0001	01 <0.0001	10,0001	10,0001	1 <0.0001	0.0001	0.004mg/L or less than
_	1,1 - dichloroethylene	T/Sm	-0.0002	<0.0002	~0.0002 ~	<0.0002 <0	<0.0002 -0.0	-0.0002 -0.0	+0.0002 +0.0002	02 <0.0002	62 < 0.0002	02 ~0.0002	200002	2 <0.0002	0.0002	0.02mg/L or less than
_	Cis-1, 2 - dichloroethylene	mg/L	=0.0002	0.0002	< 0.00002 >	<0.0002 <0	-0.0002 -0.0	-0.0002 -0.0	-0.0002 -0.0002	02 -0.0002	02 < 0.0002	0.0002	2000000	2 -(0.0002	0.0002	0.04mg/L or less than
_	1,3 - dichloropropene	mg/L.	-0.0001	<0.0001	-0.0001	0> 1000'0>	<0.00001 <0.0	-0.0001 <0.0	0.0001 0.0	-0.0001 <0.0001	100000- 10	1000001	1000001	1 <0.0001	0.0001	0.002mg/L or less than
_	Dichloromethane	mg/L	-0.0002	2000000	0.0002 -	-0.0002 -0.0002 -0.0002 -0.0002 -0.0002	0000 -000		-0.0002 -0.00	05 <0.00	<0.0002 <0.0002 <0.0002	2 -0.0002		-0.0002 <0.0002	0.0002	0.02mg/L or less than
_	Tetrachlorethylene	mg/L	<0.0002	:0:0003	> 200000	-0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.0002 <0.	0002 < 6.0	002 <0.0	002 c0.04	07 <0.00	62 +0.000	32 <0.000	12 <0.000	2 < 0.0002	0,0002	0.01 mg/L or less than
_	1.1,1 - trichloroethane	mg/L	<0.0002	-0.0002	> 00000	0.0002 <0	0002 <0.0	002 <0.0	3002 <0.0H	02 <0.00	02 <0.000	02 <0,000	10,000	 -0.0002 <0.0002 <0.0002 	0.0002	Img/L or less than
_	1.1.2 - trichloroethane	mg/L	<0.0001	10000.0	0.0001	-0.0001 -0.0001 -0.0001 -0.0001 -0.0001	0.00 - 0.0	0.0 - 100	-0.0001 -0.0001 -0.0001 -0.0001	00.0- 10	00.0 - 0.000	1000001	1000001	1 < 0.0001	0.0001	0.006mg/L or less than
_	Trichlorethylene	mg/L	< 0.0002	-0.0002	<0.0002 <0.0002 <0.0002 <0.0002	0.0002 <0	<0.0002 <0.0002	_	<0.0002 <0.00	<0.0002 <0.0062	62 < 6,0002	2 <0.0002	2 <0.6002	2 <0.0002	0,0002	0.03mg/L or less than
_	Benzene	mg/L	< 0.0002	-0.0002	-0.0002 -	-0.0002 -0	-0.0902 0.0005		0.0002 <0.0002	02 -0.0002	02 < 0.0002	2 -0.0002	2 ~0.0002	2 ~0.0002	0.0002	0.01 mg/L or less than
_	Cadmium and its compounds	ng/L	100'0~	100'0>	-0.001	<0.0001 <0	<0.001 <0.001		-0.0010.001	100.0> 10	10.000	100'0>	100.0>	-0.001	0.001	0.01mg/L or less than
-	Hexavalent chromium compound	mg/L.	<0.005	500.0>	> 500'0>	<0.005 <0	<0.003 <0.0	<0.00 0>	<0.005 <0.005	50,005	50,005	5 < 0.005	5 <0.005	<0.005	9.005	0.05mg/L or less than
-	Cyanide	mg/L	<0.1	-0.1	-0.1	-0.1	1.0.1	Н	1.02	-0.1	1.0%	1,0>	1.0)	-0.1	0.1	May not be detected
sqn	Mercury and its compounds	mg/L	<0.000.05	5000000	> 50000.0	<0.0005 <0	-0.0005 -0.0003		00:0005 00:0005	00000- 50	500005 <0.00005	50,00005	5 -0.0005	\$ <0.0003	0.0005	0.0005mg/L or less than
-	Selenium and its compounds	mg/L	-0.001	100'0>	0.001	~0.001 ~0	-0.001 -0.001	100'0> 100	100'0- 100	100.00-10	10001	-0.001	1 -0.001	0.061	0.001	0.01 mg/L or less than
nop	Lead and its compounds	mg/L	<0.002	<0.002	-0.002	-0.002 -0	-0.002 -0.002		-0,002 -0,002	20002	20000	2 -0,002	1 -0.002	-10,002	0.002	0.01mg/L or less than
-	Arsenic and its compounds	mg/l.	0.004	1000	0.002	0.004	0.009 0.003	03 0.007	0.002	2 <0.002	2 11048	1001	<0.002	50003	0.002	0.01mg/L or less than
-	Fluorine and its compounds	mg/L	1.9	1670	1971	0.49 0	0.46 0.82	H	0	68:0	66.0	0.63	0.1	3.0	90'0	0.8mg/L or less than
_	Boron and its compounds	mg/L	0.02	0.02	10.0	0.01	6.02 0.01		0.02 0.02	10.0	0.03	10.00	<0.01	0.02	0.01	Img/L or less than
_	Simazine	mg/L.	<0.0003	<0.0003	<0.0003 <	<0.0003 <0	-0,0003 <0,0003	-	< 0.0003 < 0.0003	03 -0.0003	03 <0.0003	3 -6.0063	3 -0,0003	3 <0.0003	0.0003	0.003mg/L or less than
mode	Thiobencarb	mg/L	-0.001	100.0>	-0.001	<0.001 <0	100'0> 100'0>	100/0 - 100	100.0 × 0.001	100.05	100,0> 10	1 >0.001	100.0> 1	100,00	0.001	0.02mg/L or less than
-	Thiuram	mg/L	-9000000	-0.0000	> 90000	<8.0086 <0.0006 <0.0006 <0.0006	0000 <0.0		-8,0006 -0.00	00.00- 90	-0.0006 -0.0006 <0.0006 -0.0006	90.000	900000> 9	900000> 9	0.0006	0.006mg/L or less than
-	Polychlorinated biphenyls	mg/L	< 0.0005	-0.0003	- 50000-	<0.0005 <0.0005	50003 ~0.0003	-	-0.0005 -0.00	<0.0003 <0.0005	500000 50	0.0005	500000 50	5 < 0.0005	0.0005	May not be detected
_	Organophosphorus compound	mg/L	1.0%	1.0~	50.1	< 0.1	<0.1	3	-0.1	-0.1	1.0.1	1.0.1	-0.1	-10.1	0.1	May not be detected
_	Cadmium and its compounds	mg kg	0.4	0.2	0.1	0.1	0.1	1 0.1	1 0.1	1.0	0.1	0.1	-:0.1	1.0	0.1	150mg/kg or less than
-	Hexavalent chromium compound	mg kg	5.0.4	+0.5	5.0	- 5.00	-0.5 -0.5	_	5.0.5	50.	:03	< 0.5	:0.5	< 0.5	0.5	250mg/kg or less than
-	Cyanide	mg/kg	<0.5	< 0.5	5.05	<0.5	0.00	(0.5 3)	0.5 00.5	5.00.5	5.00.5	00.5	<0.5	<0.5	0.5	Or free of cyanide 50mg/kg or less than
sqn	Mercury and its compounds	mg kg	-0.03	<0.01	< 0.07	10.00	<0.01 <0.01	01 <0.01	10'0> 10'	0.00	10.05	-0.01	< 0.01	10'0×	0.01	15mg/kg or less than
	Selenium and its compounds	mg/kg	<0.2	<0.7	-0.2	<0.2	~0.2 <0.2		(6.2 -(6.2	-0.2	49.2	+0.2	-0.2	< 6.2	0.2	150mg/k or less than
tops	Lead and its compounds	mg/kg	77	3.0	16	13	18 9		14 56	11	11	×	×	11	-	150mg/kg or less than
-	Arsenic and its compounds	mg kg	2.4	1.9	3.8	2.3	2.8 2.2		2.9 3.8	12.5	3.1	2.6	1.5	3.0	0.2	150mg/kg or less than
	Fluorine and its compounds	ing kg	120	-11	×	13	36 11		57 76	414	45	38	8	85	2	4000mg/kg or less than
_	Boron and its compounds	mg kg	60	**	-15	V	17		**	-	**	V	V	-		4000mg/kg or less than

Old Kadena Air Base (25) Soil Analysis (Part2)

Stagnant Water Results

	Survey Items	Sampling Day	Jan	Jan.30	February 1	ary 1	A SECTION WAS A
	constant from	Unit	Unfiltered	Filtered	Unfiltered	Filtered	Limit value
Suspended Matter (SS)	(S	mg/L	540		12	T C	_
Dioxins		pg-TEQ/L	,	3.	150	55	
Polychlorinated Biphenyls	cnyls	mg/L	,	×	<0.0005	<0.0005	0.0005
2,4-dichlorop	2,4-dichlorophenoxyacetic acid (2,4-D)	mg/L	<0.0005	<0.0005	0.0034	0.0031	0.0005
	2,4,5-trichlorophenoxyacetic acid (2,4,5-T)	mg/L	61.0	0.16	2.4	2.3	0.0005
2,4-D Butyl Ester	Ester	mg/L	<0.0005	<0.0005	<0.0005	<0.0005	0.0005
2.4.5-T Butyl Ester	Ester	mg/L	<0.0005	< 0.0005	<0.0005	<0.0005	0.0005
	2,4-dichlorophenol(2,4-DCP)	mg/L	<0.0005	<0.0005	0.0072	0.0055	0.0005
	2,4,5-trichlorophenol (2,4,5-TCP)	mg/L	0.13	0.12	4,4	3.6	0.0005
Pentachlorophenol (PCP)	henol (PCP)	mg/L	<0.0005	<0.0005	600000	0.0007	0.0005
	Cacodyl ate acid + sodium cacodyl ate (arsenic concentration)	mg/L.	,		<0.002	<0.002	0.002
Preforam		mg/L	1	9	<0.001	<0.001	1000
	Arsenie (arsenie concentration)	mg/L	9		0.011	0.011	0.002
(0	Sub-arsenic (arsenic concentration)	mg/L	8	G)	<0.002	<0.002	,
Monomethyla	Monomethylarsonous acid (arsenic concentration)	mg/L	9		<0.002	<0.002	2.7
3)	Dimethylarsinic acid (arsenic concentration)	mg/L	9	3	<0.002	<0.002	,
	Arsenobetaine (arsenic concentration)	mg/L		34	<0.002	<0.002	ı
Normal hexar	Normal hexane extraction materials	mg/L	9	a.	<0.5	,	0.5
Oil (TPH)		mg/L	<100			1	100
€ C6~C12		mg/L	<100	24			100
C12~C28		mg/L	<100	4	æ	1	100
C28~C44		mg/L	<100	-4	e.	,	100

| C28-C24|
| Note 1: In the result, the sign of inequality a column expresses, is less than the shown numerical value.
| Note 2: May I' water tenants: water sampling was about 3.1 because of the oil oder in the field, oil filmslick was observed in the field.
| Analysis items focusing on the oil and oil (TPH), and other such pesticales such as 2.4-D, 2.4.5.7 and PCP.

Old Kadena Air Base (25) Soil Analysis (Part 2)

Bottom-Deposit Soil Survey Results Sample (drum) Number

Survey Item	Medium	Unit Extraction Day	Jan.28	Limits	1,74000000000000000000000000000000000000
Maluthion	Deposit	mg/kg	<0.1	0.1	
	Bottom Soil	mg/kg	-0.1	0.1	None

Qualitative Analysis Result Table

Drum Deposits						203,886				itesuit										
Chemical Substances/ Sample No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Hydrocarbon Transfer Lock	+		1 000	- 14		+	2 100	-		TOTAL VI		4	4		+	244	*****		+	+
Benzene Derivative	+	+5.		-	14	+	- 4			4000		UAV			40	*****	++++			16
Naphthalene Derivative			THE RESERVE	444			100	14		20000	THEFT	2.			C++	*****	****		*****	
	+	45	4.7				848			Charles 1	(20)		-		+	*****	++	+	+:	
Polycyclic Aromatic Trichlorophenoxy Derivative	-	-	-				4		-				-	-	4)	44	***	-	+	
PCP									-						-			-	-	
Chlorinated Insecticides	-	-		Total Control	+	4			-	-						-				-
Chiprinated insecticides					-															
rum Bottom Soil		1 2	1 .					1 6		1		T 12			1.00		1 44		1.0	20
Chemical Substances/ Sample No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Hydrocarbon Transfer Lock	- 20	9	-	ct.	-			9	-	+			0.9	- 10		-	4	.*	+	-
Benzene Derivative	7.9	.+.	-	-				. + 1	-	+	-			4	7.	-	-	17.	-	
Naphthalene Derivative		-		2.9%	-			(#)	-	*	-			-		+		-	2151	
Polycyclic Aromatic	(e	-	-	. 10	-			100		.+				+	+1	-		-	+	-
Trichlorophenoxy Derivative	-33		1	: es	-			195		- 3:	9:	(6)	.00	35	- 8	-	*	- 05		-
PCP	- 53		1	(4)				(*)		- 34		(+)	19		- 8	-	- 4	- 14	-	-
Chlorinated Insecticides	:+	-		+				-		+	+	*	-	-	- 5				+	-
rum Deposits							v													
Chemical Substances/ Sample No.	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
Hydrocarbon Transfer Lock							-		-						+	4	+	- 2		+
Benzene Derivative				-				- 1	1		+				- +					
Naphthalene Derivative	10000	-			14		+	Street,			- Berton	100	-	Marie !		++				,
Polycyclic Aromatic	7000				4		- 4				100	. 747	124			-				+
Irichlorophenoxy Derivative								**	4		+				20	16.		***	- 2	
PCP															- 22		1.5	1 2	11	
Chlorinated Insecticides			*1						,		-	-		440	+	100			+	. ,
rum Bottom Soil Themical Substances/ Sample No. Hydrocarbon Transfer Lock	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	- 4
Benzene Derivative	- 12	1		145					1		- 6.								1	
Naphthalene Derivative	1000			704	152	1		5/47	1		+	144			Í					
Polycyclic Aromatic				- 1		1		140	1			141	1	4					+	
Trichlorophenoxy Derivative		1	- 10	100		1		7.6	1			-	1	-	1		-		+	
PCP	7.	1	- 1	- 20		1			1		-	1 2					-		- 2	
Chlorinated Insecticides	- 100	1	-		1.04	1			1		+	100		- 24						
no on Donneste																				
rum Deposits Chemical Substances/ Sample No.	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Hydrocarbon Transfer Lock			-		-															
Benzene Derivative				+						,				,					+	
Naphthalene Derivative		+				The State of									- 17	,			+	
Polycyclic Aromatic	111	-	+					1	-				-						- 7	
Trichlorophenoxy Derivative	-									-		+		140						
PCP										-								-		
Chlorinated insecticides				1-0-0		14	41				-	-		-	-			-	-	
rum Bottom Soil																				
Chemical Substances/ Sample No.	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
fydrocarbon Transfer Lock	74			193		4								1			-			
Benzene Derivative	8.	1			1		1							- 2	1					
Naphthalene Derivative	-	1		+	1	44									1					
		1		19.0	1	4									1					
Polycyclic Aromatic Trichlorophenoxy Derivative	+	1				+	1								1					
PCP	7.5	1			1									-	1					
PCP Chlorinated Insecticides		1		-	1	-	1						1	131	1					
Linorinated insecticides	-	_	_	1.00		_						-		-					-	_
rum Deposits																		-		
Themical Substances/ Sample No.	61			ndicates ti							ve analys	is.							Classific	ation

Hydrocarbon Transfer Lock	95
Benzene Derivative	
Naphthalene Derivative	

ACT COST	Bottom	90.000
Drum	Bottom	SOIL

Hydrocarbon Transfer Lock	
Benzene Derivative	
Naphthalene Derivative	
Polycyclic Aromatic	
Trichlorophenoxy Derivative	
PCP	
Chlorinated Insecticides	

Remark 2: Chemical name (any substituent shows structural formula in 'R')

100

■ Naphthalene Derivatives

■ Polycyclic Aromatic A Group of chemicals that the benzene ring has bonded to three or more as anthracene.

Not currently used) Chlorine insecticides typified by DDT (CI) is attached.

Old Kadena Air Fields (25) Analysis of soil (Part 2)

The quantitative-analysis results of DDT(s) detected by qualitative analysis (drum deposit)

in in a second of the second o		200	20000	אממוונם	IVC GIGIN	nin) eie	III deposit	(110										
Sample (drums) number	ns) number	7	5	9	7	=	81	20	23	29	31	12	13	3.4	15	3,6	I needed parie	200 A
Full DDT isomer species	Unit Extraction Day J	Jan. 29	Jan. 29	Jan. 29 Jan. 29 Jan. 29	Jan. 29	Jan 29	Inn 30	fan 30	9	92	1.5	-	+	+		1:	manniation Value	Guideline Value
PART	The state of the s	- 4.000						+	-	4	+	Î	Jan. 31 3	Jan. 51 3	Jan. 31 J	an. 31	Committee of the same	
17071	mg/kg	<0.1	<0.1	<0.1	<0.1	1.00	<0.1	<0.1	<0.1	1.05	<0.1	<0.1	SU I	<0.1	102	1.00	0.1	Soil concentrations (content) average to 60mm for an tree
there's	The state of the s	1000	100.00	7570								1000	11/1	2001	COMP.	100	W.1	con concernations (content) expands to conig/kg of text
COO	mg/kg	180	0.5	0.2	1.9	3.4	1.2	0.3	50	1.7	3.3	0.4	0.6	100	10.2	4.0	. 0	0.26mg/L or less as a treatment orideline value
TAIL TO THE PARTY OF THE PARTY	The state of the s								-	111	200	200	10.0	MA	N.0	1770	0.1	April American Street S
DDD	ING/Kg	7.3	<0.1	<0.1	0.7	1.6	0.4	0.1	80	100	144	2.1	7.0	3.5	00	100		Soil concentrations (dissolution) expands to 0.26mg/L or less
TANKS A. S.	0.0000000000000000000000000000000000000						-		1000	100	177	2.7	0.4	20	6.9	97	0.1	
DD1 Aggregate amount	mg/kg	250	0.7	5.0	E C	2.1	1.7	0.4	1.4	1.0	3.5	- 61	2.1	6744				Company of the Compan
Make he had not the other than the									100	412	200	1.51	0.4	100		457	y	(The amount of DDL DDD DDE)
NOIC L. HI & ICSUIT, INC. SELL O.	GHIV OF A COMBINE	ST CX DICKEGO	Pec than th	3 expresses less than the shown numerical value three-feet it is the	order of the	Sharen Come is	on other property											

Note 1: The gran of inequality of a column that expresses less than the shown numerical value, therefore it is the same.

Note 2: The grand total of (valid 2 digits) IDIT, IDID, DIDE when ealerdated is lower limit than the quantification value, then all three items were used as a lower limit of determination. Less than the total sum at the time of calculation. Set The guideline value was based on the separate attachment? an environment management guideline value first about agricultural chemicals. the Ministry of Environment water on airborne issues, such as burial agricultural-chemicals it added shading to the result and it exceeds the suil concentration guideline value of 50 mg/kg, then it is shown.

38 39 40 41 44 Lower Limit	Jan. 31 Jan. 31 Jan. 31 Jan. 31 Jan. 31 Quantitation Value Guideline Value	(4) (4) (4) (6) (6) (6) (7) (6) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8	guideline value	8.2 0.7 0.4 <01 0.1 0.1 Soil concentrations (dissolution) expands to 0.26mg/L or less	10 23 1.5 1.7 0.6 CTLs seement of DAYET FARTH FARTH
39 40		<0.1 <0.1	1.5	0.7 0.4	23 1.5
38			2.3	1 8.2	01 10
s) number 37	Unit Extraction Day Jan. 3	mg/kg <0.	mg/kg 7.2	mg kg 2.3	mg/kg 9.6
Sample (drums) number	Full DDT isomer species	DDT	DDD	DDE	DDT Aggregate amount

Sample (drums	ns) number	+	10	13	10	3.1	23	2.1	22	20	Townson Though	
							70		1.57	2.5	LOWET LIMIT	
Full DDT isomer species	Unit Sextraction Day	Jan. 29	Jan. 29	Jan. 29	Jan. 30	Jan. 31	Jan. 31	Jan. 31	Jan 31	Jan 31	Ouamitation Value	Guideline Value
TAKE		1								2000	Anna management	The state of the s
DDI	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	1.0>	1.00	1.0	Soil concentrations (contont) eventude to Shouther as less
2000	000000000000000000000000000000000000000									1044	100	Series of the desired formation for the series of the seri
COC	mg/kg	<0.1	0.3	0.2	0.4	0.3	8 0	19	10	1.3	1.0	0.26mg/L or less as a treatment guideline value
1000	100000000000000000000000000000000000000	3.00000							,		0.1	
CODE	mg/kg	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	30	1 4	5.0	0.1	soft concentrations (dissolution) expands to 0.26mg/L or less
								24	Arr	Vist	0.1	
DD1 Aggregate amount	mg/kg:	<0.1	0.5	0.4	0.6	0.5	1.0	181	36	61		CONT. C. L. C. P. S. C. P. S.

Old Kadena Air Fields (25) Soil Survey Confirmation (Part 2)

Soil Profile Survey Results (Soil Gas Survey Results)	v Results (.	Soil Gas	Survey F	Results)								9	9	F			3		-	Actual	survey applic	Actual survey applied on: November 4076, 088, 2013	her 676, 087	. 2013
7.	Place Names	A1-7	A2-4	B1-5	B2-5	B3-5	C1-5	C2-5	C3-5	D1-5	D2-5	D3-5	E1-5	E2-5	E3-5	F1-5	F2-5	F3-5	S-15	G2-5	G3-3	HI-5	H2-2	6-11
0.00	Survey date	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 7	Nov. 8	Nov. 8	Nov. 8	Nov. 8	Nov. 8	Nov. 8	Nov. 8	Nov. 8	Nov. 8
Substance	Set Time	13:08	13:15	13:24	13:28	13:33	13:38	13:44	13:48	15:06	15:11	15:17	15:26	15:29	15:39	0:47	9-55	10:01	10:01	81:01	10:30	11:26	11:37	11:42
	Inoculation	13:54	13:57	14:04	14:00	14:14	14:20	14:25	14:29	15:42	15:53	15:59	80:91	16:12	16:21	10:34	10.38	10:41	10:48	11:00	11:11	12:08	12:18	12:27
Carbon tetrachloride		Not Detectable	Not Detectable	Not Detectable	Not Detectable	Not Detectable	Not Not Not Not Not Not Not Not Not Detectable Detectable Detectable Detectable Detectable Detectable Detectable	Not Detectable I		Not Detectable E	Not Not Not Not Not Detectable Detectable	Not betectable D		Not Not Detectable Detectable		Not Setectable D	Not Not Not Not Not Not Obsectable Detectable	Not Setectable Do	Not etectable D	Not etectable D	Not Not Detectable Detectable		Not Detectable De	Not Detectable
1.2-dichloroethane		Not Detectable I	Not Detectable I	Not Detectable	Not Detectable	Not Detectable	Not Not Not Not Not Not Not Not Not Objectable Detectable Detectable Detectable Detectable Detectable Detectable Detectable		Not Detectable I	Not Detectable E	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable Do	Not Detectable D	Not Detectable D	Not Detectable De		Not Detectable
1,1-dichloroethylene	•	Not Detectable	Not Detectable 1	Not Detectable	Not Detectable	Not Detectable	Not	Not Detectable 1	Not Detectable	-	Not Not Detectable Detectable		Not Not Detectable Detectable		Not Detectable D	Not Detectable D	Not Not Not Detectable Detectable	Not betectable D		Not Detectable D	Not Detectable D			Not Detectable
CIS-1, 2-dichloroethylene	•	Not Detectable I	Not Detectable I	Not Detectable	Not Detectable	Not Detectable	Not	Not Detectable I		Not Detectable U	Not Not Not Not Detectable Detectable	Not etectable Da	Not etectable D	Not Not Detectable Detectable	Not Detectable D	Not Detectable D	Not beteetable D	Not etectable D	Not etectable Do	Not etectable D	Not etectable D	Not Not Not Not Not Not Not Not Not Detectable Detectable Detectable Detectable Detectable Detectable Detectable Detectable		Not Detectable
1.3-dichloropropene		Not Detectable	Not Detectable I	Not Detectable	Not Detectable	Not Detectable	Not	Not Detectable 1		Not Detectable D	Not Detectable Do	Not Detectable De	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable Da	Not Detectable Do	Not Detectable Do	Not Detectable D	Not Not Detectable Detectable	Not etectable De		Not Detectable
Dichloromethane	nddlov	Not Detectable	Not Detectable I	Not Detectable	Not Detectable	Not Detectable	Not	Not Detectable E		Not Detectable D	Not Not Detectable Detectable		Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable D	Not Not Not Detectable Detectable	Not setectable De		Not Detectable D	Not Detectable D	Not Detectable De	Not Detectable De	Not Detectable
Tetrachlorethylene		Not Detectable 1	Not Detectable	Not Detectable	Not Detectable	Not Detectable	Not	Not Detectable 1		Not Detectable D	Not Not Not Not Not Detectable Detectable	Not etectable Da	Not etectable D	Not Detectable D	Not Not Not Not Detectable	Not Detectable D	Not Detectable D	Not setectable D	Not erectable Da	Not etectable D	Not etectable D	Not Not Not Not Not Not Not Not Not Detectable Detectable Detectable Detectable Detectable	Not tectable De	Not Detectable
1,1,1-trichlorocthane		Not Detectable I	Not Detectable I	Not Detectable	Not Detectable	Not Detectable	Not	Not Detectable I	Not Detectable I	Not Detectable D	Not Detectable Da	Not Detectable De	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable D	Not Not Detectable Detectable		Not Detectable De	Not Detectable D	Not Detectable D	Not Not Detectable Detectable	Not tectable De	Not Detectable
1,1,2-trichloroethane		Not Detectable I	Not Detectable I	Not Detectable	Not Detectable	Not Detectable	Not	Not Detectable E		Not Detectable D	Not Detectable De	Not Detectable De	Not Detectable D	Not Detectable D	Not Detectable D	Not Detectable D	Not Not Not Detectable Detectable	Not etectable Do		Not Detectable D	Not Detectable Da	Not Detectable De	Not Detectable De	Not Detectable
Trichlorethylene		Not Detectable I	Not Detectable I	Not Detectable	Not Detectable	Not Detectable	Not	Not Detectable I		Not Detectable D	Not Not Not Not Detectable Detectable	Not etectable Da	Not etectable D	Not betectable D	Not Not Not Not Detectable	Not betectable D	Not Not Not Not Not Detectable Detectable	Not etectable De	Not etectable De		Not Not Detectable Detectable	Not erectable De		Not Detectable
Benzene		Not Detectable I	Not Detectable I	Not Detectable	Not Detectable	Not Detectable	Not	Not Detectable I	Not Detectable E	Not Detectable D	Not Not Not Not Not Not Not Not Not Detectable Detectab	Not etectable Do	Not etectable D	Not Petectable D	Not retectable D	Not beteetable D	Not beteetable Do	Not efectable Da	Not erectable Do	Not etectable D	Not etectable D	Not etectable De	Not ectable De	Not
Note: To No. 16 in March. The ministry of Environment stated, a determination limit value is set to 0.1 veptopm about the objective substances other than benzene and is set to 0.005 of pom, anything less is not detectable.	The ministry o	f Environmen	it stated, a de	etermination	firmit value	is set to 0.1vp	bode middle	the objective	substances o	other than ben	reene and is so	et to 0.005vo	sippin, anyth.	ing less is no	ut detectable.									

Old Kadena Air Fields (25) Soil Survey Confirmation (Part 2)

Overview of soil survey results (1/2)

Point number	Sampling method	Soil date of collection	Date of analysis	E Cadmium and its compounds	Hexavalent chromium compound		S Mercury and its compounds			Arsenic and its compounds	Fluorine and its compounds	Boron and its compounds	SI	iop:	RZ1	2 = 5 Polychlorinated biphenyls	0	Cadmium and its compounds	Hexavalent chromium compound (mg/kg)	_	Mercury and its compounds	Selenium and its compounds	E Lead and its compounds	Arsenic and its compounds	Fluorine and its compounds
				(Tgm) spr	(Tigm) banodi	(mgT)	ls (mg/L)	ds (mg/L)	(ngT)	(mg/L)	ls (mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg.T.)	und (mg/L)	ds (mg/kg)	pound (mg/kg)	(mg kg)	s (mg/g)	ds (mg/kg)	(mg/kg)	(mg/kg)	s (mg/kg)
ΑΙ	Point survey	11/11	11/11-11/28	< 0.001	<0.005	Not detectable	<0.0005	<0.001		0.002	0.15	0.02	<0,0003	-0.001	9000°0>	Not detectable	Not detectable	0.1				~0.2	-	5.1	33
A2	Point-to-point mixing method	IIII	11/11-11/28	<0.001	<-0.005	Not detectable	<0.0005	<0.001	<0.002	<0.002	0.32	0.02	<0.0003	< 0.001	-0.0006	Not detectable	Not detectable	<0.1	<0.5	-0.5	0.01	-0.2	5	1.5	150
BI	5 point mixing method	H/11~11/12	11/11~11/28	<0.001	<0.005	Not detectable	<0.0005	<0.001	<0.002	<0.002	0.29	10.0	< 0.0003	-0.001	< 0.0006	Not detectable	Not detectable	-0.1	5'0>	<.0.5	<0.01	<0.2	9	8	140
B2	5 point mixing method	11/11~11/12	11/11-11/28	<0.001	<0.005	Not detectable	< 0.0005	<0.001	<0.002	<0.002	0.28	0.01	<0.0003	<0.001	-0.0006	Not detectable	Not detectable	0.1	6.0	-0.5	0.03	<0.2	7	1.2	33
B3	5 point mixing method	11/11-11/12	11/11-11/28	-00.001	<0.005	Not detectable	<0.0005	<0.001	<0.002	<0.002	0.20	-0.01	<0,0003	<0.001	-0.0006	Not detectable	Not detectable	1.05	<0.5	<0.5	0.01	<0.2	90	13	10
ij	5 point mixing method	11/12	11/12-11/28	<0.001	<0.003	Not detectable	<0.0005	<0.001	<0.002	<0.002	0.19	0.03	< 0.0003	<0.001	<0.0006	Not detectable	Not detectable	<0.1	0.5	<0.5	<0.01	<0.2	×	1.4	23.
S	S point mixing method	11/12	11/12~11/28	<0.001	<0.005	Not detectable	<0.0005	<0.001	<0.002	<0.002	0.22	10.0	<0.0003	< 0.001	-0.0006	Not detectable	Not detectable	0.1	<0.5	<0.5	-0.01	-:0.2	11	1.2	10
5	5 point mixing method	11/12	11/12-11/28	100'0>	<0.0005	Not detectable	<0.0005	<0.001	<0.002	<0.002	0.30	-0.01	-0.0003	-0.001	>0.0006	Not detectable	Not detectable	<0.1	175	<-0.5	10.0	< 0.2	7	1.4	63
IQ	5 point mixing method	11/12	11/12~11.28	<0.001	<0.005	Not detectable	<0.0005	<0,001	<0.002	-0.002	0.19	-0.01	<-0.0003	<0.001	>00000	Not detectable	Not detectable	<0.1	0.7	<0.5	0.01	~0.2	9	1.1	×
D2	5 point mixing method	11/12	11/12~11/28	<0.001	<0.005	Not detectable	<0,0005	<0.001	<0.002	<6,002	0.25	10'0-	<0,0003	< 0.001	9000'0>	Not detectable	Not detectable	1.05	8.0	<0.5	10.0	<0.2	6	1.2	7
D3	5 point mixing method	11/12	11/12-11/28	-0.001	<0.005	Not detectable	<0.0005	<0.001	<0.002	<0.002	0.32	-0,01	<0.0003	100'0>	<0.0006	Not detectable	Not detectable	1.0>	<0.5	<0.5	0.02	<0.2	4	171	-
· 13	5 point mixing method	11/12	11/12~11/28	<0.001	<0,005	Not detectable	<0.0065	<0.001	<0.002	<0.002	0.28	10'0	< 0.0003	<0.001	-0.0006	Not detectable	Not detectable	<0.1	9'0	-0.5	-0.01	-0.2	80	1.5	26
E2	5 point mixing method	11713	11/13~11/28	<6,003	<0.005	Not detectable	<0.0005	0.001	<0.002	<0.002	0.24	10.0	< 0.0003	-0.001	>00000	Not detectable	Not detectable	1:0>	<-0.5	<0.5	0.02	-0.2	y.	1.2	101
	Lower limit of	quantitation		0.001	0.005	0.1	0.0005	0.001	0.002	0.002	0.05	0.01	0.0003	1000	90000	0.0005	0.1	0.1	0.5	0.5	10.0	0.2	_	0.2	,
	The specified standard			0.01 mg/L or less than	0.05mg/L or less than	May not be detected	See Note 2	0.01mg/L or less than	0.01mg/L or less than	0.01mg/L or less than	0.8mg/L or less than	Img/L or less than	0.003mg/L or less than	0.02mg/L or less than	0.006mg/L or less than	May not be detected	May not be detected	150mg/kg or less than	250mg/kg or less than	Or free of cyanide 50mg/kg or less than	15mg kg or less than	150mg/kg or less than	150mg/kg or less than	150mg/kg or less than	4000morke or less than

Note 2: Testing the sampling bound without a compounds and a second of the relevant test meeting example compounds and organic phosphorus that not found in specified standards of compounds, drop below the lower limit of the determination in public compounds such as: Dyscholorizated highestyles. Below, apply to all soil Overview findings of 1-4 notes.

Note 2: Citeria of in a Colorization of the relevant test meeting of example compounds and organic phosphorus phosphoru

Overview of soil survey results (2/2)

	1.11	13	63	E3	13	63	63	100	611	10		
2		-	7.7	C	5	75	3	111	711			
5 point mixing method	д _{шхі} р	5 point mixing method	5 point mixing method	4 point mixing method	5 point mixing method	5 point mixing method	Point survey	5 point mixing method	d point mixing method	Point survey	Lower limit of	The specified standard
11/13		11/13	11/13	11/13	11/13~11/14	11/13~11/14	11/13	11/14	11.14	11/14	quantitation	
11.13~11/28	11/28	11/13-11/28	11/13-11/28	11/13~11/28	11/13-11/28	11/13~11/28	11/13~11/28	11/14~11/28	11/14~11:28	11/14~11/28		
-0.001	100	<0.001	-0.001	<0.001	100:00	<0.001	<0.001	<0.001	-0.001	<0.001	0.001	0.01mg/L or less than
<0.005	90	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	500.0	0.05mg/L or less than
(mg/L) Not detectable	ctable	Not detectable	Not detectable.	Not detectable	Not detectable	Not detectable	0.3	May not be detected				
(mg/L) ~0.0005	500	<0.0005	< 0.0005	<0.0005	<0.0005	<0.0005	<0.0005	-0.0005	<0.0005	<0.0005	0.0005	See Note 2
<0.001	10	0.001	0,001	-:0.001	<0.001	100'0:-	100.0>	<0.001	100.0>	10070>	0.001	0.01 mg/L or less than
(mg/L) <0.002	0.5	<0.002	<0.002	<0.002	-0,002	<0.002	0.002	0.002	<0.002	<0.002	0.002	0.01mg/L or less than
<0.002	502	0.004	0.005	<0.002	0.003	0.002	0.007	0.010	0.003	800.0	0.002	0.01mg/L or less than
.0	0.29	0.22	0.28	0.26	0.24	0.25	0.31	0.18	0.07	0.05	0.05	0.8mg/L or less than
V.	<0.01	0.04	0,04	10.0	0.01	0.01	0.02	10.0	0.01	0.03	0.01	Img/L or less than
90	<0.0003	<0.0003	<0.0003	<0.0003	<0,0003	< 0.0003	<0.0003	<0.0003	<0.0003	<0.0003	0.0003	0.003mg/L or less than
77	<0.001	-0,001	<0.001	<0.001	-0.001	100.0>	-0.001	100'0>	. < 0.001	100'0>	0.001	0.02mg/L or less than
-:0	<0.0006	<0.0006	<0.0006	<0.0006	-0.0006	9000'0>	900000>	<0.0006	<0.0006	<0.0006	0.0006	0.006mg/L or less than
(mg/L) Not de	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	0.0005	May not be detected
(mg/L) Not d	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	Not detectable	0.1	May not be detected
Ť	<0.1	0.1	1.0	0.1	0.1	0.1	0.1	0.1	<0.1	1.0	0.1	150mg/kg or less than
	<0.5	2.1	1.0	<0.5	1.3	<0.5	<0.5	1.2	< 0.5	5.0%	6.0	250mg/kg or less than
(mg/kg)	-0.5	<0.5	<0.5	<0.5	<.0.5	<0.5	<0.5	<0.5	<0.5	< 0.5	0.5	Or free of cyanide 50mg/kg or less than
0	0.01	+0.01	< 0.01	<0.01	<0.01	<0.07	-0.01	-0.01	-0.01	0.01	0.01	15mg/kg or less than
Y	< 6.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	150mg/kg or less than
	100	7	=	13	7	6	8	0	6	6	-	150mg/kg or less than
	1.3	1.7	2.1	1.0	1.7	17	1.8	1.9	2.0	1.8	0.2	150mg/kg or less than
	280	29	2.9	13	33	58	21	32	6	43	cı	4000mg/kg or less than
	2	+	9		2	7	-1	ei	-	100	-	4000mg/kg or fess than

Old Kadena Air Field (25) soil survey confirmation (Part 2)

Analysis of the 25 items of Metal Waste - Deposit Analysis Results (1/3)

Sample (drums) number	ımber	-	c1	~	77	2	9	1	- 00	6	10	=	12	13	14	15	16	17	18 19	10	20 Lower limit of	
Specific types of hazardous substances	Unit Extraction Day	Jan. 28	Jan. 28	Jan. 29	Jan. 29	Jan. 29	Jan. 29	Jan. 29	Jan. 29 Ja	Jan. 29 J.	Jan. 29 Ja	Jan. 29 Ja	5	10	Jan. 29 Ja	5	0 19	30 Ja	95	1 0	30	The specified standard
Dioxins	pg-TEO/g	- 06	80	370	160	190	.92	. 62	-	-	-	-	+	-	-	-	-					2not 3 000not TEO/a or last show
Alkyl mercury compound	mg/L	-0.0005	<0.000.0	-0.0005	-0.0005	<0.0003	< 0.0005	-0.0605	5000000	80	-0.0005	>0.000 0> 50.000.0>		> 50000 >	iv.	100	30	1	Ų	v	0	Maximum by detected
Mercury or its compounds	mg/L	<0.000.0	<0.0003	<0.00005	-0.0005	< 0.0005	-0.0005	-0.0005	-0.00030	-0.0000	<0.0003	<0.000.0>			-	-	+	+	+-	-		0.005mod ar loss than
Cadmium or its compounds	mg/L	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	-	+	+-	-	-		O Second or loss than
Lead or its compounds	mg/L	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	£0'05	< 0.05	:0:03			\vdash	-	H	-		-	+	-		O Smed or less than
Organic phosphorus compounds	mg/l.	-0.1	-0.1	-0.1	1.0	-0.1	1.05	1.02	1.0>	<0.1	-0.1	1.0%	1.05	-0.1	+	⊢	+	-	+	H	L	Ime/ or less than
Hexavalent chromium compound	mg/l.	-0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	51:00	<0.15	-0.15	<0.15 <0	< 0.15	<0.15	-0.15	0.45 ×0	co. 15	-0.15 -0	0.15	-0.15 0.15	1 5mg/L or less than
Its compounds or arsenic	mg/L	-0.03	<0.03	<0.03	<0.03	-0.03	<0.03	-0.03	× 0.03	10.03	-0.03	-0.03	+0.03 +t	+0.03	<0.03	-0.03	0.03 <0	-0.03	-0.030.0	-0.03	-0.03 0.03	0.3me/L or less than
Cyanide	mg/L	<0.1	<0.1	<0.1	1.0>	1.0.1	<0.1	<0.1	<0.1	<0.1	-<0.T	< 0.1	50.1	< 0.1	<0.1	00.1	<0.1	<0.1	<0.1 <0.1		<0.1 0.1	Imp/L or less than
PCP	mg/L	<0.0005	<0.00005	<0.0003	<0.00005	<0.0005	5000000	<0.0005	<0.0005 <0	<0.00005	<0.000.0>	<0.00005 <0	<0.0005 <0.	- \$0000°	<0.00065 <0	<0.00005	<0.00005	-0.00050.	<0.0005 <0.0008	-	<0.0005	0.003mg/L or less than
Trichlorethylene	mg/L	<0.03	-0.03	~0.03	<0.03	<0.03	<0.03	<0.03	-0.03	50'03	-0.03	×0.03	<0.03	> 0.03	<0.03	-0.03	-0.03 -0	- EU.0.	-0.03 -0.03		<0.03 0.03	0 3mg/L or less than
Tetrachlorethylene	mg/l.	10'0	+0.01	10'0:-	10.05	<0.01	<0.01	-:0.01	10.00	10:0:	< 0.01	<0.01	> 10.0>	< 0.01	× 0.01	0.0 × 0.01	07 10'0	-0.01	10:0-		-0.01 0.01	0.1mg/L or less than
Dichloromethane	mg/L	-0.02	<0.02	~0.02	<0.02	<0.02	<0.02	-0.02	-0.02	.0.02	< 0.02	<0.02	<0.02	< 0.02	-0.02	-0.02	-0.02 -0	-0.02	-0.02 -0.02		<0.02 0.02	0.2me/L or less than
Carbon tetrachloride	mg/l.	<0.002	50,002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	:0.003	< 0.0002	<0.002 <0	<0.002 <0	<0.002 <0	<0.002 <0	<0,002 <0	-0.002 c0	c0.002 <0	<0.002 <0.002	-	-0.002 0.002	0.02mg/l. or less than
1,2 - dichloroethane	mg/l.	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	s-0.004	× 00.00×	<0.004	<0.004 <0	<0.004	<0.004	<0.004 <0.00	<0.004 ct)	c0.004 <0	c0.004 <0.000	\vdash		0.04mg/l or less than
1,1 - dichloroethylene	T/Sm	<0.1	<0.1	<0.1	<0.1	<0.1	- 56.1	1.05	<0.1	1.0>	-0.1	< 1.0>	0.1	- 1.00	<0.1	00.1	<0.1	< 0.1	<0.1	+	L	Imal or less than
Cis-1,2 - dichloroethylene	mg/L	-0.04	-0.04	~0.04	<0.07	~0.04	-0.04	0,04	+0.04	10.00	-0.04	+0.04	>0.05	> 10.0>	< 0.04	c0.04 c0			-	+		0 4me/Lor less than
1.1.1 - trichloroethane	mg/L	<0.3	<0.3	<0.3	<0.3	< 0.3	-0.3	5.0.3	< 0.3	<0.3	<0.3	×0.3	. 6.3	-0.3	-0.3	103	<0.3	<0.3	<0.1 <0.1	+	L	3mo/ or loss than
1,1,2 - trichleroethane	mg/L	<0.006	-0.006	-90000	-0.006	-90000-	<0.006	-0.006	× 9.00.0 ×	-0.00%	-0.00.0	-0.006	0> 90000>	-0.006 ec			-		-	\vdash		0.06mo/l or less than
1,3 - dichloropropene	mg/L	<0.002	:0.002	<0.002	<0.002	c9:003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002 <0	<0.002 <0	-0.002 ct	c0.002 <ri>c1</ri>	<0.002 <0	<0.002 ×0.	<0.002 <0	<0.002 <0.002	\vdash		0.02mg/l. or less than
Thiuram	mg/L	<0.000	<0.006	<0.006	<0.006	<0.006	<0.000	<0.006	<0.006	<0.006	> 900'0>	<0.006 <0	<0.006 <0.00	<0.006 <0	> 900.0>	<0.006 -:0.	-0.006 -:0.	-0.006 <0	<0.006 <0.006	-	-0.006 0.006	0.06mg/L or less than
Simazine	mg/l.	-0.003	0.003	~0.003	-0.003	-0.003	+0.003	+0.003	-0.003	-0.003	- 6,000	-0.003	-0.0030	< 0.003 <0	-0.003 -0	<0.0030	-0.003 <0	<0.003 <0	<0.003 <0.003	-	-0.003 0.003	0.03mg/L or less than
Thiobenearb	mg/L	<0.02	-0.02	<0.02	<0.02	<0.02	<0.02	-0.02	0.02	-0.02	-0.02	< 0.02	<0.02 <0	<0.02	< 0.02	.0.02	0.00	·0.02 ×0	>0.02 -0.02		-0.02 0.02	0.2me/L or less than
Benzene	mg/L	-0.01	10:0-	-0.01	-0.01	10.0>	<0.01	<0.01	-0.01	10:00	-0.01	<0.01	-0.01	< 10.05	-0.01	-0.01	0.01 <0	-0.01	-0.01		10.0	0.1mg/L or less than
Selenium or its compounds	mg/L	-0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	+0.03	40.03	<0.03	<0.03	<0.03	c0.03	<0.03	<0.63	<0.03 <0	<0.03	<0.03 <0.03		<0.03 0.03	0 3mort or less than
1 4 - diovana	The contract of	2000	2000	20.00	300	2000	2000									-			ł	H	-	

14-dioxane mg/L control research of inequality columns represent numbers less than indicated. Below are the deposit analysis results. Note 1 - Result of inequality columns represent numbers less than indicated. Below are the deposit analysis results. Note 1 - Capital Revision of Interval and its compounds [Elution volume] are 0.0005 mg/l or less when mercury and alkyl mercury is not detected. To measure alkyl mercury when discovered the mercury measurement needs be to clear of any alkyl mercury pollution that is shown by the Environment Ministry guideline. The first single including "metals and other" are based on the Cabinet Order for the Partral Revision of the Waste Disposal and Public Cleaning Law Enforcement Ordinance (Final Revision No.63 Ordinance of the Ministry of the Environment Feb. 21st. 2013) hassed on the (No.5 Total Decree from February) (7th,1973)

Analysis of the 25 items of Metal Waste - Denosit Analysis Besults (2/3)

Sample (drums) number	mber	21	22	23	24	25	26	27	28 2	29	30	31 3	32 3	33	34	35 3	36 3	37 3	38 39	9 40	1 ower limit of	
Specific types of hazardous substances	Unit \ Extraction Day	Jan. 30 J.	Jan. 30	Jan. 30	Jan. 30	Jan. 30 J	Jan. 36 Jr	Jan. 30 Ju	Jan 30 Jan	Jan. 30 Jan	Jan. 30 Jar	Jan, 31 Jan	-	Jan. 31 Jan	t	1-	1=	12	1=	11	$\overline{}$	The specified standard
Dioxins	pg-TEQ/g	83	156	330	170	110	250	360		850	-	-	-	-	+-	-	+	-	+	-	+	lang 3 000not TEO for or loss than
Alkyl mercury compound	mg/L	< 0.00005	<0.0095	<0.0005	-0.000.05	> 5000.00	<0.0005	<0.0005	<0.000 × 0.00	10.	10	1	l w	w.	100	100	1	-	0	10	0	May not be detected
Mercury or its compounds	mg/L	<0.0005 <	<0.0005	<0.0005	<0.0005	500000	- 50000	-0.0005	-0.0005	-0.50050.	<0.0005 <0.000	<0.0005 <0.0	<0.0005 co.0	<0.0005 <0.0	<0.0000\$	-	-	+-	-	+-	L	0.005med or less than
Cadmium or its compounds	mg/L	< 0.03	-0.03	<0.03	-0.03	-0.03	< 60.05	0.03	-0.03	⊢	<0.03	-0.030	-0.03 <0		-	-	-	-	+-	+		O Smo/I or bee than
Lead or its compounds	mg/L	:0.03	:0.03	-0.03	-0.03	< 0.03	<0.05	<0.03	0.03	<0.03 <0	<0.03	-0.030	-0.01	<0.03	< 0.03		+	+	-	H		O land or less than
Organic phosphorus compounds	mg/L	1.0	<0.1	<0.1	40.1	1.05	<0.1	-10.1	<0.1	>0.1	<0.1	×0,1 ⊲6	9.1	\vdash	+	\vdash	H	\vdash	-	+		Imed. or less than
Hexavalent chromium compound	mg/L	21.05	<0.15	<0.15	<0.15	<0.15	< 0.15	<0.15	0.15 <0	<0.15 <0	<0.15 <0	<0.15 <0	<0.15 <0.	00.15 40	<0.15	<0.15 <0.	-0.15 <0	co 15 co	c0.15 <0.15			L 5mg/L or less than
Its compounds or arsenic	mg/L	-0.03	<0.03	~0.03	-0.03	-0.03	50.03	<0.03	-0.03 -0	-0.03 ×0	×0.03 ×e	-0.03 -0	*0.63 <0	<0.03 <0	-0.030	-0.03 -0.0	-0.03 +0	-0.03 <-0	-0.03 -0.03	.030.03	03 0.03	0.3mg/L or less than
Cyanide	mg/L	19	<0.1	-0.1	<0.1	-1.0-	<0.1	-0.1	50.1	<0.1	-0.1	-10.1	50.1	50.1	-0.1	-0.1 <0	-0.1	-0.f	<0.1	1.0.1	1 0.1	Imo/L or less than
d.	mg/L	- 50000>	-0.0003	-0.000.5	- 0.0005	- 0.0003	- 0.0005	-0.0005	-0.0005 -0.0	-0.00030.0	<0.00005 <0.0	<0.0005 <0.0	-0.0005 -0.0	-0.0005 -0.0	<0.0000	-0.0005 -0.0	-0.0905 -0.0	0,0005 <0.0	-0.0005 -0.0005	1.0	0	0.003mg/l. or less than
Trichlorethylene	mg/L	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03 <0	<0.03 +0	+0.03 <d< td=""><td><0.03 <0</td><td><0.03</td><td><0.03</td><td><0.01 <0</td><td><0.03</td><td><0.03 <0</td><td>00.03 <0</td><td><0.03 <0.03</td><td>-</td><td></td><td>0.3mg/L or less than</td></d<>	<0.03 <0	<0.03	<0.03	<0.01 <0	<0.03	<0.03 <0	00.03 <0	<0.03 <0.03	-		0.3mg/L or less than
Tetrachlorethylene	mg/L	10.0>	10.05	<0.01	<0.01	<0.01	-0.01	<0.01	0.01 <0	<0.01	0.01	<0.01	c0.01 <0	0.01	0> 10.0>	-0.01	9> 10.05	-9.01 <0	<0.01 <0.01	10'0> 10'0	10.01	0.1mg/L or less than
Dichloromethane	mg/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-0.02 -0	<0.02 <0	<0.02 <0	<0.02 <0.0	<0.02 <0	<0.02 <0	<0.02	<0.02 <0.0	<0.02 <0	<0.02 <0	<0.02 <0.02	.02 <0.02	92 0.02	0.2mg/L or less than
Carbon tetrachloride	mg/L	<0.002	~0.002	500°U-	-0.002	0.002	-0.002	<0.002	<0.002 -0.0	-0.0020	-0.002 -0	-0,062 -0.0	-0.0020.	-0.0020	-0.002 -c0	200'0>	<0.002 <n;< td=""><td>-th.0020.</td><td>-0.002 <0.002</td><td>002 -0.002</td><td>0.002</td><td>0.02mg/L or less than</td></n;<>	-th.0020.	-0.002 <0.002	002 -0.002	0.002	0.02mg/L or less than
1.2 - dichloroethane	mg/L	-0000-	-0.004	-0.001	-0.004	0.004	- 0.004	< 0.004	-0.0040.0	-0.004 0	-0.004 <-0	<0.004 <0.0	×0.004 30	-0.004 +0	~0.004 <0	<0.004 <0.0	<0.0040.0	~0.004 ~0	<0.004 <0.004			0.04me/Lor less than
1,1 - dichloroethylene	mg/L	1.0>	<0.1	<0.1	<0.1	-0.1	1.02	1.0>	×0.1 ×0	<0.1	<0.1	-0.1	0.0	1.00	<0,1	<0.1 <0	<0.1	-0.1	<0.1 <0.1	-		Ime/L or less than
Cis-1, 2 - dichloroethylene	mg/L	<0.04	+0.04	<0.03	<0.04	<0.04	-0.04	< 0.04	<0.04 <0	<0.04 <0	<0.03	<0.04 <0.0	<0.04 <0	<0.04	<0.04 <0	<0.04 <0.0	<0.04 <0	0.04 <0	<0.04 <0.04	-		0.4me/L or less than
I, I, I - trichloroethane	mg/L	<03	< 0.3	<0.3	<0.3	<0.3	<0.3	-0.3	-0.3 ct	<0.3	<0.0	-dt.3 -c0	0.3 0.0	00.3	<0.3	<0.3 <0	<0.3	-03 -0	<0.3 <0.3	-	3 0.3	3mg/L or less than
1,1,2 - trichloroethane	mg/L.	- 9000-	-0.006	-0.006	-:0:006	9000	>0.006	> 9000>	<0.000 < 0.000	<0.000 cm	-0.00h	<0.0000	-0,006 -0,0	-0.006 -cn	-0,006 <0.	<0.006 <0.0	-0.006	-0.006 <0.	<0.000 <0.000	900:0:- 900	90000	0.06mg/L or less than
1.3 - dichloropropene	mg/l.	-0.002	-0.002	-0.062	~6,002	0.002	-0.002	-0.002	-0.002 -0.0	-0.002 -0	-0.002 -0	<0.002 -0.0	-0.0020.0	-0.0020	-0.002 -0	<0.002 -0.0	-0.0020,0	-0.0020.	<0.002 <0.002	002 -0.002		0.02mg/L or less than
Thiuram	mg/L	-0.000	-0.006	900/0-	-0.006	900'0	-0.006	- 90000-	-0.000 -0.0	-0.006 -0	- 900'0-	-0.006 -0.0	-0.0060.0	-0.006 <0.	<0.0006	<0.006 <0.0	<0.00600	-0.00%0	<0.006 <0.006	-		0.06me/l or less than
Simazine	mg/l.	-0.003	-0.003	<0.003	-0.003	<0.003	<0.003	<0.000	<0.003 <0.00	<0.003 <6	-6.063 <0	<0.003 <0.0	<0,003 <0,00	-0.0030.	c0.001 -c0.	-0.00.0	<0.003 <0.0	<0.003 <0.	<0.003 <0.003	500.0> E00.003	0.003	0.03mg/L or less than
Thiobencarb	mg/L	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02 <0	<0.02 <0	50,02 cd	c0.02 <6	<6.62 <0	<0.02 <0	<0.02 <0	<0.02 <0.0	<0.02 <0	00.02 <0	<0.02 <0.02	02 <0.02	0.02	0.2mg/L or less than
Benzene	mg/L	10:0	10.0-	-10.01	-0.01	-0.01	10'0>	<0.00	46.01	-0.01	-0.01	<0.01 <0.0>	<0.01 <0.0	<0.01 <0.02	<0.01	-0.01	-0.01	0> 10'0>	-0.01	10'0> 10'	10.01	0.1mg/L or less than
Selenium or its compounds	mg/l.		<0.03	-0.03	<0.03	:0.03	-0.03	. 0.03	-0.03 -0.0	-0.03 -0	-0.030	-0.03 -0.	-0.03 -:0.	-:0.03	-0.030	-0.030.0	-0.03	0 03 <0	<0.030.03	60'0 - 6'03	0.03	0.3mg/L or less than
4 - dioxano	me/L	-900	50.00	50.05	*0.04	-0.04	400	10.04					H									

Old Kadena Air Field (25) soil survey confirmation (Part 2)

Analysis of the 25 items of Metal Waste - Deposit Analysis Results (1/3)

Specific types of hazardous substances	compression of the control of the co	+	4.5	43	+	5	40	47	48		20	-	-	-	6.1	25	55	50	03	200	100	A COLUMN TO THE PERSON OF	
	Unit Extraction Day	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	Jan. 31	-	1.	2	1 =	1.	1-	-	-		-	1.2	- 2	- 2	Lower mint of	The specified standard
Dioxins	pg-TEQ/g	010	. 55	250	150	999	0.80	099	-	1	+	-	+	-		-	+	+	-	-	+	4	A children a second a
Alkyl mercury compound	mg/L	-0.0003	<0.0005	20,000\$ <0,000\$ <0,000\$	<0.0005	<0.0005	*:0:000K	1.0	0	1.	0	13	10	1	1	10	1	+					SHR(SAMADR)-1 EQ/R of less than
Mereury or its compounds	me/L	<0.0003	<0.0005	>0.000 < 0.000 >	<0.0000	+-	-	+-	+-	+-		-						-					May not be detected
Cadmium or its compounds	me/l	1000	-	00.02	20.02	+-		-		-				1		+	+	1	Y .	-	v		0.005mg/L or less than
Lead or its commonted	Tour.	1000	+	10000	2000	0000	2000	20.03	+	+	+	+	1	<0.03	0.03	:0.03	0.03 <0.03	03 <0.03	3 -0.03	03 -0.03	3 <0.03	0.03	0.3mg/L or less than
Occupant alternational annual annual	100	40.00	+	-0.03	<0.05	70'02	<0.03	<0.03	+	<0.03	c0.03	<0.03	C0.03	<0.03	<0.03 <0.0	<0.03 <0.00	-0.03 <0.03	63 < 0.03	3 <0.03	03 <0.63	3 -0.03	0.03	0.3mg/L or less than
Organic phosphorus componius	mg/t.	:01	+	100c	-003	<0.1	-:0°I	1.0-	-0.1	1.0.1	1.05	-0.1	<0.1	-0.1	-0.1 × 0	a:0.1	1.0.1	- 10.1	1.0-	1.00.1	1.0 - 0.1	0.1	Img/L or less than
Hexavasent chromium compound	mg/L	-0.15	<0.15	<0.115	<0.15	<0.15	<0.15	<0.15	*0.15	<0.15	-0.15 <0	-0.15	-0.15 -0	e0.15 <0	<0.15 <0.	<0.15 <0.	-0.15 -0.15	15 <0.15	5 -0.15	13 -0.15	5 -0.15	0.15	L5me/L or less than
Its compounds or assenic	mg/L.	-0.03	<0.03	-0.03	<0.03	<0.03	-0.03	<0.03	<0.03	<0.03	~0.03 <0	<0.03	-0.03	0-0100-	-0.03 -0.03		-0.03 -0.01	01 <0.03	13 -0.03	33 <0.03	3 -0.03	0.03	O 3mort or loss than
Cyanide	mg/L	1700	<0.1	50.1	<0.1	10>	<0.1	1.00	<0.1	1.00	0 1 00	1.00	<0.1	100	-0.1 -0	(0.1	c0.1 ×(0.1	90	1 <0.1	1 40 1	H		Imo'l or less than
PCP	mg/L	<0.0005	<0.0005	< 0.0005	<0.0005	<0.0005	<0.0003	<0.0005	<0.00005	< 0.0005	<0.00005 <0.0	<0.0005 <0.00	:0.0005 <0.0	<0.0005 00.0	0.00005 <0.0	<0.00 <0.00	-0.00030.0005	5000 -0.0005	2000 co 2000 S	20000 00 200	V	0	O GGmail or less than
Trichlorethylene	mg/I.	-0.03	<0.03	<0.03	<0.03	<0.03	+:0.03	<0.03	-0.03	<0.03	-0.03	-0.03	0.03	<0.03 -0	-0.03 +0.03	-	-0.03 =0.03	+	-	-	-	L	fi 3mall or loce than
Tetrachlorethylene	mg/l,	10'0>	+0.01	-0.01	10.0	<0.00	10.00	<0.01	-0.01	- 10.0-	-0.01	10.03	-0.01 ×0	<0.01 = 0	10.0> 10.0	H	\vdash	\vdash	+	+	-		O time if on two there
Dichloromethane	mg/L	0.02	<0.02	<0.02	<0.02	-0.02	<0.02	<0.02	<0.05	<0.02	-0.07	50.05	-0.03	00 00	H	H	Н	H	+	+	+		Committee of the state
Carbon tetrachloride	mg/L	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	-		+	+	-	+	-	+	+	+	+		o o 2 7 . 1
1, 2 - dichloroethane	mg/L.	-0.004	<0.004	<0.004	<0.004	*00'0>	<0.003	<0.004	< 0.000	> F00 00	<0.000	۰	+	+	+	+	+	+	+	+	+		O'O'E INGLE OF IESS HEAR
1.1 - dichloroethylene	mg/L	1.00	1.95	505	50.1	100	20.0	+	+	+	+	+	+	+	+	+	+	+	+	1	+		0.04mg/L or less than
Cis.1.2 - dichloresthylene	mail	10.00	400	1000	1000	170	170	177	+	+	+	+	+	100	50.1 <0.1	+	107	1.05	1.0	1.0-	<0.1	0.1	1mg/L or less than
I I I trichlomethane	ma/l	1000	*0/0>	-0.04	-0.04	-0.04	0.04	+0.04	+	+	+	+	+	< 0.04	-0.01 -0.04	+	-0.040.04	-0.04	4 0.04	14 <0.04	4 0.04	0.04	0.4mg/l, or less than
1 1 3 prichlarochum	a den	- CO.	+	COL.	×0.3	×0.3	-0.1	+	+	+	+	+	-0.3	-0.3 -:0	-0.1 -0.3	+	<0.3 <0.3	3 <63	1 40.3	1 +0.3	<0.3	0.3	3mg/L or less than
to the first	7/8/11	50,000	+	S0.006	-00000	×00'00	-00000	900'00	90000	- 900°C	<0.006	00.006 < 0	c0.006 <0	50.006 <0.0	<0.00 double co.0	900'0> 900'0	900'0 900	900'0: 90	900'0> 90	900.05 90	-90/002 90	90000	0.06mg/L or less than
t. 3 - diciliotopropene	mg/L	<0.002	-	-	-0.002	<0.002	<0.002	200'00	<0.002	<0.002	-0.002 ctl.	00.002 <0	<0.002 <0.	:0.002 <0.0	<0.002 <0.002	-	<0.002 =0.002	02 <0.002	02 <0.002	02 <0.002	52 <0.002	2 0.002	0.02mg/L or less than
Inturam	mg/L	-900'6	<0,006	>0.006	-0.006	900'0>	~0.006	900.00	9000	900'0	-0.0060.	-0.0060	-0.0060.	-0.006 -0.0	<0.006 <0.006	-	-0.006 -0.006	900.0~ 90	36 -0.00A	900'0> 90	900'0- 90	90000	0.06mg/L or less than
Simazine	mg/l.	₹00.00	-0.003	< 0.003	:0003	-0.003	-0.003	- 0.003	-0.003	<0.003	<0.003 <0.0	< 0.003 < 0	< 0.003 < 0.	~0.003 <0.003	003 <0.003	503 < 0.003	50030,003	63 0.003	33 ~6.003	03 < 0.003	3 <0.003	0.003	0.03med, or less than
Thiobenearb	mg/L	~0.02	<0.02	-0.02	<0.02	~0.02	<0.02	<0.02	-0.02	~ 0.02	-0.020	-0.02	0.02 <0	<0.02 <0.0	-0.02 -0.02		-0.02 -0.02	20 -0.03	CO 000	20.02	20 00	0.00	O 2mg/Lor loss than
Benzene	mg/L	>0.01	10'0>	<0.01	<0.01	-10.0>	10'0	10.0	19'0>	- 10.0-	0.01	-0.01	0 1000	c0.01 c0	1002	H	-0.03	10 02	1000	1000	H		O twent on the state
Selenium or its compounds	mg/L	<0.03	<0.03	- 60.03	<0.03	:0.03	0.03	<0.03	<0.03	<0.03	0> 000	<0.03	-0.03	0.01	H	\vdash	H	+	+	+	+		O Small or been then
I. 4 - dioxane	mg/L	<0.00	<0.05	50.05	<0.05	50'02	50.0	<0.05	- 50.02	- 50.05	900-	20.02	90.00	0. 300-	20.05	2000	20 0 - 20	+	╀	₽	1		County to the man

Old Kadena Air Field (25) Soil Survey Confirmation (Part 2)

Analysis of PCB and dioxins - July 2013 Survey Sample Analysis Results,

Sample (dn	Sample (drums) number	-	7	r.	4	v	9	Lower limit of	
pecific type of azardous substances	Unit \Extraction Day	July, 2013	July, 2013	aly 2013 July, 2013 July, 2013 July, 201	July, 2013	July, 2013	July, 2013	quantitation	The specified standard
Dioxins	pg-TEO g	140	180	180	76	920	1100		3ng(3,000pg)-TEQ'g or less than
CB (Elution volume)	mg/L	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.000.0>	0.0005	0.003mg / L or less than

Note: The Inequality of column results shows values lower than indicated. Less than or the same.

The Criteria depended on the list by the special control of industrial waste (Article 1 of 2 of the Waste Disposal Act Enforcement Regulations).

Sample (dn	Sample (drums) number	7	»	0	01	=	12	Lower limit of	
Specific type of hazardous substances	Unit / Extraction Day	July, 2013	July, 2013	July, 2013	July, 2013 July, 2013 July, 2013 July, 2013	July, 2013	July, 2013	quantitation	The specified standard
Dioxins	pg-TEQ/g	160	150	180	1100	220	99	÷	3ng(3,000pg)-TEQ g or less than
PCB (Elution volume)	mg/L	<0.0005	<0.0005	> 00005 <0.0005	0.000	<0.0005	<0.0005	0.0005	0.003mg / L or less than

Sample (dt	Sample (drums) number	13	7	15	16	1.7	18	Lower limit of	
Specific type of hazardous substances	Unit / Extraction Day July, 2013 July, 2013 July, 2013 July, 2013 July, 2013 July, 2013	July, 2013	July, 2013	July. 2013	July, 2013	July, 2013	July, 2013	quantitation	The specified standard
Dioxins	pg-TEQ/g	620	160	240	059	1300	620		3ng(3,000pg)-TEQ/g or less th
PCB (Elution volume)	mg/L	<0.000,0>	<0.000.0	<0.0005	<0.0905	<0.0003 <0.0005	<0.0005	0.0005	0.003mg / L or less than

Sample (dra	ample (drums) number	16	20	21	22	Lower limit of	-
Specific type of hazardous substances	Unit / Extraction Day	July, 2013	July, 2013 July, 2013 July	July, 2013	July 2013	quantitation	The specified standard
Dioxins	pg-TEQ/g	130	800	710	240	9	3ng(3,000pg)-TEQ/g or less than
PCB (Elution volume)	mg/L	<0.00005	s00003	<0.0005	<0.0005	0.0005	0.003mg / L or less than

Old Kadena Air Field (25) Soil Survey Confirmation (Part 2)

Analysis of the 25 items of waste - July 2013 Survey Sample Analysis Results,

Sample (drums) number	ber	Sludge 1	Sludge I	Lower limit of	
Specific types of hazardous substances	Unit / Extraction Day	May. 1	May. 1	quantitation	The specified standard
Dioxins	pg-TEQ/g	260	240		3ng(3,000pg)-TEO/g or less than
Alkyl mercury compound	mg/l.	<0.0005	<0.0005	0.0005	May not be detected
Mercury or its compounds	mg/L	<0.0005	< 0.0005	0.0005	0.005mg L or less than
Cadmium or its compounds	mg/L	<0.03	<0.03	0.03	0.3mg/L or less than
Lead or its compounds	mg/L	<0.03	<0.03	0.03	0.3mg/L or less than
Organic phosphorus compounds	mg/L	<0.1	-0.1	0.1	Img/L or less than
Hexavalent chromium compound	T/Sm	0.15	<0.15	0.15	1.5mg/L or less than
Its compounds or arsenic	mg/L	<0.03	<0.03	0.03	0.3mg/L or less than
Cyanide	mg/L	<0.1	-0.1	0.1	Img/L or less than
PCP	mg/L	< 0.0005	<0.0005	0.0005	0.003mg L or less than
Trichlorethylene	mg/L	<0.03	<0.03	6.03	0.3mg/L or less than
Tetrachlorethylene	mg/L	<0.01	<0.01	10.0	0.1mg/L or less than
Dichloromethane	mg/L	<0.02	<0.02	0.02	0.2mg/L or less than
Carbon tetrachloride	mg/L	<0.002	<0.002	0.002	0.02mg/L or less than
1,2 - dichloroethane	mg/L.	<0.004	<0.004	0.004	0.04mg/L or less than
1.1 - dichloroethylene	ng/L	1.0>	<0.1	0.1	Img/L or less than
Cis-1,2 - dichloroethylene	mg/L	<0.05	<0.04	0.04	0.4mg/L or less than
I.I.1 - trichloroethane	mg/L	<0.3	<0.3	0.3	3mg/L or less than
1.1,2 - trichloroethane	mg/L	-0.006	-0.006	90000	0.06mg/L or less than
1.3 - dichloropropene	mg/L	< 0.002	<0.002	0.002	0.02 mg/L or less than
Thiuram	mg/l.	<0.006	<0.006	900'0	0.06mg/L or less than
Simazine	mg/L	< 0.003	<0.003	0,003	0.03 mg/L or less than
Thiobencarb	mg/L	<0.02	<0.02	0.02	0.2mg/L or less than
Berzene	mg/L	<0.01	<0.01	0.01	0.1mg/L or less than
Selenium or its compounds	mg/L	<0.03	<0.03	0.03	0.3mg/L or less than
1,4 - dioxane	mg/L	<0.05	<0.05	0.05	0.5me/l. or less than

Note 1: The inequality of the column represents a number less than the indicated results.

Note 2: The "May not be detected" criteria of alkyl mercury compounds states that if it falls below the lower limit of quantification value of the results of the properties it of Quantification of alkyl inservery compounds is 0.0065mg.L.

Criteria of indiserial waste related to sludge including "metals and other" are based on the Cabinet Order for the Partial Revision of the Waste Disposal and Public Cleaning Law Enforcement Ordinance (Final Revision No.#3 Ordinance of the Ministry of the Environment Feb. 21st, 2013) based on the (No.3 Total Decree from February 17th, 1973)

Happy Holidays from STARS STRIPES.



Coupon code HOLIDAY50 A full year for only \$19.99



 $\underline{(1)}$

Front Page (/)

Happy Holidays from STARS STRIPES.



A full year for only \$19.99

Home (/) / News (/news) / Pacific (/news/pacific)

Unearthed drums show higher dioxin levels than previously reported, Okinawa tests show






Articles left: 4

Subscribe to get unlimited access Subscribe now! Already have an account? Login here





(/polopoly_fs/1.228009.1390474520!/image/image.jpg_gen/derivatives/landscape_900/image.jpg)

A Japanese worker brushes away dirt from one of 16 barrels unearthed in Okinawa City on June 13, 2013. The city called for Tokyo to investigate for Agent Orange, but manufacturer Dow Chemical Company denied the drums contained the herbicide.

PHOTO COURTESY OF OKINAWA CITY

Email

Print

Reddit

☑ Tweet

Share

p Pinterest More (//www.addthis.co

By TRAVIS TRITTEN AND CHIYOMI SUMIDA |

Published: August 1, 2013



Listen to this article now

01:42

Powered by Trinity Audio



Articles left: 4

Subscribe to get unlimited access <u>Subscribe now!</u> Already have an account? <u>Login here</u>

Happy Holidays from STAKS STRIPES.

U.S. military may have stored or used the dangerous substances on the island during the Vietnam War.



Dow Chemical was one of the manufacturers of defoliants used to kill jungle and crops in Vietnam. But both the ministry and Okinawa City said they could not definitively link the herbicides to Agent Orange.

Meanwhile, the United States has long denied dioxin-laden defoliants were ever present on Okinawa. Dow also recently said the rusted barrels do not match containers used for Agent Orange.

Okinawa City said it will excavate the rest of the soccer field in search of any more containers.

<u>tritten.travis@stripes.com (mailto:tritten.travis@stripes.com)</u> <u>sumida.chiyomi@stripes.com (mailto:sumida.chiyomi@stripes.com)</u>



CAMP FOSTER, Okinawa – Okinawa City officials said Wednesday that independent tests on barrels unearthed on former U.S. military land showed much higher levels of toxic herbicide components than test results released earlier by the Japan Ministry of Defense.

The city test results were eight times higher than the ministry's results for dioxin – a toxin known to cause cancer, reproductive and developmental problems, immune system damage and hormone imbalances – in soil and water collected from around about two dozen rusted Dow Chemical Company containers found buried under a soccer field, according to an Okinawa City report released Wednesday.

Higher levels of 2,4,5-trichlorophenoxyacetic acid — an herbicide that was discontinued in the United States because of health concerns – were also discovered by the municipal testing of the site, which was once part of Kadena Air Base, the report said.

ARTICLE CONTINUES BELOW >

RELATED ARTICLES



finds traces of US herbicides on Okinawa /japan-finds-traces-of-us-herbicides-on-va-1.232287)

Last week, the Ministry of Defense reported Orange defoliant (http://www.stripes.com/nokinawa-1.232287) afte



Articles left: 4

Subscribe to get unlimited access <u>Subscribe now!</u> Already have an account? <u>Login here</u>

Happy Holidays from SIAKS SIKIPES.

STATE OF LOUISIANA PARISH OF ST. TAMMANY

BEFORE ME, Notary Public personally came and appeared Gerald A. Balmes, a person known to me, of The age of majority, who did, under oath, depose and say:

Affiant states that he is domiciled in Crawford County Michigan. He is the Section Leader of the Veterans of Okinawa Section of Military-Veterans Advocacy, Inc.

Affiant served in the United States Marine Corps from 1970 until 1972. From January 1 through December 1, 1971 affiant served on Okinawa at the 3rd Marine Division Headquarters at Camp Courtney. He was assigned as a Personnel Clerk.

On one occasion there was a riot/protest at Camp Courtney. The foliage surrounding the fence interfered with security's ability to observe the locals trespassing on the base. Affiant was then detailed, to assist in the spraying of herbicide/defoliant along the perimeter fence. Affiant was provided a backpack spray kit containing herbicide. Affiant observed the personnel on the truck mixing the herbicide/defoliant. He remembers the strong odor of diesel fuel that permeated the area. Within a day, the effects of the herbicide/defoliant was evident. The foliage wilted so that the security personnel could observe beyond the fence.

Affiant remembers that he was exposed to the herbicide/defoliant on his clothing and skin. He was surrounded by the spray and breathed it in. He was not provided with any personal protective equipment, He developed skin conditions within days of the spraying.

Affiant sayeth naught.

Gerald A. Balmes

Affiant

SUBSCRIBED AND SWORN TO BEFORE MF, Notary Public, this 14th day of June 2021.

John B. Wells

Notary Public #50147

MY COMMISSION EXPIRES: AT DEATH

EXHIBIT

STATE OF ARIZONA COUNTY OF YAVAPAI

BEFORE ME, Notary Public, personally came and appeared Allan I. Davis, a person otherwise identified, of the age of majority, who did, under oath, depose and say:

Affiant states that he is domiciled in Yavapai County, Arizona. He is an Accountant and Income Tax Practitioner.

Affiant Served in the United States Air Force from June, 1968 until June 1972. From November 1968 to May 1971 affiant served on Okinawa at Kadena Air Force Base. His wife, Eileen L. Davis, also served on Okinawa from April 1969 to May of 1971. He was assigned as an inventory management specialist at Kadena Air Force Base on Okinawa, and his AFSC number was 64550. As part of his duties, he inventoried a number of on-base warehouses, including those that contained herbicides such as Agent Orange.

Affiant states that during his time there, he personally inventoried some 25,000 barrels of herbicide including those with orange stripes, which denotes Agent Orange. Affiant states that the majority of the barrels were stacked outside of the base warehouses with some stored inside. As an inventory management specialist, part of his job was to inventory everything in the base warehouses. His wife Eileen was part of the first group of 100 American WAFs to be deployed to Kadena Air Force Base and part of her job was converting IBM computer punch cards to the base supply computer system. Affiant would provide the punch cards to his now wife and she would then utilize them in the operation of the UNIVAC 1050-II supply computer system.

Affiant states that he would inventory the warehouses and missile sites very frequently. He inventoried the herbicide barrels a number of times during his time there. Affiant states that he had left the island before they began to transfer the Agent Orange to Johnston Island.

Affiant personally handled the barrels while counting them. He was never provided with personal protective equipment such as gloves or masks. He actually touched the Agent Orange fluid himself from leaks on the barrels.

Affiant sayeth naught.

llan I. Davis

Affiant

SUBSCRIBED AND SWORN TO BEFORE ME, Notary Public, this 16th day of June 2021.

Notary Public

MY COMISSION EXPIRES:

8/8/2023





OMB Approved No. 2900-0075 Respondent Burden: 15 minutes

STATEMENT IN SUPPORT OF CLAIM

PRIVACY ACT RECEMENTATION: The VA will not disclose influention collected on this flum to my source other than what has been authorized under for Privacy Act of 1974 or Title 33, Code of Federal Regulations 1.576 for routine men (i.e., civil or crimical law endormonet, compressioned communications, quidesticlogical or means bettering the United States is a party or has an interest, the administration of VA Programs and delivery of VA buseline, undifficient in directly and states, and published in the VA department or removed, SEVAZI/ZZ/Z, Compression, Fennion, Education, and Ventional Rabadillation and Employment Records - VA, pour records are properly susceimand with year colors for colors in contract or colors for the colors. VA use years of the colors of the property susceimand with year colors for colors for colors of the colo

PALL INCOMPANDENT BUILDING We need this information to obtain evidence in support of your claim for benefits (38 U.S.C. 501(s) and (b)). Title 38, United States Code, allows us to sak for this information. We estimate that you will need an average of 15 minutes to review the instructions, find the information, and complete this form. VA cannot conduct or ponsor a collection of information unless a welld GMG control member is displayed. You are not required to respond to a collection of information and the information of this number is not displayed. Vell GMG control member is displayed. You are not required to respond to a collection of information in this sumber is not displayed. Vell GMG control members can be control members can be control members and the control members of information on where to send commends or suggestions about this

FIRST NAME - MIDDLE NAME - LAST NAME OF VETERAN (Type or print)

😢 Deportment of Voteronic Attents

SOCIAL SECURITY NO.

VA FILE NO

C/CSS - 26502817

ALLAN I. DAVIS

The following statement is made in connection with a claim for benefits in the case of the above-named vote

- I SERVED IN THE UNITED STATES AIR FORCE FROM JUNE 28, 1968 TO JUNE 27, 1972 AND WAS HONORABLY DISCHARGED.
- I WAS STATIONED AT KADENA AIR FORCE BASE, OKINAWA FROM NOVEMBER, 1968 TO JANUARY, 1971. MY JOB WAS AS AN INVENTORY MANAGEMENT SPECIALIST (SPECIALITY NUMBER 64550). SPECIFICALLY, I TRAVELED THROUGHOUT THE ENTIRE KADENA AIR FORCE BASE AS FART OF MY JOB. I MAINTAINED A TOP SECRET CLEARANCE AS PART OF MY POSITION.
- I HANDLED AND INVENTORIED ALL ASSETS, EQUIPMENT, AND SUPPLIES BELONGING TO THE UNITED STATES AIR FORCE AT KADENA AIR FORCE BASE, OKINAWA. THIS INCLUDED DRUMS OF THE HERBICIDE AGENT ORANGE. AT THE TIME, KADENA AIR FORCE BASE SERVED AS THE PENTAGON'S KEY SUPPLY HUB THROUGH WHICH WEAPONS AND AMMUNITION WERE FLOWN TO THE VIETNAM CONFLICT IN SOUTHEAST ASIA.
- I KNEW THE TYPE OF HERBICIDE BECAUSE MY JOB REQUIRED ME TO ACCOUNT FOR THE VARIOUS 55 GALLON BARRELS. THE OUTSIDE OF THE BARRELS HAD SHIPPING PAPERWORK ATTACHED WHICH DESCRIBED WHAT I WAS INVENTORING AND REPORTING TO THE CHIEF OF SUPPLY AT THE 824TH SUPPLY SQUADRON OF THE STRATEGIC AIR COMMAND (SAC).
- I CAME IN CONTACT WITH THE HERBICIDE WHEN I TOUCHED THE BARRELS AND WHEN IT WAS SPRAYED AT KADENA AIR FORCE BASE, OKINAWA DURING THE ABOVE REFERENCED PERIOD OF ACTIVE DUTY.
- I WASN'T TOLD TO WEAR PROTECTIVE CLOTHING OR ANY CAUTION INSTRUCTIONS.
- I PREVIOUSLY HAVE ATTACHED COPIES OF NEWSPAPER ARTICLES WITH VA FORM 21-526b WHICH WAS DATED AND SIGNED BY ME ON JANUARY 15, 2013.
- I HAVE ATTACHED THE ENCLOSED VETERANS ADMINISTRATION MEDICAL RECORDS (943 PAGES) THAT WILL SUBSTANTIATE MY DISABILITY CLAIM FOR EXPOSURE TO THE HERBICIDE DURING WARTIME. THE DISABILITIES INCLUDE SEVERE HYPERTENSION, IRRITATED BOWEL SYNDROME, CHEST PAINS, AND ELEVATED LIVER ENZYMES AND RELATED ISSUES.

I CERTIFY THAT the statements on this form 200 true, and correct to the best of my knowledge and ballef. SIGNATURE DATE SIGNED 06/27/2013 ADDRESS TELEPHONE NUMBERS (Include Area Code) 1890 W. PEMBERTON DRIVE EVENING PRESCOTT, AZ 86305-8577 928-778-0895 928-778-0895

PENALTY: The law provides severe pensities which include fine or imprisonment, or both, for the willful submission of any statement or evidence of a material fact, knowing it to be false.

21-4138

EXISTING STOCKS OF VA FORM 21-4138, AUG 2004, WILL BE USED

CONTINUE ON REVERSE /24

07022013 - VA Claims Processing Center, Janesville, WI

EXHIBIT

15:54 CDT 09/30/2013 #33482697 Submitted Electronically

VISMS 9-30-2013.

September 19, 2013

Department of Veteran Affairs Phoenix Regional Office 3333 N. Central Avenue Phoenix, AZ 85012

RE: Allan I. Davis
Evidentiary Statement
For VA Compensation Claim
VA File Number: 26-502-817
Dioxin Exposure to Herbicides (Agent Orange)

To Whom It May Concern:

I served with Allan I. Davis at Kadena Air Base in Okinawa, Japan from approximately April 1, 1969 until approximately July, 1970. Both of us were in the 824th Supply Squadron of the 824th Combat Support Group (PACAF) of the Strategic Air Command (SAC) during the Vietnam War.

I worked with SSGT Davis on a daily basis in Document Control with the 824th Supply Squadron and he worked in the Air Force Specialty Number 64550 as an Inventory Control Specialist. SSGT Davis' duties included traveling near the B52's, KC135's, F4's, as well as other aircraft and other various locations on the Base in the performance of his duties as an Inventory Control Specialist. This included touching and inventorying drums of Agent Orange at Kadena Air Base, Okinawa.

The herbicide Agent Orange was stored at Kadena Air Force Base and was often utilized as a defoliant around the perimeter of the Base. The periodic defoliation exposed huge numbers of Air Force men, women, and other Kadena Air Force Base civilian personnel, especially during marching drills, parades, and other exercises that took place around the Base perimeter.

I have known Alian I. Davis since our time serving together until the present day and I believe that his exposure to the herbicide Agent Orange during his tour of duty at Kadena Air Force Base, Okinawa, resulted in his claimed disabilities of severe hypertension, Irritable Bowel Syndrome, chest pains, and elevated liver enzymes and related issues.

Thus, please accept this letter as supporting information for his Dioxin exposure to herbicides (Agent Orange) at Kadena Air Force Base, Okinawa.

I hereby certify this information is true and correct to the best of my knowledge and belief.

Sincerely.

SSGT Joyce Yvonne Willis (Stowers)

ye your wills Apres

S.S. # 436-70-3646

5106 Charing Way Avenue Baton Rouge, LA 70817-2003

E-mail: jstowers@ncr.org

EXHIBIT Sapples

5/24

14:05 CST 11/05/2017 #62845970 Submitted Electronically

September 28, 2017

Department of Veteran Affairs Phoenix Regional Office 3333 N. Central Avenue Phoenix, AZ 85012

RE: Allan I. Davis

Evidentiary Statement (Buddy Statement)
For VA Disability Compensation Claim
VA File Number: 26-502-817
Medical Conditions Caused by
Dioxin Exposure to Herbicides (Agent Orange)
at Kadena AFB, Okinawa, Japan

To Whom It May Concern:

I served with Allan I. Davis at Kadena Air Base in Okinawa, Japan from approximately November 1968 through September 1970. Both of us were in the 824th Supply Squadron of the 824th Combat Support Group (PACAF) of the Strategic Air Command (SAC) during the Vietnam War. I was assigned in the 538 Supply Section.

The herbicide Agent Orange was stored at Kadena Air Force Base and was often utilized as a defoliant around the perimeter of the Base as well as the barracks. The periodic defoliation exposed huge numbers of Air Force men, women, and other Kadena Air Force Base civilian personnel, especially during marching drills, parades, and other exercises that took place around the Base perimeter.

My duties included shipping and receiving and I was also assigned to the flight status section, which included all flying gear and related equipment for pilots flying to Vietnam.

After unloading crates from planes, my job was to break down the crates, load them on an Air Force flatbed truck and drive them to the off-base dump site. That is where I first came in contact with Agent Orange. The color stripes on the 55-gallon barrels were white, blue, orange, and, on one occasion, I observed a barrel with pink stripes. In order to deposit the crates into the pit at the dump site, I had to remove by hand the open and leaking barrels that were blocking access.

The Okinawan civilian employees working on Base went on strike during the early part of 1970. The Kadena Base Commander assigned Airmen to take over the duties of the striking civilians and those duties included spraying Agent Orange around the barracks, the perimeter of the runways and the road leading to the location of the radar unit. I personally sprayed the barracks at least twice a week, the 538 building, and the hill leading to the radar unit. Due to my direct exposure from spraying Agent Orange, I, too, suffer a number of serious medical issues.

EXHIBIT

9

Page 1 of 2

14:05 CST 11/05/2017 #62845970 Submitted Electronically

At the time we were serving together, Kadena Air Force Base served as one of the Pentagon's key supply hubs on Okinawa through which weapons and ammunition were flown to the Vietnam War in Southeast Asia.

I have known Allan I. Davis since our time serving together until the present day and I believe that his exposure to the herbicide Agent Orange during his tour of duty at Kadena Air Force Base, Okinawa, resulted in his claimed disabilities of severe hypertension, Irritable Bowel Syndrome, chest pains, elevated enzymes and related issues.

Thus, please accept this Buddy Letter as supporting information for hes Dioxin exposure to herbicides (Agent Orange) at Kadena Air Force Base, Okinawa.

I hereby certify this information is true and correct to the best of my knowledge and belief.

Sincerely,

SGT Louis R. Deshotel, Jr.

Service Number AF 15848878

20950 Highway 16 South Lot 45

Denham Springs, LA 70726

Phone: (225) 413-0637


E-mail: Irdeshotel49@gmail.com

Page 2 of 2 7/24

14:05 CST 11/05/2017 #82845970 Submitted Electronically

Map - KadenaFSS

Page 1 of 1



https://www.kadenafss.com/map/

9/29/2017 8/24

October 12, 2018

Department of Veterans Affairs

RE: Allan I. Davis
Evidentiary Statement (Buddy Statement)
For VA Disability Compensation Claim
VA File Number: 26-502-817
Medical Conditions Caused by
Dioxin Exposure to Herbicides (Agent Orange)
At Kadena AFB, Okinawa Japan

To Whom It May Concern

I served with Allan I. Davis at Kadena Air Base, Okinawa Japan from approximately March, 1969 through March 1974, with the 824th Combat Support Group, 824th Supply Squadron. I served as the NCOIC (Non-Commissioned Officer in Charge) of one of the 824th Supply Squadron Supply Warehouses.

The herbicide, Agent Orange, was stored at Kadena Air Base and was often used as a defoliant around the perimeter of the Base as well as the barracks.

During the time we served together, Kadena Air Base served as one of the Pentagon's key supply hubs on Okinawa through which weapons and ammunition were flown to the Vietnam War in Southwest Asia.

It is my belief, since our time serving together, that his exposure to the herbicide, Agent Orange, during his tour of duty at Kadena Air Base, Okinawa Japan resulted in his claimed disabilities of Severe Hypertension, Ischemic Heart Disease, Chest Pains, Irritable Bowel Syndrome, Elevated Enzymes and related issues.

Therefore, please accept this Buddy Letter as supporting information for his Dioxin Exposure to the Herbicides (Agent Orange) at Kadena Air Base, Okinawa Japan.

I certify this information is true and correct to the best of my knowledge and belief.

Sincerely,

Ted Spencer, Chief Master Sergeant, Retired

8960 Fascination Ct #416 Lorton, VA 22079-5711

(410) 50-5089

Tspencer4jc.ts@gmail.com

2 Attachments

Atch #1 Order going to Okinawa A-258 Atch #2 Order returning to States AA-35



P. 2084

August 27, 2018

Department of Veteran Affairs

RE: Allan I. Davis

Evidentiary Statement (Buddy Statement)
For VA Disability Compensation Claim
VA File Number: 26-502-817
Medical Conditions Caused by
Dioxin Exposure to Herbicides (Agent Orange)
at Kadena AFB, Okinawa, Japan

To Whom It May Concern:

I served with Allan I. Davis at Kadena Air Force Base in Okinawa, Japan from approximately Decision, 1968 9through 1972, with the Air Weather Service Detachment. My AFSC was 302XO. I served on a hilltop at Kadena AFB and Agent Orange was sprayed around our area to kill the Habu grass around our detachment.

Pursuant to the 1971 Okinawa Reversion Agreement between Japan Prime Minister Eisaku Sato and President Richard Nixon, Okinawa reverted back to Japan on May 15, 1972 after 27 years under U. S. Administrative control.

My job, in addition to briefing Kadena AFB pilots on weather conditions, was to insure on May 15, 1972 via the use of weather balloons, that I maintained "wind data" to monitor that any chemical, biological, or radiological items being removed from Okinawa did not blow back onto the Island. This included any Agent Orange, Sarin Gas, or any nuclear weapons.

At the time we served together, Kadena Air Force Base served as one of the Pentagon's key supply hubs on Okinawa through which weapons and ammunition were flown to the Vietnam War in southeast Asia.

I believe that since our time serving together that his exposure to the herbicide Agent Orange during his tour of duty at Kadena Air Force Base, Okinawa, Japan resulted in his claimed disabilities of severe hypertension, ischemic heart disease, chest pains, irritable bowel syndrome, elevated enzymes and related issues.

Therefore, please accept this Buddy Letter as supporting information for his Dioxin exposure to herbicides (Agent Orange) at Kadena Air Force Base, Okinawa, Japan.

I hereby certify this information is true and correct to the best of my knowledge and belief.

Page 1 of 2

P. 20P 5



Sincerely,

SGT Harry Woodard.

Service Number AF 14845764

or Social Security Number ____

744 White Pine Avenue

Rockledge, FL 32955-8140

Phone: (321) 631-5373 Home

(321) 223-9643 Cell

E-mail: bigwoody008@aol.com

Page 2 of 2

P. 3 op 5

August 27, 2018

Department of Veteran Affairs

RE: Allan I. Davis

Evidentiary Statement (Buddy Statement)
For VA Disability Compensation Claim
VA File Number: 26-502-817
Medical Conditions Caused by
Dioxin Exposure to Herbicides (Agent Orange)
at Kadena AFB, Okinawa, Japan

To Whom It May Concern:

I served with Allan I. Davis at Kadena Air Force Base in Okinawa, Japan from approximately May, 1968 through September, 1969, with the 824th Combat Support Group, 824th Supply Squadron. My AFSC was 70250. I served as an Administrative Specialist and as a security person overseeing 55 gallon & 35 gallon drums of Agent Orange and other herbicides, as well as all items in the Kadena AFB warehouse.

At the time we served together, Kadena Air Force Base served as one of the Pentagon's key supply hubs on Okinawa through which weapons and ammunition were flown to the Vietnam War in southeast Asia.

I believe that since our time serving together that his exposure to the herbicide Agent Orange during his tour of duty at Kadena Air Force Base, Okinawa, Japan resulted in his claimed disabilities of severe hypertension, ischemic heart disease, chest pains, irritable bowel syndrome, elevated enzymes and related issues.

Therefore, please accept this Buddy Letter as supporting information for his Dioxin exposure to herbicides (Agent Orange) at Kadena Air Force Base, Okinawa, Japan.

I hereby certify this information is true and correct to the best of my knowledge and belief.

Sincerely,

Sale Mathelle

Service Number AF 19860914

6254 N. Fruitdale Road

Sedro Woolley, WA 98284-8967

Phone: (360) 708-3268

E-mail: andemitchelle@yahoo.com

EXHIBIT 12

P. SOP5